

VEHICLES

AUTOMOBILES

ARMORED PERSONNEL CARRIERS (APC)

Ferrari Appaloosa Light Scout

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
40	22	4 x 2	12	15	3	21" (x4)	95 mph	-4	6	2	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
1 dr/1 top hatch/1 double rear dr			3 Bucket + 1 Bench			6WD		Combustion		-19/1 mo	775,300
Options		ECM 5, ECM Booster 5, ECCM 5, Standard Turret, Folding Bench Seat, Active Thermal Masking, Vehicle Armor, 6 Wheels									
Similar Models		Dodge APC750, Lockheed-Chenoweth Protector									

LAV-93 Devil Rat

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
40	25	4 x 2	15	10	3	12" (x4)	55 mph	-4	0	2	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
3 top hatches/1 rear ramp			2 Bucket + 2 Bench			Tracked		Diesel		-7/13 days	260,100
Options		Amphibious Operation, Wide Range Radio Transceiver, EnviroSeal, Remote Turret, Active Thermal Masking, 2 Folding Benches, Vehicle Armor									
Similar Models		Salish-Shidhe Warrior									

LAV-103 Striker Light Tank

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
40	25	4 x 2	18	10	3	12" (x4)	55 mph	-4	0	2	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
3 top hatches/1 rear ramp			3 Bucket			Tracked		Diesel		-8/16 days	305,100
Options		Amphibious Operation, EnviroSeal, Remote Turret, Active Thermal Masking, 2 Folding Benches, Vehicle Armor, Wide Range Radio Transceiver									
Similar Models		Lockheed-Chenoweth Defender, UCAS A1098									

INDUSTRIAL MOVERS

Mesametric Kodiak Roadway Clearance System

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
40	20	4 x 2	17	10	2	10" (x4)	30 mph	-4	3	--	2
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
--			None			Tracked		Combustion		-2/2 days	75,500
Options		Dozer Blade, Off-Road Suspension, Remote-Control Interface, Rigger Adaptation, Vehicle Armor									
Similar Models		CAT Heavyweight									

LIMOUSINES

Mitsubishi Nightsky

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
35	19	3.2 x 1.6	5	12	3	22" (x4)	100 mph	-3	1	4	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
2-dr/2 sliding dr/1 sunroof			2 Bucket + 6 Bucket			AWD		Combustion		-5/9 days	171,200
Options		APPS, Concealed Armor, EnviroSeal, Roll Bars, Satellite Uplink									
Similar Models		Lincoln, Mark V, Buick Broadway, Renraku Honor									

Rolls-Royce Phaeton

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
35	19	3.2 x 1.6	7	12	3	26" (x4)	115 mph	-3	1	4	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
4-dr/1 side gate/1 sunroof			8 Bucket + 1 Bench			AWD		Diesel		-6/11 days	218,800
Options		Concealed Armor, APPS, Roll Bars, EnviroSeal, Satellite Uplink									
Similar Models		Bentley Verde, BMW Execter 960, Daimler-Benz Ambassador									

SHADOWPUNK—VEHICLES

RVs

Ford-Canada Bison

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
45	21	5 x 2.5	7	12	3	25" (x4)	110 mph	-4	1	3	--
Entry Points		Seating			Drivetrain		Engine		Availability		Cost
2-dr/1 sliding dr/1 double rear dr		2 Bucket + 5 Bucket			AWD		Diesel		-4/8 days		145,000
Options		Concealed Armor, Folding Bench Seat, 6 Wheels									
Similar Models		Dodge Wanderer, Winnebago Sojourner, Renraku Typhoon									

Rolls-Royce Prairie Cat

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
45	21	5 x 2.5	7	12	3	23" (x4)	100 mph	-4	1	3	--
Entry Points		Seating			Drivetrain		Engine		Availability		Cost
2-dr/1 sliding dr/1 double rear dr		2 Bucket + 5 Bucket			AWD		Diesel		-3/6 days		113,400
Options		APPS, Amphibious Operation 1", Concealed Armor, Satellite Uplink, Roll Bars, 6 Wheels									
Similar Models		Dodge Wanderer, Winnebago Sojourner, Renraku Typhoon									

SAND BUGGIES

Lockheed-Chenoweth Light Strike Vehicle

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
25	15	2 x 1	2	15	4	17" (x4)	100 mph	-2	0	0	--
Entry Points		Seating			Drivetrain		Engine		Availability		Cost
--		4 Bucket			4WD		Combustion		-1/24 hrs		12,300
Options		Defense does not protect occupants, Off-Road Suspension, Wide Range Radio Transceiver, Roll Bars, Ring Mount									
Similar Models		VW Sandstorm, Suzuki Dune, Yamaha Sahara									

SEDANS

Chrysler-Nissan Maxima

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
30	17	2.5 x 1.25	3	12	4	23" (x4)	135 mph	-2	0	2	--
Entry Points		Seating			Drivetrain		Engine		Availability		Cost
4-dr		2 Bucket + 1 Bench			AWD		Combustion		-1/48 hrs		35,000
Options		None									
Similar Models		Ford Taurus, Kia Optima, Mazda 626									

Chrysler-Nissan Patrol-1

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
30	17	2.5 x 1.25	5	12	4	23" (x4)	135 mph	-2	0	3	--
Entry Points		Seating			Drivetrain		Engine		Availability		Cost
4-dr		2 Bucket + 1 Bench			AWD		Combustion		-2/72 hrs		43,700
Options		Vehicle Armor									
Similar Models		Ford Marshal, Kia Justice, Mazda XZ250,									

Ford Americar

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
30	17	2.5 x 1.25	3	12	4	17" (x4)	100 mph	-2	1	2	--
Entry Points		Seating			Drivetrain		Engine		Availability		Cost
2-dr/1 sunroof		2 Bucket + 1 Bench			RWD		Combustion		-1/24 hrs		20,000
Options		None									
Similar Models		Chrysler-Nissan Sentra XI, Mercury Comet, Honda Accord									

General Products City Operations Patroller (COP)

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
30	17	2.5 x 1.25	4	12	4	14" (x4)	80 mph	-2	0	1	--
Entry Points		Seating			Drivetrain		Engine		Availability		Cost
Sliding Canopy		2 Bucket			FWD		Electric		-2/72 hrs		28,800
Options		Vehicle Armor									
Similar Models		Ford Mule, Mitsuhamma Chariot, Renraku Sai,									

SHADOWPUNK—VEHICLES

Lone Star Modified Ford Americar

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
30	17	2.5 x 1.25	6	12	4	17" (x4)	100 mph	-2	1	2	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
2-dr/1 sunroof			4 Bucket			RWD		Combustion		-1/48 hrs	38,500
Options		Vehicle Armor									
Similar Models		Knight-Errant Modified Chrysler-Nissan Sentra XI, Sioux Mercury Grand Prix V, PCC Honda Argent,									

Toyota Elite

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
30	17	2.5 x 1.25	3	12	4	18" (x4)	110 mph	-2	1	4	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
4-dr			4 Bucket			RWD		Combustion		-2/96 hrs	66,400
Options		Advanced Passenger Protection System, EnviroSeal									
Similar Models		Buick Park Avenue, Saab 10-6, Citroën Xhen									

SPORT UTILITY VEHICLES (SUV)

Gaz-Willys Nomad

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
35	19	3.2 x 1.6	3	18	3	20" (x4)	90 mph	-3	0	2	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
2-dr/rear gate			2 Bucket + 1 Bench			AWD		Diesel		-1/48 hrs	34,500
Options		Roll Bars									
Similar Models		Ford Survivor, Citroën Jumpy, Mitsuhamma Tanto									

GMC MPUV

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
35	19	3.2 x 1.6	9	15	3	22" (x4)	100 mph	-3	0	0	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
4-dr/rear gate			2 Bucket + 1 Bench			AWD		Diesel		-2/72 hrs	70,000
Options		Vehicle Armor, Wide Range Radio Transceiver, Pintle Mount, Spotlight									
Similar Models		Ford Workhorse, Volkswagen Wildnis, Renraku Bear									

Land Rover Model 2046 SUV

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
35	19	3.2 x 1.6	3	15	3	20" (x4)	90 mph	-3	0	2	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
4-dr/rear gate/1 sunroof			2 Bucket + 2 Bench			4WD		Diesel		-1/48 hrs	32,000
Options		2 Folding Benches									
Similar Models		Saab Auslander, Suzuki Sporty, Celebrian Terrain									

Land Rover Model 2046 Pickup

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
35	19	3.2 x 1.6	3	15	3	20" (x4)	90 mph	-3	0	1	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
4-dr/rear gate/1 sunroof			2 Bucket + 1 Bench			4WD		Diesel		-1/48 hrs	29,000
Options		None									
Similar Models		Ford F550, Toyota Titan-10, Chevrolet Silverado 2050 SS									

Nissan-Holden Brumby

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
35	19	3.2 x 1.6	3	12	3	20" (x4)	90 mph	-3	0	2	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
2-dr/1 rear gate			2 Bucket + 1 Bench			4WD		Diesel		-1/48 hrs	19,000
Options		Folding Bench Seat									
Similar Models		Land Rover Model 2067, BMW Off-Roader, Honda Safari									

SHADOWPUNK—VEHICLES

Toyota Gopher Pickup

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
35	19	3.2 x 1.6	3	12	3	21" (x4)	95 mph	-3	0	2	--
Entry Points		Seating			Drivetrain		Engine		Availability	Cost	
2-dr		2 Bucket			4WD		Combustion		-1/48 hrs	29,500	
Options		Roll Bars									
Similar Models		Ford Texan, Nissan Rebel, GMC B150									

SPORTS CARS

Eurocar Westwind 2000

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
25	16	2 x 1	3	18	4	26" (x4)	158 mph	-2	1	3	--
Entry Points		Seating			Drivetrain		Engine		Availability	Cost	
2-dr		2 Bucket + 1 Bench			RWD		Combustion		-2/72 hrs	57,000	
Options		APPS									
Similar Models		Ferrari 770 Spider, BMW 3420LS, Citroën 1030									

Eurocar Westwind 2000 Turbo

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
25	16	2 x 1	3	18	4	30" (x4)	180 mph	-2	1	3	--
Entry Points		Seating			Drivetrain		Engine		Availability	Cost	
2-dr		2 Bucket + 1 Bench			RWD		Combustion		-2/72 hrs	77,000	
Options		APPS									
Similar Models		Peugeot AP75, Daimler-Benz MP6-17, Mazda Star 303									

Honda-GM 3220

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
25	16	2 x 1	3	15	4	20" (x4)	120 mph	-2	0	1	--
Entry Points		Seating			Drivetrain		Engine		Availability	Cost	
2-dr		4 Bucket			FWD		Combustion		-1/48 hrs	28,000	
Options		None									
Similar Models		Ford Mustang, Toyota 660 Arachnid, Chrysler Menace									

Honda-GM 3220 Turbo

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
25	16	2 x 1	3	15	4	24" (x4)	145 mph	-2	0	2	--
Entry Points		Seating			Drivetrain		Engine		Availability	Cost	
2-dr		4 Bucket			FWD		Combustion		-2/72 hrs	44,000	
Options		None									
Similar Models		Ford Mustang, Toyota 660 Arachnid, Chrysler Menace									

Lone Star Modified 3220 Turbo

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
25	16	2 x 1	4	15	4	24" (x4)	145 mph	-2	0	2	--
Entry Points		Seating			Drivetrain		Engine		Availability	Cost	
2-dr		4 Bucket			FWD		Combustion		-1/48 hrs	49,000	
Options		None									
Similar Models		Knight-Errant-modified Ford Mustang, PCC-modified Nissan Celer, Ares-modified Mitsuhama Reflex 6									

Saab Dynamit 778 TI

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
25	16	2 x 1	3	15	4	31" (x4)	188 mph	-2	1	3	--
Entry Points		Seating			Drivetrain		Engine		Availability	Cost	
2-dr		2 Bucket + 1 Bench			RWD		Combustion		-3/5 days	92,000	
Options		None									
Similar Models		Porsche Winter, Mitsubishi Shadow, Peugeot RM780									

SHADOWPUNK—VEHICLES

SUBCOMPACT CARS

Chrysler-Nissan Jackrabbit (Electric)

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
25	16	2 x 1	3	15	4	10'' (x4)	60 mph	-2	0	1	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
2-dr/1 sunroof			2 Bucket + 1 Bench			FWD		Electric		-1/24 hrs	15,500
Options		Folding Bench Seat									
Similar Models		Citroën Ztana, Ford Swift, Dodge Glow									

Chrysler-Nissan Jackrabbit (Gas)

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
25	16	2 x 1	3	15	4	13'' (x4)	80 mph	-2	0	1	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
2-dr/1 sunroof			2 Bucket + 1 Bench			FWD		Combustion		-1/24 hrs	16,500
Options		Folding Bench Seat									
Similar Models		Citroën Ztana, Ford Swift, Dodge Glow									

Leyland-Zil Tsarina (Electric)

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
25	16	2 x 1	3	12	4	11'' (x4)	65 mph	-2	0	1	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
2-dr			2 Bench			FWD		Electric		-1/24 hrs	12,000
Options		None									
Similar Models		Opel Rana, Kia Zephyr, Volkswagen Messenger									

Leyland-Zil Tsarina (Gas)

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
25	16	2 x 1	3	12	4	15'' (x4)	90 mph	-2	0	1	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
2-dr			2 Bench			FWD		Combustion		-1/24 hrs	12,500
Options		None									
Similar Models		Opel Rana, Kia Zephyr, Volkswagen Messenger									

Mitsubishi Runabout

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
20	15	1.6 x 0.8	3	12	4	11'' (x4)	65 mph	-2	0	1	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
Canopy			1 Bench			FWD		Electric		-1/24 hrs	10,000
Options		None									
Similar Models		Honda Spirit, Mazda Watcher, Renraku Konichiwa									

Volkswagen Elecktro

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
20	15	1.6 x 0.8	3	12	4	11'' (x4)	65 mph	-2	0	0	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
Canopy			1 Bench			FWD		Electric		-1/24 hrs	8,000
Options		None									
Similar Models		Toyota Cirian, Aztechnology Sol, Peugeot 401									

TRACTOR-TRAILERS

Conestoga Trailblazer

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
60	25	16.7 x 3	3	10	2	15'' (x8)	85 mph	-6	0	2	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
2-dr + Trailer			2 Bucket + 1 Bench + Sleeper			RWD		Diesel		-4/8 days	152,000
Options		Folding Bench Seat, 18 wheels									
Similar Models		GMC Hauler									

SHADOWPUNK—VEHICLES

TRANSPORTS—HEAVY

GMC 4201

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
45	23	5 x 2.5	3	10	3	20" (x4)	90 mph	-4	0	2	--
Entry Points		Seating			Drivetrain		Engine		Availability		Cost
2-dr		2 Bucket + 1 Bench			4 Wheel + Halftrack		Diesel		-2/4 days		80,000
Options		None									
Similar Models		Ford F500, Dodge Ram Industrial, Volkswagen X600									

TRANSPORTS—MEDIUM

Ares Citymaster

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
40	22	4 x 2	13	10	3	25" (x4)	110 mph	-4	0	3	--
Entry Points		Seating			Drivetrain		Engine		Availability		Cost
2-dr/rear double dr		2 Bucket + 5 Bench			6WD		Diesel		-4/7 days		136,300
Options		Vehicle Armor, EnviroSeal, Life Support, Turret, 6 Wheels									
Similar Models		Volkswagen Urbano									

Ares Mobmaster

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
40	22	4 x 2	17	10	3	25" (x4)	110 mph	-4	0	4	--
Entry Points		Seating			Drivetrain		Engine		Availability		Cost
2-dr/rear double dr		2 Bucket + 5 Bench			6WD		Diesel		-5/9 days		173,000
Options		Vehicle Armor, EnviroSeal, Life Support, Turret, 6 Wheels									
Similar Models		Volkswagen Übermachten									

Ares Roadmaster

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
40	22	4 x 2	3	12	3	19" (x4)	85 mph	-4	0	2	--
Entry Points		Seating			Drivetrain		Engine		Availability		Cost
2-dr/rear double dr		2 Bucket + 1 Bench			6WD		Diesel		-2/3 days		45,000
Options		6 Wheels									
Similar Models		Volkswagen Brüllen									

DocWagon™ Citymaster Variant

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
40	22	4 x 2	13	10	3	25" (x4)	110 mph	-4	0	3	--
Entry Points		Seating			Drivetrain		Engine		Availability		Cost
2-dr/rear double dr		2 Bucket + 1 Bench			6WD		Diesel		-12/23 days		455,000
Options		Anti-Theft Rating 6, EnviroSeal, Life Support, Turret, Medical Clinic (2 patients, 2 technicians), 6 Wheels									
Similar Models		None									

DocWagon™ CRT Ambulance

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
40	22	4 x 2	3	12	3	15" (x4)	65 mph	-4	0	2	--
Entry Points		Seating			Drivetrain		Engine		Availability		Cost
2-dr/rear double dr		2 Bucket + 5 Bench			6WD		Diesel		-9/9 days		361,000
Options		Anti-Theft Rating 6, Medical Clinic (2 patients, 2 technicians), 6 Wheels									
Similar Models		None									

VANS

DocWagon™ SRT Ambulance

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
35	19	3.2 x 1.6	3	12	3	16" (x4)	70 mph	-3	0	1	--
Entry Points		Seating			Drivetrain		Engine		Availability		Cost
2-dr/rear double dr		2 Bucket			FWD		Combustion		-7/14 days		270,000
Options		Anti-Theft Rating 6, Medical Clinic (1 patient, 1 technician)									
Similar Models		Ford Medivan, Modified Chrysler-Nissan VS 780, Renraku ParaMed									

SHADOWPUNK—VEHICLES

GMC Bulldog Step Van

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
35	19	3.2 x 1.6	5	12	3	17" (x4)	75 mph	-3	0	2	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
2-dr/rear double dr			1 Bucket + 1 Bench			FWD		Combustion		-1/48 hrs	32,600
Options		Folding Bench Seat, Vehicle Armor									
Similar Models		Dodge Ram Van, Ford F350, Chrysler-Nissan Packer									

GMC Bulldog Step Van-Security Variant

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
35	19	3.2 x 1.6	8	12	3	17" (x4)	75 mph	-3	0	2	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
2-dr/rear double dr			1 Bucket + 1 Bench			FWD		Combustion		-2/72 hrs	52,600
Options		Folding Bench Seat, Vehicle Armor									
Similar Models		Dodge Ram Van, Ford F350, Chrysler-Nissan Packer									

Leyland-Rover Transport (Electric)

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
35	19	3.2 x 1.6	3	12	3	15" (x4)	65 mph	-3	0	2	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
2-dr/1 sliding side/rear double dr			2 Bucket + 1 Bench			FWD		Electric		-2/72 hrs	47,000
Options		Folding Bench Seat, also available in pickup version (2 dr entry, no bench seats, rear fold down gate)									
Similar Models		Nissan Coda, Dodge Caravan, Misuhama Shogun									

Leyland-Rover Transport (Gas)

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
35	19	3.2 x 1.6	3	12	3	21" (x4)	95 mph	-3	0	2	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
2-dr/1 sliding side/rear double dr			2 Bucket + 1 Bench			FWD		Combustion		-2/72 hrs	51,000
Options		Folding Bench Seat, also available in pickup version (2 dr entry, no bench seats, rear fold down gate)									
Similar Models		Nissan Coda, Dodge Caravan, Misuhama Shogun									

Lone Star Black Mariah USPTV

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
35	19	3.2 x 1.6	12	12	3	20" (x4)	90 mph	-3	0	2	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
2-dr /rear double dr			2 Bucket + 1 Bench			FWD		Diesel		-3/6 dats	115,000
Options		EnviroSeal, Life Support, 2 Turrets									
Similar Models		Knight Errant Securivan, Sioux Modified Nissan Sheriff, Celebrian Conscript									

Renault-Fiat Eurovan

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
35	19	3.2 x 1.6	3	12	3	21" (x4)	95 mph	-3	0	2	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
2-dr/rear double dr			2 Bucket + 3 Bench			FWD		Diesel		-2/72 hrs	53,000
Options		Folding Bench Seats, also available in pickup version (2 dr entry, no bench seats, rear fold down gate)									
Similar Models		Volkswagen Superkombi V, Ford Engineer, Renraku Busman									

Volkswagen Superkombi III

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
35	19	3.2 x 1.6	4	12	3	21" (x4)	95 mph	-3	0	3	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
2-dr/1 sliding side/rear double dr			2 Bucket + 5 Bench			FWD		Combustion		-2/72 hrs	46,300
Options		Concealed Armor, Folding Bench Seats, also available in pickup version (2 dr entry, no bench seats, rear fold down gate)									
Similar Models		Volkswagen Superkombi V, Ford Engineer, Renraku Busman									

SHADOWPUNK—VEHICLES

BOATS

JETSKI

Suzuki Watersport

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
15	13	1.25 x .64	3	18	4	11" (x4)	65 mph	--	1	0	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
--			1 Jetski			Surface Watercraft		Combustion		-1/24 hrs	10,000
Options		None									
Similar Models		SeaDoo Arrow, Kawasaki Aqualisk, Aztechnology Maya									

SKIFFS

Aztechnology Nightrunner (Methane)

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
30	17	2.5 x 1.25	3	15	3	14" (x4)	60 mph	-2	0	3	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
--			2 Bucket			Surface Watercraft		Methane		-1/48 hrs	30,000
Options		None									
Similar Models		Kawasaki Interloper, GMC Heron, Suzuki Skimmer									

Aztechnology Nightrunner (Electric)

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
30	17	2.5 x 1.25	3	15	3	7" (x4)	30 mph	-2	0	3	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
--			2 Bucket			Surface Watercraft		Electric		-1/48 hrs	30,000
Options		None									
Similar Models		Kawasaki Interloper, GMC Heron, Suzuki Skimmer									

Sendako Marlin

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
30	17	2.5 x 1.25	3	15	3	6" (x4)	25 mph	-2	0	0	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
--			2 Bucket + 1 Bench			Surface Watercraft		Sail		-1/24 hrs	18,750
Options		None									
Similar Models		Surfstar Liberty, Celebrian Seagull, JY Splash									

Surfstar Marine Seacop

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
30	17	2.5 x 1.25	4	15	3	18" (x4)	80 mph	-2	0	2	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
--			1 Bucket + 2 Bench			Surface Watercraft		Combustion		-5/9 days	170,000
Options		Radio Transceiver, External Fixed Mount, Spotlight									
Similar Models		GMC Merrow, Suzuki Sea Lion, Renraku CK7250									

SPEEDBOATS

Colorado Craft Cigarette Hydrofoil

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
25	16	2 x 1	3	15	4	16" (x4)	95 mph	-2	0	2	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
--			2 Bucket			Surface Watercraft		Combustion		-1/48 hrs	35,000
Options		None									
Similar Models		Suzuki Tsunami, Yamatetsu Jet Stream									

SHADOWPUNK—VEHICLES

SPORT CRUISERS

Aztechnology Tiburon Patrol Boat

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
35	20	3.2 x 1.6	7	15	3	18" (x4)	80 mph	-3	7	3	--
Entry Points		Seating			Drivetrain		Engine		Availability		Cost
--		2 Bucket + 1 Bench			Surface Watercraft		Diesel		-16/1 mo		650,000
Options		2 Turrets, Vehicle Armor									
Similar Models		GMC Avenger, Criscraft Patroller, Zemlya-Poltava Militant									

Aztechnology Tiburon Patrol Boat-Combat Model

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
35	20	3.2 x 1.6	7	15	3	18" (x4)	80 mph	-3	7	3	--
Entry Points		Seating			Drivetrain		Engine		Availability		Cost
--		2 Bucket + 1 Bench			Surface Watercraft		Diesel		NA		2,670,000
Options		4 Turrets, Active Thermal Masking, Vehicle Armor									
Similar Models		GMC Avenger, Criscraft Patroller, Zemlya-Poltava Militant									

Biohm & Voss River Commander

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
35	20	3.2 x 1.6	12	12	3	14" (x4)	60 mph	-3	1	3	--
Entry Points		Seating			Drivetrain		Engine		Availability		Cost
--		2 Bucket + 1 Bench			Surface Watercraft		Diesel		-7/13 days		260,000
Options		4 Turrets									
Similar Models		GMC Harbormaster, Aztechnology Serpiente, Celebrian Striker									

GMC Riverine

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
35	20	3.2 x 1.6	9	15	3	18" (x4)	80 mph	-3	1	2	--
Entry Points		Seating			Drivetrain		Engine		Availability		Cost
2 dr		2 Bucket + 5 Bench			Surface Watercraft		Diesel		-3/5 days		100,000
Options		Folding Bench Seats, Ring Mount,									
Similar Models		Criscraft Tidal, Kawasaki Gendarmerie, Mitsuhamma Tigershark									

GMC Riverine Security

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
35	20	3.2 x 1.6	9	15	3	18" (x4)	80 mph	-3	1	2	--
Entry Points		Seating			Drivetrain		Engine		Availability		Cost
2 dr		2 Bucket + 2 Bench			Surface Watercraft		Diesel		-4/8 days		150,000
Options		Folding Bench Seats, 2 Turrets									
Similar Models		Criscraft Tidal, Kawasaki Gendarmerie, Mitsuhamma Tigershark									

GMC Riverine Police

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
35	20	3.2 x 1.6	9	15	3	18" (x4)	80 mph	-3	1	2	--
Entry Points		Seating			Drivetrain		Engine		Availability		Cost
2 dr		2 Bucket + 2 Bench			Surface Watercraft		Diesel		-4/7 days		125,000
Options		Folding Bench Seats, Ring Mount, External Fixed Mount									
Similar Models		Criscraft Tidal, Kawasaki Gendarmerie, Mitsuhamma Tigershark									

Samuvani-Criscraft Otter

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
35	20	3.2 x 1.6	3	12	3	8" (x4)	35 mph	-3	1	2	--
Entry Points		Seating			Drivetrain		Engine		Availability		Cost
--		2 Bucket			Surface Watercraft		Combustion		-1/48 hrs		32,500
Options		None									
Similar Models		Suzuki Hannibal, Yamatetsu Shadowcat, GMC Imperator									

SHADOWPUNK—VEHICLES

Zemlya-Poltava Swordsman

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
35	20	3.2 x 1.6	3	12	3	14" (x4)	60 mph	-3	1	2	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
--			2 Bucket + 3 Bench			Surface Watercraft		Combustion		-1/48 hrs	29,000
Options		Folding Bench Seats									
Similar Models		Surfstar Marine Mer-Warrior, Yamatetsu Valkyrie, Biohm & Voss Senschal									

YACHTS

Harland & Wolff Classique

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
45	25	5 x 2.5	3	10	2	12" (x4)	35 mph	-4	1	2	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
2 dr			2 Bucket			Surface Watercraft		Diesel		-5/11 days	207,500
Options		10-man life raft									
Similar Models		Yamatetsu Geneve, Marine Technologies Sea Nymph, Celebrian Galahad									

Marine Technologies Dolphin II

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
45	25	5 x 2.5	3	15	2	12" (x4)	35 mph	-4	1	4	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
2 dr			1 Bucket			Surface Watercraft		Diesel		-4/7 days	125,000
Options		10-man life raft									
Similar Models		Greater Victoria Patrician, Yamatetsu Princessa, Celebrian Mallornica									

MOTORCYCLES

CHOPPERS

BMW Blitzen 2050

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
15	13	1.25 x .64	5	15	4	28" (x4)	165 mph	--	0	2	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
--			2 motorcycle seats			Motorcycle		Combustion		-1/48 hrs	26,300
Options		Concealed Armor									
Similar Models		Yamaha Sprint, Honda Banshee, Harley-Davidson Diablo									

Harley-Davidson Electroglide

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
15	13	1.25 x .64	5	15	4	28" (x4)	168 mph	--	0	1	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
--			1 motorcycle seat			Motorcycle		Combustion		-2/4 days	70,000
Options		Concealed Armor, Radio Transceiver, External Fixed Mount									
Similar Models		Dodge Guardian, Honda Cerebus, Nissan Stealth									

Harley-Davidson Scorpion

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
15	13	1.25 x .64	4	12	4	18" (x4)	110 mph	--	0	2	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
--			2 motorcycle seat			Motorcycle		Combustion		-1/24 hrs	13,000
Options		Concealed Armor									
Similar Models		Triumph RK30, Nissan Khan, Honda Duke									

Honda Viking

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
15	13	1.25 x .64	4	15	4	18" (x4)	110 mph	--	0	2	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
--			2 motorcycle seat			Motorcycle		Combustion		-1/24 hrs	20,000
Options		Adjusted Controls (Troll)									
Similar Models		Mitsuhama Reckoning, Yamatetsu Predator, Harley-Davidson Gideon									

SHADOWPUNK—VEHICLES

OFF-ROAD BIKES

Gaz-Niki White Eagle

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
15	13	1.25 x .64	3	15	4	15" (x4)	90 mph	--	0	0	--
Entry Points		Seating		Drivetrain		Engine		Availability		Cost	
--		2 motorcycle seats		Motorcycle		Combustion		-1/24 hrs		13,000	
Options		Off-Road Suspension, External Fixed Mount									
Similar Models		Harley-Davidson Wolverine, BMW Starfire, Hyundai Marauder									

Hyundai Offroader

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
15	13	1.25 x .64	3	18	4	14" (x4)	80 mph	--	0	1	--
Entry Points		Seating		Drivetrain		Engine		Availability		Cost	
--		2 motorcycle seats		Motorcycle		Combustion		-1/24 hrs		13,000	
Options		Off-Road Suspension									
Similar Models		Harley-Davidson Wolverine, BMW Starfire, Hyundai Marauder									

RACING BIKES

Suzuki Aurora

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
15	13	1.25 x .64	3	18	4	26" (x4)	158 mph	--	0	1	--
Entry Points		Seating		Drivetrain		Engine		Availability		Cost	
--		2 motorcycle seats		Motorcycle		Combustion		-1/24 hrs		16,600	
Options		None									
Similar Models		Yamaha Katana, BMW Victory, Mitsuhamma Blaze									

Yamaha Rapier

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
15	13	1.25 x .64	3	15	4	24" (x4)	146 mph	--	0	1	--
Entry Points		Seating		Drivetrain		Engine		Availability		Cost	
--		2 motorcycle seats		Motorcycle		Combustion		-1/24 hrs		12,700	
Options		None									
Similar Models		Suzuki Mirage, Honda Zephyr, Dodge G6000									

SCOOTERS

Dodge Scoot

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
15	13	1.25 x .64	3	15	3	10" (x4)	45 mph	--	0	0	--
Entry Points		Seating		Drivetrain		Engine		Availability		Cost	
--		2 motorcycle seats		Motorcycle		Electric		-1/24 hrs		4,000	
Options		None									
Similar Models		Yamaha Star, Messerschmidt-Kawasaki Chi, Honda Sprite									

Entertainment Systems Papoose

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
15	13	1.25 x .64	3	15	3	17" (x4)	75 mph	--	0	0	--
Entry Points		Seating		Drivetrain		Engine		Availability		Cost	
--		1 motorcycle seats		Motorcycle		Electric		-1/24 hrs		4,550	
Options		None									
Similar Models		Yamaha Star, Messerschmidt-Kawasaki Chi, Honda Sprite									

SHADOWPUNK—VEHICLES

DRONES

CRAWLERS

Ares Sentinel “P” Series Drone

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot	
10	10	.5 x .25	15	15	4	8” (x2)	25 mph	+2	4	--	3	
Entry Points			Seating			Drivetrain		Engine		Availability		Cost
--			--			Tracked		Electric		-1/48 hrs		32,000
Options		Remote-Control Interface, Rigger Adaptation, Turret, Vehicle Armor										
Similar Models		Aztechnology Patroller, Eireann-Tir Geatóir, Prometheus Guardian										

Aztechnology GCR-23C Crawler

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot	
10	10	.5 x .25	3	15	4	5” (x2)	15 mph	+2	1	--	1	
Entry Points			Seating			Drivetrain		Engine		Availability		Cost
--			--			Tracked		Electric		-1/24 hrs		3,750
Options		Remote-Control Interface, Rigger Adaptation										
Similar Models		Renraku Ninja, Ares Tracker “Q” Series, Mitsuhamma Fox Crawler										

Aztechnology Hedgehog Signal Interceptor

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot	
10	10	.5 x .25	3	15	4	5” (x2)	15 mph	+2	4	--	5	
Entry Points			Seating			Drivetrain		Engine		Availability		Cost
--			--			Tracked		Electric		-5/10 days		200,000
Options		Remote-Control Interface, Rigger Adaptation, Rigger Decryption 4, Rigger Protocol Emulation 4										
Similar Models		Celebrian Audiodrone, ATT Listener 700										

Citröen Brouillard Smoke Generator

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot	
10	12	.5 x .5	3	15	4	13” (x2)	40 mph	0	1	--	1	
Entry Points			Seating			Drivetrain		Engine		Availability		Cost
--			--			Tracked		Combustion		-1/24 hrs		13,000
Options		Remote-Control Interface, Rigger Adaptation, Smoke Generator (4” Darkness: Normal Sight, Reduced END: 0 END (+.5), 5 Continuing charges lasting 1 minute (+0), Moves with the wind (+0), No Range (-.5), Dispersed by strong winds or after 1 minute)										
Similar Models		Renraku Evening Mist, Ares 327RC										

Ferret RPD-VI Perimeter Drone

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot	
10	10	.5 x .25	3	18	4	8” (x2)	25 mph	+2	4	--	3	
Entry Points			Seating			Drivetrain		Engine		Availability		Cost
--			--			AWD		Electric		-1/24 hrs		18,500
Options		Remote-Control Interface, Rigger Adaptation, Spotlight										
Similar Models		Transys Janus Crawler, GM-Nissan Borderpatrol										

Gaz-Niki GNRD-71 BIS Snooper

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot	
10	10	.5 x .25	3	15	4	18” (x2)	55 mph	+2	1	--	1	
Entry Points			Seating			Drivetrain		Engine		Availability		Cost
--			--			AWD		Electric		-1/24 hrs		8,500
Options		Remote-Control Interface, Rigger Adaptation										
Similar Models		Yamatetsu Watcher 4890, Transys Tyr										

GM-Nissan Doberman

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot	
10	12	.5 x .5	9	18	4	17” (x2)	50 mph	0	1	--	2	
Entry Points			Seating			Drivetrain		Engine		Availability		Cost
--			--			AWD		Combustion		-1/48 hrs		25,000
Options		Remote-Control Interface, Rigger Adaptation, External Fixed Mount, Remote Turret, Vehicle Armor										
Similar Models		Yamatetsu Barghest, Aztechnology FWC-72K Chimera, ATT Soldat										

SHADOWPUNK—VEHICLES

Integrated Weapon Systems DLK MK 6 Utility Machine

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
10	12	.5 x .5	3	15	4	12" (x2)	35 mph	0	3	--	2
Entry Points		Seating			Drivetrain		Engine	Availability	Cost		
--		--			Tracked		Electric	-1/48 hrs	21,000		
Options	Remote-Control Interface, Rigger Adaptation, 2 Mechanical Arms (STR 20)										
Similar Models	Yamatetsu Barghest, Aztechnology FWC-72K Chimera, ATT Soldat										

Integrated Weapon Systems DLK MK 6 Armed Variant

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
10	12	.5 x .5	3	15	4	12" (x2)	35 mph	0	3	--	2
Entry Points		Seating			Drivetrain		Engine	Availability	Cost		
--		--			Tracked		Electric	-1/48 hrs	22,000		
Options	Remote-Control Interface, Rigger Adaptation, Mechanical Arm (STR 20), External Fixed Mount										
Similar Models	Yamatetsu Barghest, Aztechnology FWC-72K Chimera, ATT Soldat										

Mitsuhama Computer Technologies Hachiman

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
10	12	.5 x .5	8	18	6	1" (x2)	5 mph	0	5	--	3
Entry Points		Seating			Drivetrain		Engine	Availability	Cost		
--		--			Tracked		Electric	NA	70,000		
Options	Remote-Control Interface, Rigger Adaptation, Drive-By-Wire 2, Ablative Armor, Turret (with F-N Mag 5 MMG and 1000 rds ammo), Spotlight, Vehicle Armor										
Similar Models	None										

Saab-Thyssen Bloodhound

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
10	12	.5 x .5	3	18	4	23" (x2)	68 mph	0	4	--	2
Entry Points		Seating			Drivetrain		Engine	Availability	Cost		
--		--			AWD		Combustion	-1/48 hrs	23,500		
Options	Remote-Control Interface, Rigger Adaptation, Amphibious Operation 1", Mechanical Arm (STR 20) with SuperSquirt implanted, HAZMAT Sensors (Detect Chemicals and Radiation, Analyze, Ranged, +2 PER Rolls)										
Similar Models	ATT Geiger, GM-Nissan Hazard SM50										

Steel Lynx Ground Combat Drone

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
10	12	.5 x .5	12	15	4	20" (x2)	60 mph	0	1	--	2
Entry Points		Seating			Drivetrain		Engine	Availability	Cost		
--		--			AWD		Electric	-1/48 hrs	34,500		
Options	Remote-Control Interface, Rigger Adaptation, Remote Turret, Vehicle Armor										
Similar Models	Eireann-Tir Gaiscíoch, ATT Drache										

MINI-BLIMPS

Aerodesign Systems Condor LDSD-23

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
10	12	.5 x .5	3	12	3	10" (x4)	45 mph	0	1	--	1
Entry Points		Seating			Drivetrain		Engine	Availability	Cost		
--		--			Airship		Electric	-1/24 hrs	9,000		
Options	Remote-Control Interface, Rigger Adaptation										
Similar Models	Ares Cloudship Series, Renraku Buzzers										

Aerodesign Systems Condor LDSD-41

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
10	12	.5 x .5	6	12	3	12" (x4)	55 mph	0	1	--	3
Entry Points		Seating			Drivetrain		Engine	Availability	Cost		
--		--			Airship		Electric	-1/48 hrs	33,650		
Options	Remote-Control Interface, Rigger Adaptation, Vehicle Armor										
Similar Models	Ares Cloudship Series, Renraku Buzzers										

SHADOWPUNK—VEHICLES

SENTRIES

Ares Arms Sentry II

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
10	11	.5 x .25	3	15	3	0"	0 mph	+2	4	--	4
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
--			--			Immobile Sentry		Electric		-2/72 hrs	43,500
Options		Remote-Control Interface, Rigger Adaptation, Turret									
Similar Models		ATT Bewaffnete, Éireann-Tír Leasrí									

SKIMMERS

Sikorsky-Bell Microskimmer I

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
10	11	.5 x .5	3	15	4	15" (x4)	68 mph	+2	1	--	1
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
--			--			Airship		Electric		-1/24 hrs	7,500
Options		Remote-Control Interface, Rigger Adaptation									
Similar Models		ATT Schiffer, Éireann-Tír Airgead Beo									

UNMANNED AERIAL VEHICLES (UAV)—FIXED WING

Aztechnology Liebre Surveillance/Pursuit RPV

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
15	14	1.25 x .64	7	18	4	100" (x4)	600 mph	0	4	--	4
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
--			--			Jet Aircraft		Combustion		-5/10 days	193,500
Options		Remote-Control Interface, Rigger Adaptation, External Fixed Mount (with Vindicator Minigun and 1000 rds ammo), Supersonic 1" Megascala, Vehicle Armor									
Similar Models		Mitsuhama Silent Wind, Ares Rover 9230									

CAS Wandjina RPV

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
15	14	1.25 x .64	9	12	4	63" (x4)	375 mph	0	3	--	4
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
--			--			Jet Aircraft		Combustion		-3/6 days	119,000
Options		Remote-Control Interface, Rigger Adaptation, External Fixed Mount, External Missile Mount, Vehicle Armor									
Similar Models		Sioux Stinger, Wuxing Wu Jin									

GM-Nissan Spotter

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
10	10	.5 x .25	3	18	4	25" (x4)	150 mph	+2	1	--	2
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
--			--			Thunderbird		Combustion		-1/48 hrs	33,000
Options		Remote-Control Interface, Rigger Adaptation									
Similar Models		Yamatetsu SK275, Lockheed Optic-X									

Pratt & Whitney Sundowner Aerial Sprayer

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
10	12	.5 x .5	3	15	4	13" (x4)	79 mph	0	1	--	2
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
--			--			Jet Aircraft		Combustion		-1/48 hrs	34,250
Options		Remote-Control Interface, Rigger Adaptation, Sprayer									
Similar Models		Cessna Mini-Duster, Yamatetsu Chem-Carrier									

SHADOWPUNK—VEHICLES

UNMANNED AERIAL VEHICLES (UAV)—ROTARY WING

Éireann-Tír Prospero

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
10	10	.5 x .25	3	18	4	9" (x4)	55 mph	+2	1	--	2
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
--			--			Rotorcraft		Combustion		-1/24 hrs	8,125
Options		Remote-Control Interface, Rigger Adaptation									
Similar Models		ATT Nacht Eule, Lockheed Kestrel									

Lone Star Strato-9 Surveillance Drone

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
10	12	.5 x .5	3	18	4	13" (x4)	75 mph	0	5	--	2
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
--			--			Rotorcraft		Combustion		-1/48 hrs	30,000
Options		Remote-Control Interface, Rigger Adaptation, ECM 2, External Fixed Mount (with F-N MAG MMG and 500 rds ammo)									
Similar Models		Knight Errant Peep-a-lot, Ares Inquisitor									

Mitsuhama Computer Technologies-Nissan Roto-Drone

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
10	12	.5 x .5	3	15	4	9" (x4)	55 mph	0	1	--	1
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
--			--			Rotorcraft		Combustion		-1/24 hrs	9,000
Options		Remote-Control Interface, Rigger Adaptation									
Similar Models		Yamatetsu Watchdog, Renraku Elemental									

UNMANNED AERIAL VEHICLES (UAV)—VECTORED THRUST

Aeroquip "Redball Express" Long-Range Resupply Drone

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
15	14	1.25 x .64	3	15	4	38" (x4)	225 mph	0	3	--	2
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
--			--			Thunderbird		Combustion		-2/4 days	80,500
Options		Remote-Control Interface, Rigger Adaptation, 4 Jets									
Similar Models		ATT Karawane, Ares Air-Supply									

Ares Guardian Drone

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
10	12	.5 x .5	15	15	4	8" (x4)	45 mph	0	4	--	3
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
--			--			Thunderbird		Combustion		-3/5 days	99,000
Options		Remote-Control Interface, Rigger Adaptation, Remote Turret, Vehicle Armor, 4 Jets									
Similar Models		Éireann-Tír Ulchabhán, Ares Sergeant									

Cyberspace Designs Dalmatian

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
10	12	.5 x .5	3	18	4	13" (x4)	80 mph	0	1	--	2
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
--			--			Thunderbird		Combustion		-1/24 hrs	16,000
Options		Remote-Control Interface, Rigger Adaptation, 4 Jets									
Similar Models		Éireann-Tír Ulchabhán, Ares Sergeant									

Cyberspace Designs Wolfhound

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
10	12	.5 x .5	3	18	6	26" (x4)	158 mph	0	1	--	2
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
--			--			Thunderbird		Combustion		-2/72 hrs	60,000
Options		Remote-Control Interface, Rigger Adaptation, Drive-By-Wire 2, 4 Jets									
Similar Models		Éireann-Tír Ulchabhán, Ares Sergeant									

SHADOWPUNK—VEHICLES

WALKERS

Renraku Arachnoid Mini-Drone

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
10	7	.12 x .6	3	18	4	2" (x2)	6 mph	+6	1	--	1
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
--			--			Walker		Electric		-1/24 hrs	12,375
Options		Remote-Control Interface, Rigger Adaptation									
Similar Models		Ares Scorpion, Yamatetsu Stealth									

Shiawase Kanmushi Mechanical Crawler

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
10	7	.12 x .6	3	18	4	1" (x2)	3 mph	+6	1	--	1
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
--			--			Walker		Electric		-1/24 hrs	9,350
Options		Remote-Control Interface, Rigger Adaptation									
Similar Models		Ares Scorpion, Yamatetsu Stealth									

Toyota MK-Guyver Search and Rescue Robot

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
10	11	.5 x .25	5	15	6	3" (x2)	15 mph	+2	1	--	3
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
--			--			Walker		Diesel		-3/5 days	93,375
Options		Remote-Control Interface, Rigger Adaptation, Drive-By-Wire 2, 2 Mechanical Arms (STR 30), Vehicle Armor									
Similar Models		Ares Scorpion, Yamatetsu Stealth									

FIXED-WING AIRCRAFT

AIRLINERS

Hawker-Ridley HS-895 Skytruck

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
60	29	10 x 5	3	10	3	54" (x4)	240 mph	-6	1	3	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
2 dr/1 sliding side dr			2 Bucket + 40 Bucket			Jet Aircraft		Combustion		-18/1 mo	694,000
Options		2 Jets									
Similar Models		Saedder-Krupp Flugzeug, Ares TransSky									

Lockheed C-260 Transport

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
60	29	10 x 5	15	10	3	101" (x4)	450 mph	-6	1	3	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
1 dr/1 rear ramp			5 Bucket			Jet Aircraft		Combustion		NA	4,875,000
Options		2 Jets									
Similar Models		Fed-Boeing Aerovan 8975, Aztechnology Accareo									

HIGH-SPEED COMMERCIAL TRANSPORTS (HSCT)

Lockheed "Arrow" HSCT

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
85	35	32 x 16	3	10	2	100" (x8)	600 mph	-10	3	4	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
6 dr/1 sliding dr			204 Bucket			Jet Aircraft		Combustion		NA	8,250,000
Options		Supersonic 2" Megascale, 4 Jets									
Similar Models		British Airline Concorde 3000									

SHADOWPUNK—VEHICLES

Airbus A1570 HSCT

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
85	35	32 x 16	3	10	2	100" (x8)	600 mph	-10	4	4	--
Entry Points		Seating			Drivetrain		Engine		Availability		Cost
4 dr/1 sliding dr		124 Bucket			Jet Aircraft		Combustion		NA		8,040,000
Options		Rigger Adaptation, Supersonic 3" Megascala, 4 Jets									
Similar Models		Saedder-Krupp Stern									

JET FIGHTERS

Aztechnology Halcón Ground-Attack Aircraft

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
55	26	8 x 4	15	15	4	100" (x4)	600 mph	-6	9	4	--
Entry Points		Seating			Drivetrain		Engine		Availability		Cost
1 canopy		1 Ejection Seat			Jet Aircraft		Combustion		NA		4,500,000
Options		EnviroSeal, External Fixed Mount, 7 External Missile Mounts, Active Thermal Masking, ECM 9, ECCM 9, Supersonic 1" Megascala									
Similar Models		Ares Penetrator XV, Federated-Boeing Lightning 4000									

Bac-Dessault-MBB EFA Variants

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
55	26	8 x 4	9	18	4	100" (x4)	600 mph	-6	7	3	--
Entry Points		Seating			Drivetrain		Engine		Availability		Cost
1 canopy		1 Ejection Seat			Jet Aircraft		Combustion		NA		2,100,000
Options		EnviroSeal, External Fixed Mount, 4 External Missile Mounts, Active Thermal Masking, ECM 4, ECCM 5, Supersonic 1" Megascala									
Similar Models		ATT Wespe, Lockheed A-3200									

SINGLE-ENGINE AIRCRAFT

Fiat-Fokker Cloud Nine

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
45	21	5 x 2.5	3	15	4	25" (x4)	150 mph	-4	1	2	--
Entry Points		Seating			Drivetrain		Engine		Availability		Cost
4 dr		2 Bucket + 2 Bench			Propeller Aircraft		Combustion		-8/16 days		315,000
Options		Floataction (2" Swimming, Only on Surface (-1)), 2 Folding Bench Seats									
Similar Models		Cessna PR370, Lockheed Skylark									

TWIN-ENGINE AIRCRAFT

CASA J-229 Raven

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
50	24	6.4 x 3.2	3	18	4	50" (x4)	300 mph	-5	4	1	--
Entry Points		Seating			Drivetrain		Engine		Availability		Cost
1 dr		2 Bucket			Propeller Aircraft		Combustion		-9/17 days		331,000
Options		2 Propellers									
Similar Models		Lockheed Arrowflight 324, Bac-Dassault Faucon									

Cessna C750

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
50	24	6.4 x 3.2	3	12	4	43" (x4)	255 mph	-5	1	2	--
Entry Points		Seating			Drivetrain		Engine		Availability		Cost
1 dr/single rear dr		2 Bucket			Propeller Aircraft		Combustion		-5/9 days		177,000
Options		2 Propellers									
Similar Models		Federated-Boeing P35Q4, Ares Mercury									

Cessna C750 Passenger Model

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
50	24	6.4 x 3.2	3	12	4	43" (x4)	255 mph	-5	1	2	--
Entry Points		Seating			Drivetrain		Engine		Availability		Cost
1 dr/single rear dr		4 Bucket			Propeller Aircraft		Combustion		-5/9 days		167,000
Options		2 Propellers									
Similar Models		Federated-Boeing P35Q4, Ares Mercury									

SHADOWPUNK—VEHICLES

Embraer-Dassault Mistral

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
50	24	6.4 x 3.2	3	15	4	38" (x4)	225 mph	-5	1	2	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
1 dr/single rear dr			17 Bucket			Propeller Aircraft		Combustion		-9/18 days	362,000
Options		2 Propellers									
Similar Models		Cessna C860, CASA J-329 Kestrel									

Lear-Cessna Platinum I

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
50	24	6.4 x 3.2	3	15	4	42" (x4)	248 mph	-5	2	3	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
1 dr/single rear dr			2 Bucket + 3 Bench			Propeller Aircraft		Combustion		-6/11 days	213,000
Options		3 Folding Benches, 2 Propellers									
Similar Models		Gulfstream V-WL, Ares Galaxy VI									

Lear-Cessna Platinum II

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
50	24	6.4 x 3.2	3	15	4	100" (x4)	600 mph	-5	2	4	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
1 dr/single rear dr			2 Bucket +2 Bench			Jet Aircraft		Combustion		-11/22 days	427,000
Options		2 Folding Benches, 2 Propellers									
Similar Models		Gulfstream V-WL, Ares Galaxy VI									

ULTRALIGHTS

Artemis Industries Nightglider

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
25	15	2 x 1	3	18	4	8" (x4)	45 mph	-2	0	1	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
--			1 Bucket			Propeller Aircraft		Combustion		-1/48 hrs	34,500
Options		None									
Similar Models		Federated-Boeing CX270 Ultra, Lockheed Sparrow									

Moonlight Aerospace Avenger

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
25	15	2 x 1	7	15	4	25" (x4)	150 mph	-2	1	2	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
--			1 Bucket			Propeller Aircraft		Combustion		-2/72 hrs	50,000
Options		2 External Fixed Mounts, Vehicle Armor									
Similar Models		IFMU Einbruch, Bac-Dassault Stealth 4650									

HOVERCRAFT

HOVERCRAFT—HEAVY

GMC-Nissan Hovertruck

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
40	21	4 x 2	3	12	3	20" (x4)	90 mph	-4	0	1	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
3 dr			2 Bucket + 1 Bench			Air-Cushion Vehicle		Diesel		-7/14 days	180,000
Options		Folding Bench Seat									
Similar Models		Mostrans KVP-14XXL, Sikorsky-Bell HP Hovercraft									

SHADOWPUNK—VEHICLES

HOVERCRAFT—LIGHT

Sikorsky-Bell Red Ranger

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
30	17	2.5 x 1.25	5	18	3	45" (x4)	203 mph	-2	1	3	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
2 dr			2 Bucket			Air-Cushion Vehicle		Combustion		-9/17 days	326,000
Options		Amphibious Operation 3", Vehicle Armor									
Similar Models		Federated-Boeing Dragonfly, Renraku KX-55R3									

HOVERCRAFT—MEDIUM

Chrysler-Nissan G12A (Cargo)

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
35	20	3.2 x 1.6	3	15	3	20" (x4)	90 mph	-3	0	2	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
3 dr/1 double rear dr			2 Bucket			Air-Cushion Vehicle		Diesel		-2/72 hrs	50,000
Options		None									
Similar Models		Federated-Boeing Dragonfly, Renraku KX-55R3									

Chrysler-Nissan G12A (Passenger)

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
35	20	3.2 x 1.6	3	15	3	20" (x4)	90 mph	-3	0	2	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
2 dr/1 sliding side dr			10 Bucket			Air-Cushion Vehicle		Diesel		-2/72 hrs	45,000
Options		None									
Similar Models		Federated-Boeing Dragonfly, Renraku KX-55R3									

GMC Beachcraft Patroller

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
35	20	3.2 x 1.6	9	15	3	28" (x4)	125 mph	-3	0	2	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
2 dr/1 sliding side dr			2 Bucket			Air-Cushion Vehicle		Diesel		-5/9 days	162,000
Options		External Fixed Mount, Vehicle Armor									
Similar Models		Ford Seaguard, Mostrans KVP-27S									

GMC Beachcraft Vacationer

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
35	20	3.2 x 1.6	3	15	3	18" (x4)	80 mph	-3	0	3	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
3 dr			2 Bucket + 2 Bench			Air-Cushion Vehicle		Diesel		-8/15 days	287,000
Options		None									
Similar Models		Mostrans KVP-20T, Novatech Hummingbird									

Lone Star SWAT Hovertruck

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
35	20	3.2 x 1.6	9	15	3	20" (x4)	90 mph	-3	0	3	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
4 dr/1 double side gate			2 Bucket + 5 Bench			Air-Cushion Vehicle		Diesel		-5/10 days	194,000
Options		Vehicle Armor									
Similar Models		Knight Errant Modified Mostrans KVP-27S, Yamatetsu Harbinger									

Mostrans KVP-14T

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
35	20	3.2 x 1.6	3	15	3	30" (x4)	135 mph	-3	0	1	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
3 dr			2 Bucket			Air-Cushion Vehicle		Diesel		-3/6 days	102,000
Options		None									
Similar Models		Sikorsky-Bell Hoveround, Chrysler-Nissan Missouri									

SHADOWPUNK—VEHICLES

Mostrans KVP-14T Passenger Model

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
35	20	3.2 x 1.6	3	15	3	30" (x4)	135 mph	-3	0	1	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
3 dr			11 Bucket			Air-Cushion Vehicle		Diesel		-4/7 days	121,000
Options		None									
Similar Models		Sikorsky-Bell Hoveround, Chrysler-Nissan Missouri									

ROTORCRAFT

ATTACK HELICOPTERS

Aztechnology Aquilar-EX

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
50	23	6.4 x 3.2	8	15	4	44" (x4)	265 mph	-5	7	4	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
2 dr			2 Bucket			Rotorcraft		Combustion		NA	1,477,000
Options		External Fixed Mount, 5 External Missile Mounts, Vehicle Armor									
Similar Models		Ares Avenger, Sikorsky-Bell Peacekeeper									

AUTOGYROS

Northrup Wasp PRC-42B

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
35	18	3.2 x 1.6	3	18	4	17" (x4)	100 mph	-3	2	0	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
1 dr			1 Bucket			Rotorcraft		Combustion		-2/72 hrs	50,000
Options		Turret, ECCM 1									
Similar Models		Sikorsky-Bell Stinger, Ares GCR-22S									

Northrup Wasp PRC-42F

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
35	18	3.2 x 1.6	5	18	4	17" (x4)	100 mph	-3	2	0	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
1 dr			1 Bucket			Rotorcraft		Combustion		-2/4 days	68,000
Options		Turret, ECCM 1, Vehicle Armor									
Similar Models		Sikorsky-Bell Stinger, Ares GCR-22S									

Northrup Yellowjacket PRC-44B

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
35	18	3.2 x 1.6	3	15	4	17" (x4)	100 mph	-3	2	0	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
1 dr			1 Bucket			Rotorcraft		Combustion		-2/72 hrs	48,000
Options		Turret, ECCM 1									
Similar Models		Sikorsky-Bell Stinger, Ares GCR-22S									

Northrup Yellowjacket PRC-44F

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
35	18	3.2 x 1.6	5	15	4	17" (x4)	100 mph	-3	2	0	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
1 dr			1 Bucket			Rotorcraft		Combustion		-2/72 hrs	65,000
Options		Turret, ECCM 1, Vehicle Armor									
Similar Models		Sikorsky-Bell Stinger, Ares GCR-22S									

SHADOWPUNK—VEHICLES

CARGO HELICOPTERS

Ares Dragon

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
55	26	8 x 4	3	12	3	44" (x4)	195 mph	-6	1	3	--
Entry Points		Seating			Drivetrain		Engine		Availability	Cost	
3 dr		3 Bucket			Rotorcraft		Combustion		-15/1 mo	590,000	
Options		2 Propellers									
Similar Models		Sikorsky-Bell Behemoth, Fed-Boeing CG-220R									

Hughes Aerospace Airstar 2050

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
55	26	8 x 4	10	15	3	34" (x4)	150 mph	-6	1	4	--
Entry Points		Seating			Drivetrain		Engine		Availability	Cost	
4 dr/1 sliding side dr		11 Bucket			Rotorcraft		Combustion		NA	1,348,000	
Options		Concealed Armor, 2 Propellers									
Similar Models		Rolls-Royce Aristo, Federated-Boeing Senator									

TILT-WING AIRCRAFT

Ares TR-55 Class C

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
50	23	6.4 x 3.2	8	12	3	54" (x4)	240 mph	-5	1	3	--
Entry Points		Seating			Drivetrain		Engine		Availability	Cost	
2 dr		2 Bucket + 3 Bench			Rotorcraft		Combustion		-9/17 days	338,000	
Options		3 Folding Bench Seats, Vehicle Armor, 2 Propellers									
Similar Models		Federated-Boeing Turborider, Sikorsky-Bell Athena									

Ares TR-55 Class E

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
50	23	6.4 x 3.2	3	12	3	60" (x4)	265 mph	-5	1	3	--
Entry Points		Seating			Drivetrain		Engine		Availability	Cost	
2 dr		11 Bucket			Rotorcraft		Combustion		-9/17 days	338,000	
Options		2 Propellers									
Similar Models		Federated-Boeing Turborider, Sikorsky-Bell Athena									

Ares TR-55 Class T

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
50	23	6.4 x 3.2	3	12	3	60" (x4)	265 mph	-5	1	3	--
Entry Points		Seating			Drivetrain		Engine		Availability	Cost	
2 dr		14 Bucket			Rotorcraft		Combustion		-9/18 days	350,000	
Options		2 Propellers									
Similar Models		Federated-Boeing Turborider, Sikorsky-Bell Athena									

DocWagon™ CRT Air Unit

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
50	23	6.4 x 3.2	3	12	3	54" (x4)	240 mph	-5	1	3	--
Entry Points		Seating			Drivetrain		Engine		Availability	Cost	
1 dr/1 rear ramp		2 Bucket			Rotorcraft		Combustion		-7/13 days	259,000	
Options		Anti-Theft System 6, 2 External Fixed Mounts, Medical Clinic (4 patients, 4 technicians), 2 Propellers									
Similar Models		Daf Trauma Vaggon AeroMed									

DocWagon™ Osprey II

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
50	23	6.4 x 3.2	6	12	3	64" (x4)	285 mph	-5	1	3	--
Entry Points		Seating			Drivetrain		Engine		Availability	Cost	
1 dr/1 rear ramp		2 Bucket			Rotorcraft		Combustion		-9/17 days	331,000	
Options		Anti-Theft System 6, 2 External Fixed Mounts, Medical Clinic (4 patients, 4 technicians), Vehicle Armor, 2 Propellers									
Similar Models		Federated-Boeing RXT Unit, Daf Trauma Vaggon Blitz									

SHADOWPUNK—VEHICLES

Federated-Boeing Commuter

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
50	23	6.4 x 3.2	3	12	3	54" (x4)	240 mph	-5	1	3	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
2 dr			17 Bucket			Rotorcraft		Combustion		-8/16 days	318,000
Options		2 Propellers									
Similar Models		Mitsuhama Jumper, IWS Aerobus									

UTILITY HELICOPTERS

Agusta-Cierva Plutoerat

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
45	21	5 x 2.5	5	15	3	49" (x4)	220 mph	-4	1	4	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
4 dr			2 Bucket + 1 Bench			Rotorcraft		Combustion		-11/21 days	407,000
Options		2 Folding Bucket Seats, Reinforced Bench Seating, Satellite Uplink									
Similar Models		Sikorsky-Bell Luxura, Rolls-Royce Golden Arrow									

Agusta-Cierva Plutoerat Security

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
45	21	5 x 2.5	5	15	3	49" (x4)	220 mph	-4	1	4	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
4 dr			2 Bucket + 1 Bench			Rotorcraft		Combustion		-13/26 days	517,000
Options		2 Folding Bucket Seats, Reinforced Bench Seating, Satellite Uplink, Turret									
Similar Models		Sikorsky-Bell Luxura, Rolls-Royce Golden Arrow									

DocWagon™ SRT Helicopter

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
45	21	5 x 2.5	3	12	3	42" (x4)	188 mph	-4	1	3	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
2 dr/1 sliding side dr			1 Bucket			Rotorcraft		Combustion		-8/15 days	285,000
Options		Anti-Theft System 6, Medical Clinic (2 Patients, 2 Technicians)									
Similar Models		Daf Traamma Vaggon-modified IWS Kommando									

Hughes WK-2 Stallion

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
45	21	5 x 2.5	3	12	3	32" (x4)	145 mph	-4	1	3	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
2 dr/1 sliding side dr			2 Bucket			Rotorcraft		Combustion		-7/13 days	257,500
Options		None									
Similar Models		IWS Kommando, Sikorsky-Bell Clydesdale									

DocWagon™ WK-2 Stallion

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
45	21	5 x 2.5	9	12	3	32" (x4)	145 mph	-4	1	3	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
2 dr/1 sliding side dr			2 Bucket			Rotorcraft		Combustion		-9/17 days	335,000
Options		Anti-Theft System 6, 2 External Fixed Mounts, Medical Clinic (2 Patients, 2 Technicians)									
Similar Models		IWS Kommando, Sikorsky-Bell Clydesdale									

SHADOWPUNK—VEHICLES

REAL-WORLD VEHICLES

Dodge Viper SRT-10

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
25	13	2 x 1	3	20	4	32" (x4)	190 mph	-2	0	0	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
2 dr			2 Bucket			RWD		8.3L V10 SFI (500 hp)		--	80,000
Options		None									
Similar Models		Dodge Viper, '70 Chevrolet Chevelle SS 454, Chevrolet Corvette Z06									

Ferrari Enzo

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
25	13	2 x 1	3	23	4	36" (x4)	217 mph	-2	0	0	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
2 gull-wing dr			2 Bucket			RWD		5.998L V12 (660 hp)		--	643,500
Options		None									
Similar Models		Lamborghini Murcielago, Lamborghini Diablo VT 6.0, Ferrari 575M Maranello									

Hyundai Elantra GT

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
25	13	2 x 1	3	15	3	26" (x4)	115 mph	-2	0	0	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
4 dr			2 Bucket + 1 Bench			FWD		2.0L Inline DOHC-4 (140 hp)		--	14,000
Options		None									
Similar Models		Hyundai Elantra GLS, Dodge Neon, Ford Focus, Honda Civic									

Mitsubishi Lancer Evolution VIII

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
25	13	2 x 1	3	22	4	26" (x4)	157 mph	-2	0	0	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
4 dr			2 Bucket + 1 Bench			AWD		2.0L Twin Turbo Inline-4 (271 hp)		--	30,500
Options		None									
Similar Models		Mitsubishi Lancer Evolution IV-VII, Subaru Impreza WRX									

Nissan 350Z

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
25	13	2 x 1	3	20	4	26" (x4)	156 mph	-2	0	0	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
2 dr			2 Bucket			RWD		3.5L V6 (287 hp)		--	32,500
Options		None									
Similar Models		Nissan 300ZX, Ford Mustang GT, Chevrolet Camaro SS									

Nissan Skyline GTR R-34

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
25	13	2 x 1	3	20	4	26" (x4)	155 mph	-2	0	0	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
2 dr			2 Bucket + 1 Bench			AWD		2.5L Twin-Turbo Inline-6 (276 hp)		--	89,500
Options		None									
Similar Models		Nissan Skyline GTR R-32, Nissan Skyline GTR R-33									

Subaru Impreza WRX STi

STR	BODY	Size	DEF	DEX	SPD	Move	Top Speed	DCV	Sensors	AutoNav	Pilot
25	13	2 x 1	3	20	4	28" (x4)	165 mph	-2	0	0	--
Entry Points			Seating			Drivetrain		Engine		Availability	Cost
4 dr			2 Bucket + 1 Bench			AWD		2.5L High-Boost Turbo Flat-4 (300 hp)		--	31,000
Options		None									
Similar Models		None									