

Hollow Earth Expedition Modern Firearms Table 0.7

PISTOLS

REVOLVERS

<u>Model</u>	<u>Caliber</u>	<u>Nation</u>	<u>Yr</u>	<u>Action</u>	<u>Mag</u>	<u>Rds</u>	<u>Wt</u>	<u>St</u>	<u>Sp</u>	<u>D</u>	<u>Range increments: feet (+/- dice)</u>	<u>Notes</u>
Colt Army .45	.45 Colt	USA	1878	DbIAct	Rev	6	2.4	3	A	3L	0-10(+2) 11-30(+0) 31-55(-1) 56-90(-2) 91-130(-4) 131+(-8)	"Peacemaker"
Colt Detective .38	.38 Special	USA	1926	DbIAct	Rev	6	1.1	2	A	2L	0-10(+2) 11-30(+0) 31-55(-1) 56-90(-2) 91-130(-4) 131+(-8)	"Snub-nosed"
Type 26	9x22R Japan	Japan	1893	DbIAct	Rev	6	1.9	2	A	3L	0-10(+2) 11-30(+0) 31-55(-1) 56-90(-2) 91-130(-4) 131+(-8)	
Nagant M1895	7.62mm Nagant	USSR	1895	DbIAct	Rev	6	1.7	2	A	3L	0-10(+2) 11-30(+0) 31-55(-1) 56-90(-2) 91-130(-4) 131+(-8)	
.41 Derringer	.41 Short	USA	1866	Breech	n/a	2	0.6	1	A	2L	0-10(+2) 11-30(+0) 31-55(-1) 56-90(-2) 91-130(-4) 131+(-8)	Remington Derringer
S&W M27	.357 Magnum	USA	1935	DbIAct	Rev	6	2.8	2	A	3L	0-10(+2) 11-30(+0) 31-55(-1) 56-90(-2) 91-130(-4) 131+(-8)	".357 Magnum"
Webley Mk 4	.455 Webley	UK	1899	DbIAct	Rev	6	2.4	3	A	3L	0-10(+2) 11-30(+0) 31-55(-1) 56-90(-2) 91-130(-4) 131+(-8)	

SEMI-AUTOMATIC PISTOLS

<u>Model</u>	<u>Caliber</u>	<u>Nation</u>	<u>Year</u>	<u>Action</u>	<u>Mag</u>	<u>Rds</u>	<u>Wt</u>	<u>St</u>	<u>Sp</u>	<u>D</u>	<u>Range increments: feet (+/- dice)</u>	<u>Notes</u>
Astra M1921	9mm Largo	Spain	1921	SAuto	Clip	8	2.5	2	A	2L	0-10(+2) 11-25(+0) 26-45(-1) 46-80(-2) 81-120(-4) 121+(-8)	Works w/all 9mm auto & .380 Auto
Beretta 1934	.380 Auto	Italy	1934	SAuto	Clip	7	1.5	2	A	2L	0-10(+2) 11-25(+0) 26-45(-1) 46-80(-2) 81-120(-4) 121+(-8)	
Browning Baby	.25 Auto	Belgium	1922	SAuto	Clip	6	1.3	1	A	1L	0-10(+2) 11-25(+0) 26-45(-1) 46-80(-2) 81-120(-4) 121+(-8)	
Browning .32 Auto	.32 Auto	Belgium	1922	SAuto	Clip	9	1.6	2	A	2L	0-10(+2) 11-25(+0) 26-45(-1) 46-80(-2) 81-120(-4) 121+(-8)	
Browning GP35	9mm Parabellum	Belgium	1935	SAuto	Clip	13	2.2	2	A	2L	0-10(+2) 11-25(+0) 26-45(-1) 46-80(-2) 81-120(-4) 121+(-8)	
Colt M1911	.45 ACP	USA	1911	SAuto	Clip	7	2.4	3	A	3L	0-10(+2) 11-25(+0) 26-45(-1) 46-80(-2) 81-120(-4) 121+(-8)	
Lahti L-35	9mm Parabellum	Finland	1935	SAuto	Clip	8	2.6	2	A	2L	0-10(+2) 11-25(+0) 26-45(-1) 46-80(-2) 81-120(-4) 121+(-8)	
Luger P08	9mm Parabellum	Germany	1908	SAuto	Clip	8	1.9	2	A	2L	0-10(+2) 11-25(+0) 26-45(-1) 46-80(-2) 81-120(-4) 121+(-8)	
Mauser Pocket 34	.25 Auto	Germany	1934	SAuto	Clip	8	1.3	1	A	1L	0-10(+2) 11-25(+0) 26-45(-1) 46-80(-2) 81-120(-4) 121+(-8)	
Mauser C96	7.63 Mauser	Germany	1896	SAuto	Strip	6	2.8	2	A	2L	0-10(+2) 11-25(+0) 26-45(-1) 46-80(-2) 81-120(-4) 121+(-8)	"Broomhandle"/10,20 strips
Nambu Type 14	8x22mm Nambu	Japan	1904	SAuto	Clip	8	1.9	2	A	2L	0-10(+2) 11-25(+0) 26-45(-1) 46-80(-2) 81-120(-4) 121+(-8)	
Nambu Type 94	8x22mm Nambu	Japan	1934	SAuto	Clip	6	1.8	2	A	2L	0-10(+2) 11-25(+0) 26-45(-1) 46-80(-2) 81-120(-4) 121+(-8)	
Tokarev T-33	7.62x25mm Sov	USSR	1930	SAuto	Clip	8	1.9	2	A	2L	0-10(+2) 11-25(+0) 26-45(-1) 46-80(-2) 81-120(-4) 121+(-8)	
Walther Model 8	.25 Auto	Germany	1921	SAuto	Clip	8	0.8	1	A	1L	0-10(+2) 11-25(+0) 26-45(-1) 46-80(-2) 81-120(-4) 121+(-8)	"Pocket"
Walther PPK	.32 Auto	Germany	1930	SAuto	Clip	7	1.3	2	A	2L	0-10(+2) 11-25(+0) 26-45(-1) 46-80(-2) 81-120(-4) 121+(-8)	

SUBMACHINE GUNS

<u>Model</u>	<u>Caliber</u>	<u>Nation</u>	<u>Year</u>	<u>Action</u>	<u>Mag</u>	<u>Rds</u>	<u>Wt</u>	<u>St</u>	<u>Sp</u>	<u>D</u>	<u>Range increments: feet (+/- dice)</u>	<u>Notes</u>
Bergmann MP35/1	9mm Parabellum	Germany	1935	Auto1/3	Clip	32	9	2	A	2L	0-10(+1) 11-55(+0) 56-110(-1) 111-300(-2) 301-400(-4) 401+(-8)	
<i>Erma MP38</i>	<i>9mm Parabellum</i>	<i>Germany</i>	<i>1938</i>	<i>Auto-3</i>	<i>Clip</i>	<i>32</i>	<i>8.9</i>	<i>2</i>	<i>A</i>	<i>2L</i>	0-10(+1) 11-55(+0) 56-110(-1) 111-300(-2) 301-400(-4) 401+(-8)	"Schmeisser"
Mauser M30	7.63 Mauser	Germany	1930	Auto1/3	Clip	40	3.9	2	A	2L	0-10(+1) 11-55(+0) 56-110(-1) 111-300(-2) 301-400(-4) 401+(-8)	C96 w/extended mag/wood stock
PPD-34	7.62x25mm Sov	USSR	1934	Auto1/3	C/D	25	8	2	A	2L	0-10(+1) 11-55(+0) 56-110(-1) 111-300(-2) 301-400(-4) 401+(-8)	71 drum
Suomi M31	9mm Parabellum	Finland	1930	Auto1/3	C/D	20	10.6	2	A	2L	0-10(+1) 11-55(+0) 56-110(-1) 111-300(-2) 301-400(-4) 401+(-8)	40,50 clips/71 drum
Thompson M1928	.45 ACP	USA	1928	Auto1/3	C/D	20	13	2	A	2L	0-10(+1) 11-55(+0) 56-110(-1) 111-300(-2) 301-400(-4) 401+(-8)	40 clip/50,100 drum

RIFLES

<u>Model</u>	<u>Caliber</u>	<u>Nation</u>	<u>Year</u>	<u>Action</u>	<u>Mag</u>	<u>Rds</u>	<u>Wt</u>	<u>St</u>	<u>Sp</u>	<u>D</u>	<u>Range increments: feet(+/- dice)</u>	<u>Notes</u>
.22 Bolt-Action	.22 LR	generic	...	Bolt	Int	6	7	2	A	2L	0-10(+1) 11-75(+0) 76-180(-1) 181-800(-2) 801-2500(-4) 2501+(-8)	
.30-06 Bolt-Action	.30-06 Springfield	generic	...	Bolt	Int	5	9	2	A	3L	0-10(+1) 11-75(+0) 76-180(-1) 181-800(-2) 801-2500(-4) 2501+(-8)	
Ariasaka Type 99	7.7mm Arisaka	Japan	1932	Bolt	Int	5	9.1	2	A	3L	0-10(+1) 11-75(+0) 76-180(-1) 181-800(-2) 801-2500(-4) 2501+(-8)	
Enfield M1917	.30-06 Springfield	UK	1917	Bolt	Int	5	9.6	2	A	3L	0-10(+1) 11-75(+0) 76-180(-1) 181-800(-2) 801-2500(-4) 2501+(-8)	
Lee-Enfield Mk 1	.303 British	UK	1903	Bolt	Clip	10	8.2	2	A	3L	0-10(+1) 11-75(+0) 76-180(-1) 181-800(-2) 801-2500(-4) 2501+(-8)	
<i>M1 Garand</i>	<i>.30-06 Springfield</i>	<i>US</i>	<i>1938</i>	<i>SAuto</i>	<i>Clip</i>	<i>8</i>	<i>9.5</i>	<i>2</i>	<i>A</i>	<i>3L</i>	0-10(+1) 11-75(+0) 76-180(-1) 181-800(-2) 801-2500(-4) 2501+(-8)	
Karabiner 98k	7.92mm Mauser	Germany	1898	Bolt	Clip	5	8.8	2	A	3L	0-10(+1) 11-75(+0) 76-180(-1) 181-800(-2) 801-2500(-4) 2501+(-8)	
Moshin-Nagant 1891	7.62x53R Soviet	USSR	1891	Bolt	Clip	5	9.4	2	A	3L	0-10(+1) 11-75(+0) 76-180(-1) 181-800(-2) 801-2500(-4) 2501+(-8)	
Springfield 1903A1	.30-06 Springfield	USA	1903	Bolt	Int	5	8.7	2	A	3L	0-10(+1) 11-75(+0) 76-180(-1) 181-800(-2) 801-2500(-4) 2501+(-8)	
<i>Tokarev SVT-38</i>	<i>7.62x53R Soviet</i>	<i>USSR</i>	<i>1938</i>	<i>SAuto</i>	<i>Clip</i>	<i>10</i>	<i>9.8</i>	<i>2</i>	<i>A</i>	<i>3L</i>	0-10(+1) 11-75(+0) 76-180(-1) 181-800(-2) 801-2500(-4) 2501+(-8)	
Winchester M1894	.30-30 (.30 WCF)	USA	1894	Lever	Int	8	7	2	A	3L	0-10(+1) 11-75(+0) 76-180(-1) 181-800(-2) 801-2500(-4) 2501+(-8)	

SHOTGUNS

<u>Model</u>	<u>Caliber</u>	<u>Nation</u>	<u>Year</u>	<u>Action</u>	<u>Mag</u>	<u>Rds</u>	<u>Wt</u>	<u>St</u>	<u>Sp</u>	<u>D</u>	<u>Range increments: feet(+/- dice)</u>	<u>Notes</u>
Shotgun, 20-gauge	20-gauge	generic	...	Pump	Int	4	6	2	A	2L	0-10(+1) 11-55(+0) 56-90(-1) 91-150(-2) 151-200(-4) 201+(-8)	
Shotgun, double	12-gauge	generic	...	Breech	Int	2	8	2	A	3L	0-10(+1) 11-55(+0) 56-90(-1) 91-150(-2) 151-200(-4) 201+(-8)	Double-barrelled
Shotgun, sawed-off	12-gauge	generic	...	Pump	Int	4	6	2	A	4L	0-10(+2) 6-10(+1) 11-15(0) 16-20(-2) 25-30(-4) 31+(-8)	
Beretta 410	10-gauge Magnum	Italy	1934	Breech	n/a	2	10	3	A	4L	0-10(+1) 11-55(+0) 56-110(-1) 111-300(-2) 301-400(-4) 401+(-8)	Double-barrelled
Browning Auto-5	12-gauge	Belgium	1900	SAuto	Int	4	8	2	A	3L	0-10(+1) 11-55(+0) 56-90(-1) 91-150(-2) 151-200(-4) 201+(-8)	
Winchester Model 12	12-gauge	USA	1912	Pump	Int	4	8.5	2	A	3L	0-10(+1) 11-55(+0) 56-90(-1) 91-150(-2) 151-200(-4) 201+(-8)	
Winchester M97	12-gauge	USA	1917	Pump	Int	6	8.5	2	A	3L	0-10(+1) 11-25(+0) 26-45(-1) 46-80(-2) 81-120(-4) 121+(-8)	"Trench Sweeper"

BIG BORE & ANTI-TANK RIFLES

<u>Model</u>	<u>Caliber</u>	<u>Nation</u>	<u>Year</u>	<u>Action</u>	<u>Mag</u>	<u>Rds</u>	<u>Wt</u>	<u>St</u>	<u>Sp</u>	<u>D</u>	<u>Range increments: feet(+/- dice)</u>	<u>Notes</u>
<i>Boys .55 Anti-tank Rifle</i>	<i>.55 Boys</i>	<i>UK</i>	<i>1937</i>	<i>Bolt</i>	<i>Box</i>	<i>5</i>	<i>37</i>	<i>3</i>	<i>A</i>	<i>5L</i>	0-10(+1) 11-100(+0) 101-250(-1) 251-2000(-2) 2001-10000(-4) 10001+(-8)	<i>Bipod required to avoid ST penalty</i>
Browning Automatic Rifle (BAR)	.30-06 Springfield	USA	1918	Auto1/3	Box	20	19	3	A	3L	0-10(+1) 11-75(+0) 76-180(-1) 181-800(-2) 801-2500(-4) 2501+(-8)	Bipod required to avoid ST penalty
H&H #2 .600 Express	.600 Nitro	UK	1903	Breech	n/a	2	7.5	3	A	5L	0-10(+1) 11-80(+0) 81-200(-1) 201-1200(-2) 1201-5000(-4) 5001+(-8)	Double rifle
H&H Royal Double	.300 H&H Magnum	UK	1910	Breech	n/a	2	7.5	3	A	4L	0-10(+1) 11-80(+0) 81-200(-1) 201-1200(-2) 1201-5000(-4) 5001+(-8)	Double rifle
<i>Lahti L-39 Anti-tank Rifle</i>	<i>20x138mm S</i>	<i>Finland</i>	<i>1939</i>	<i>SAuto</i>	<i>Box</i>	<i>10</i>	<i>109</i>	<i>4</i>	<i>A</i>	<i>5L</i>	0-10(+1) 11-100(+0) 101-250(-1) 251-2000(-2) 2001-10000(-4) 10001+(-8)	<i>Bipod required to avoid ST penalty</i>
Rigby African Express Rifle	.416 Rigby	UK	1912	Bolt	Int	2	9	3	A	4L	0-10(+1) 11-80(+0) 81-200(-1) 201-1200(-2) 1201-5000(-4) 5001+(-8)	Also 4 rnd w/floorplate
Sharps Model 1874 "Buffalo Rifle"	.45-90 BP	USA	1874	Breech	n/a	1	10	3	A	5L	0-10(+1) 11-80(+0) 81-200(-1) 201-1200(-2) 1201-5000(-4) 5001+(-8)	
Solothurn S-18/100 Anti-tank Rifle	20x138mm S	Switz.	1934	SAuto	Box	5	100	3	A	5L	0-10(+1) 11-100(+0) 101-250(-1) 251-2000(-2) 2001-10000(-4) 10001+(-8)	10 clip/bipod req'd to avoid ST pen
Winchester M1895 Custom .405	.405 WCF	USA	1895	Lever	Int	7	8	2	A	4L	0-10(+1) 11-80(+0) 81-200(-1) 201-1200(-2) 1201-5000(-4) 5001+(-8)	

MACHINE GUNS

LIGHT MACHINE GUNS

<u>Model</u>	<u>Caliber</u>	<u>Nation</u>	<u>Year</u>	<u>Action</u>	<u>Mag</u>	<u>Rds</u>	<u>Wt</u>	<u>St</u>	<u>Sp</u>	<u>D</u>	<u>Range increments: feet (+/- dice)</u>	<u>Notes</u>
Bren Mk I	.303 British	UK	1937	Auto1/3	Box	30	22.5	3	A	3L	0-10(+1) 11-75(+0) 76-180(-1) 181-800(-2) 801-2500(-4) 2501+(-8)	Bipod required to avoid ST penalty
Degtyarev DP	7.62x53R Soviet	USSR	1928	Auto3	Drum	47	50.5	3	A	3L	0-10(+1) 11-75(+0) 76-180(-1) 181-800(-2) 801-2500(-4) 2501+(-8)	Bipod required to avoid ST penalty
MG34	7.92x57mm	Germany	1933	Auto1/3	Belt	50	26.7	3	A	3L	0-10(+1) 11-75(+0) 76-180(-1) 181-800(-2) 801-2500(-4) 2501+(-8)	200 belt/bipod req'd to avoid ST pen

HEAVY MACHINE GUNS

<u>Model</u>	<u>Caliber</u>	<u>Nation</u>	<u>Year</u>	<u>Action</u>	<u>Mag</u>	<u>Rds</u>	<u>Wt</u>	<u>St</u>	<u>Sp</u>	<u>D</u>	<u>Range increments: feet (+/- dice)</u>	<u>Notes</u>
Arisaka Type 92	7.7mm Arisaka	Japan	1932	Auto3	Strip	50	122	*	S	3L	0-10(+1) 11-100(+0) 101-250(-1) 251-2000(-2) 2001-10000(-4) 10001+(-8)	Tripod/mounting required
Browning .30 cal	.30 Browning	USA	1917	Auto3	Belt	250	100	*	A	3L	0-10(+1) 11-100(+0) 101-250(-1) 251-2000(-2) 2001-10000(-4) 10001+(-8)	Tripod/mounting required
Browning .30 cal	.30 Browning	USA	1921	Auto3	Belt	250	128	*	A	4L	0-10(+1) 11-100(+0) 101-250(-1) 251-2000(-2) 2001-10000(-4) 10001+(-8)	Tripod/mounting required

Assumptions/Explanations

- 1) Weapons in italics are post-1936
- 2) Action: DblAct=Double Action; SAuto=Semi-automatic; Lever=Lever Action; Auto1/3=Trigger pull fires 1 single rnd, hold trigger for 3 rnd/autofire bursts; Auto3=full-auto only, trigger pull fires 3 rnds.
- 3) "Wt" is weight in pounds, unloaded.
- 4) "St" is minimum Strength to use without penalty.
- 5) "Sp" is weapon speed for initiative rolls.
- 6) "D" is base damage dice.
- 7) Range increments in feet, +/- dice depending on increment. All firearms get a +1 at 0-10 feet ("point-blank"), and pistols get an additional +1 at point-blank for easier use and aim than longarms.
- 8) Mag=Magazine; C/D=Clip/Drum