

SNIPER RIFLES and SPECIAL SCOPED APPLICATION RIFLES (United States)

M1903A1 and M1903A4

USMC M1903A1 with Unertl 8x Telescope



USMC M1903A1 with Unertl 8x Telescope



US Army M1903A4 w/ M82 Scope



US Army M1903A4 w/ M82 Scope



Nationality: United States

Weapon Type: Sniper Rifle

Caliber:

Muzzle Velocity: fps

Length: cm

Weight: kg

Type of Fire:

Rate of Fire rpm

Feed Device: or Round Magazine

Magazine Weight: kg

Load Time: 3 seconds

RANGE

Point Blank C(9+) M(12+) L(14+) Ex(18+)

2 m. 50 m. 150 m. 300 m. 450 m.

Damage DM:

+2 +2 +1 - -

Penetration:

Recoil:
Failure:

NOTE:

M1C and M1D GARAND

M1C Garand w/ T37 Flash Hider & M81 / M82 Scope



M1C Garand w/ T37 Flash Hider & M81 / M82 Scope



M1C Garand w/ M2 Flash Hider & M81 / M82 Scope



M1C Garand w/ M2 Flash Hider & M81 / M82 Scope



M1D Garand w/ M84 Scope



M1D Garand w/ M84 Scope



M1D Garand w/ T37 Flash Hider & M84 Scope



M1D Garand w/ T37 Flash Hider & M84 Scope



Nationality: United States

Weapon Type: Sniper Rifle

Caliber:

Muzzle Velocity: fps

Length: cm

Weight: kg

Type of Fire:

Rate of Fire rpm

Feed Device: or Round Magazine

Magazine Weight: kg

Load Time: 3 seconds

RANGE

Point Blank C(9+) M(12+) L(14+) Ex(18+)

2 m. 50 m. 150 m. 300 m. 450 m.

Damage DM:

+2 +2 +1 - -

Penetration:

Recoil:

Failure:

NOTE: The M1C rifle was adopted as the standard M1 Sniper Rifle on July 27, 1944, the M1D rifle adopted as a "substitute standard" in September 1944.

M21





Nationality: United States
Weapon Type: Sniper Rifle
Caliber:
Muzzle Velocity: fps
Length: cm
Weight: kg
Type of Fire:
Rate of Fire rpm
Feed Device: or Round Magazine
Magazine Weight: kg
Load Time: 3 seconds

RANGE

Point Blank	C(9+)	M(12+)	L(14+)	Ex(18+)
2 m.	50 m.	150 m.	300 m.	450 m.

Damage DM:

+2	+2	+1	-	-
----	----	----	---	---

Penetration:

Recoil:

Failure:

NOTE:

M24 SNIPER WEAPON SYSTEM (SWS)

M24 Sniper Weapon System (SWS)



Nationality: United States
Weapon Type: Sniper Rifle
Caliber:

Muzzle Velocity: fps
Length: cm
Weight: kg
Type of Fire:
Rate of Fire rpm
Feed Device: or Round Magazine
Magazine Weight: kg
Load Time: 3 seconds

RANGE

Point Blank	C(9+)	M(12+)	L(14+)	Ex(18+)
2 m.	50 m.	150 m.	300 m.	450 m.

Damage DM:				
+2	+2	+1	-	-

Penetration:

Recoil:

Failure:

NOTE:

M40A1

M40A1 Wooden Stock



M40A1 Synthetic Stock



Nationality: United States

Weapon Type: Sniper Rifle

Caliber:

Muzzle Velocity: fps

Length: cm

Weight: kg

Type of Fire:

Rate of Fire rpm

Feed Device: or Round Magazine

Magazine Weight: kg

Load Time: 3 seconds

RANGE

Point Blank	C(9+)	M(12+)	L(14+)	Ex(18+)
2 m.	50 m.	150 m.	300 m.	450 m.

Damage DM:

+2 +2 +1 - -

Penetration:

Recoil:

Failure:

NOTE:

M82A1 Special Scoped Application Rifle



Nationality: United States

Weapon Type: Sniper Rifle

Caliber:

Muzzle Velocity: fps

Length: cm

Weight: kg

Type of Fire:

Rate of Fire rpm

Feed Device: or Round Magazine

Magazine Weight: kg

Load Time: 3 seconds

RANGE

Point Blank C(9+) M(12+) L(14+) Ex(18+)

2 m. 50 m. 150 m. 300 m. 450 m.

Damage DM:

+2 +2 +1 - -

Penetration:

Recoil:

Failure:

NOTE:
