

TL Config	Tons	MaxG	Armor	Struct	Volume	Power	Cost	Surface	Length
9 Open Frame	100	3	10	8	89.8	37.0	3.7	528.0	49
9 Needle	100	3	10	8	91.4	37.2	3.8	690.0	42
9 Needle Streamlined	100	3	10	8	91.4	37.2	4.0	612.0	42
9 Needle Airframe	100	3	10	8	90.6	37.1	4.2	799.2	42
9 Wedge	100	3	10	8	90.9	37.1	3.8	798.0	35
9 Wedge Streamlined	100	3	10	8	90.9	37.1	4.0	708.0	35
9 Wedge Airframe	100	3	10	8	90.0	37.1	4.4	924.0	35
9 Cylinder	100	3	10	8	91.9	37.2	3.8	582.0	28
9 Cylinder Streamlined	100	3	10	8	91.9	37.2	3.9	516.0	28
9 Cylinder Airframe	100	3	10	8	91.2	37.1	4.4	674.4	28
9 Box	100	3	10	8	91.6	37.2	3.7	636.0	18
9 Box Streamlined	100	3	10	8	91.6	37.2	3.9	564.0	18
9 Sphere	100	3	10	8	92.1	37.2	3.8	528.0	14
9 Sphere Streamlined	100	3	10	8	92.1	37.2	4.0	468.0	14
9 Disk	100	3	10	8	91.6	37.2	4.0	636.0	21
9 Disk Streamlined	100	3	10	8	91.6	37.2	4.2	564.0	21
9 Disk Airframe	100	3	10	8	90.9	37.1	4.1	736.8	21
9 Close Structure	100	3	10	8	91.2	37.1	3.7	744.0	25
9 Slab	100	3	10	8	90.9	37.1	3.8	798.0	39
9 Slab Streamlined	100	3	10	8	90.9	37.1	4.0	708.0	39
9 Slab Airframe	100	3	10	8	90.0	37.1	4.4	924.0	39
9 Open Frame	100	6	20	10	85.1	36.7	3.9	528.0	49
9 Needle	100	6	20	10	88.4	36.9	4.0	690.0	42
9 Needle Streamlined	100	6	20	10	88.4	36.9	4.2	612.0	42
9 Needle Airframe	100	6	20	10	86.7	36.8	4.6	799.2	42
9 Wedge	100	6	20	10	87.5	36.9	4.0	798.0	35
9 Wedge Streamlined	100	6	20	10	87.5	36.9	4.2	708.0	35
9 Wedge Airframe	100	6	20	10	85.6	36.7	5.1	924.0	35
9 Cylinder	100	6	20	10	89.3	37.0	3.9	582.0	28
9 Cylinder Streamlined	100	6	20	10	89.3	37.0	4.1	516.0	28
9 Cylinder Airframe	100	6	20	10	87.9	36.9	5.1	674.4	28
9 Box	100	6	20	10	88.8	37.0	3.8	636.0	18
9 Box Streamlined	100	6	20	10	88.8	37.0	4.0	564.0	18
9 Sphere	100	6	20	10	89.8	37.0	4.0	528.0	14
9 Sphere Streamlined	100	6	20	10	89.8	37.0	4.2	468.0	14
9 Disk	100	6	20	10	88.8	37.0	4.4	636.0	21
9 Disk Streamlined	100	6	20	10	88.8	37.0	4.6	564.0	21
9 Disk Airframe	100	6	20	10	87.3	36.9	4.6	736.8	21
9 Close Structure	100	6	20	10	87.9	36.9	3.8	744.0	25
9 Slab	100	6	20	10	87.5	36.9	4.0	798.0	39
9 Slab Streamlined	100	6	20	10	87.5	36.9	4.2	708.0	39
9 Slab Airframe	100	6	20	10	85.6	36.7	5.1	924.0	39

TL Config	Tons	MaxG	Armor	Struct	Volume	Power	Cost	Surface	Length
10 Open Frame	100	3	10	8	92.4	27.1	4.2	528.0	49
10 Needle	100	3	10	8	93.6	27.2	4.3	690.0	42
10 Needle Streamlined	100	3	10	8	93.6	27.2	4.4	612.0	42
10 Needle Airframe	100	3	10	8	93.0	27.2	4.6	799.2	42
10 Wedge	100	3	10	8	93.2	27.2	4.3	798.0	35
10 Wedge Streamlined	100	3	10	8	93.2	27.2	4.4	708.0	35
10 Wedge Airframe	100	3	10	8	92.5	27.1	4.8	924.0	35
10 Cylinder	100	3	10	8	93.9	27.2	4.2	582.0	28
10 Cylinder Streamlined	100	3	10	8	93.9	27.2	4.4	516.0	28
10 Cylinder Airframe	100	3	10	8	93.4	27.2	4.8	674.4	28
10 Box	100	3	10	8	93.7	27.2	4.2	636.0	18
10 Box Streamlined	100	3	10	8	93.7	27.2	4.4	564.0	18
10 Sphere	100	3	10	8	94.1	27.3	4.3	528.0	14
10 Sphere Streamlined	100	3	10	8	94.1	27.3	4.4	468.0	14
10 Disk	100	3	10	8	93.7	27.2	4.5	636.0	21
10 Disk Streamlined	100	3	10	8	93.7	27.2	4.6	564.0	21
10 Disk Airframe	100	3	10	8	93.2	27.2	4.6	736.8	21
10 Close Structure	100	3	10	8	93.4	27.2	4.2	744.0	25
10 Slab	100	3	10	8	93.2	27.2	4.3	798.0	39
10 Slab Streamlined	100	3	10	8	93.2	27.2	4.4	708.0	39
10 Slab Airframe	100	3	10	8	92.5	27.1	4.8	924.0	39
10 Open Frame	100	6	20	10	88.9	26.9	4.3	528.0	49
10 Needle	100	6	20	10	91.3	27.0	4.5	690.0	42
10 Needle Streamlined	100	6	20	10	91.3	27.0	4.6	612.0	42
10 Needle Airframe	100	6	20	10	90.1	27.0	5.0	799.2	42
10 Wedge	100	6	20	10	90.6	27.0	4.4	798.0	35
10 Wedge Streamlined	100	6	20	10	90.6	27.0	4.6	708.0	35
10 Wedge Airframe	100	6	20	10	89.2	26.9	5.4	924.0	35
10 Cylinder	100	6	20	10	92.0	27.1	4.4	582.0	28
10 Cylinder Streamlined	100	6	20	10	92.0	27.1	4.6	516.0	28
10 Cylinder Airframe	100	6	20	10	91.0	27.0	5.4	674.4	28
10 Box	100	6	20	10	91.7	27.1	4.3	636.0	18
10 Box Streamlined	100	6	20	10	91.7	27.1	4.5	564.0	18
10 Sphere	100	6	20	10	92.4	27.1	4.4	528.0	14
10 Sphere Streamlined	100	6	20	10	92.4	27.1	4.6	468.0	14
10 Disk	100	6	20	10	91.7	27.1	4.8	636.0	21
10 Disk Streamlined	100	6	20	10	91.7	27.1	5.0	564.0	21
10 Disk Airframe	100	6	20	10	90.5	27.0	5.0	736.8	21
10 Close Structure	100	6	20	10	91.0	27.0	4.3	744.0	25
10 Slab	100	6	20	10	90.6	27.0	4.4	798.0	39
10 Slab Streamlined	100	6	20	10	90.6	27.0	4.6	708.0	39
10 Slab Airframe	100	6	20	10	89.2	26.9	5.4	924.0	39

TL Config	Tons	MaxG	Armor	Struct	Volume	Power	Cost	Surface	Length
12 Open Frame	100	3	10	8	93.8	17.2	4.7	528.0	49
12 Needle	100	3	10	8	94.5	17.3	4.8	690.0	42
12 Needle Streamlined	100	3	10	8	94.5	17.3	4.9	612.0	42
12 Needle Airframe	100	3	10	8	94.2	17.3	5.1	799.2	42
12 Wedge	100	3	10	8	94.3	17.3	4.8	798.0	35
12 Wedge Streamlined	100	3	10	8	94.3	17.3	4.9	708.0	35
12 Wedge Airframe	100	3	10	8	93.9	17.2	5.2	924.0	35
12 Cylinder	100	3	10	8	94.7	17.3	4.7	582.0	28
12 Cylinder Streamlined	100	3	10	8	94.7	17.3	4.9	516.0	28
12 Cylinder Airframe	100	3	10	8	94.4	17.3	5.2	674.4	28
12 Box	100	3	10	8	94.6	17.3	4.7	636.0	18
12 Box Streamlined	100	3	10	8	94.6	17.3	4.9	564.0	18
12 Sphere	100	3	10	8	94.8	17.3	4.8	528.0	14
12 Sphere Streamlined	100	3	10	8	94.8	17.3	4.9	468.0	14
12 Disk	100	3	10	8	94.6	17.3	4.9	636.0	21
12 Disk Streamlined	100	3	10	8	94.6	17.3	5.1	564.0	21
12 Disk Airframe	100	3	10	8	94.3	17.3	5.1	736.8	21
12 Close Structure	100	3	10	8	94.4	17.3	4.7	744.0	25
12 Slab	100	3	10	8	94.3	17.3	4.8	798.0	39
12 Slab Streamlined	100	3	10	8	94.3	17.3	4.9	708.0	39
12 Slab Airframe	100	3	10	8	93.9	17.2	5.2	924.0	39
12 Open Frame	100	6	20	10	91.9	17.1	4.8	528.0	49
12 Needle	100	6	20	10	93.3	17.2	5.0	690.0	42
12 Needle Streamlined	100	6	20	10	93.3	17.2	5.1	612.0	42
12 Needle Airframe	100	6	20	10	92.6	17.1	5.5	799.2	42
12 Wedge	100	6	20	10	92.9	17.2	4.9	798.0	35
12 Wedge Streamlined	100	6	20	10	92.9	17.2	5.1	708.0	35
12 Wedge Airframe	100	6	20	10	92.0	17.1	5.8	924.0	35
12 Cylinder	100	6	20	10	93.7	17.2	4.9	582.0	28
12 Cylinder Streamlined	100	6	20	10	93.7	17.2	5.0	516.0	28
12 Cylinder Airframe	100	6	20	10	93.1	17.2	5.8	674.4	28
12 Box	100	6	20	10	93.5	17.2	4.8	636.0	18
12 Box Streamlined	100	6	20	10	93.5	17.2	5.0	564.0	18
12 Sphere	100	6	20	10	93.8	17.2	4.9	528.0	14
12 Sphere Streamlined	100	6	20	10	93.8	17.2	5.1	468.0	14
12 Disk	100	6	20	10	93.5	17.2	5.2	636.0	21
12 Disk Streamlined	100	6	20	10	93.5	17.2	5.4	564.0	21
12 Disk Airframe	100	6	20	10	92.8	17.2	5.4	736.8	21
12 Close Structure	100	6	20	10	93.1	17.2	4.8	744.0	25
12 Slab	100	6	20	10	92.9	17.2	4.9	798.0	39
12 Slab Streamlined	100	6	20	10	92.9	17.2	5.1	708.0	39
12 Slab Airframe	100	6	20	10	92.0	17.1	5.8	924.0	39

TL Config	Tons	MaxG	Armor	Struct	Volume	Power	Cost	Surface	Length
14 Open Frame	100	3	10	8	94.8	17.3	4.7	528.0	49
14 Needle	100	3	10	8	95.2	17.3	4.8	690.0	42
14 Needle Streamlined	100	3	10	8	95.2	17.3	4.9	612.0	42
14 Needle Airframe	100	3	10	8	95.0	17.3	5.1	799.2	42
14 Wedge	100	3	10	8	95.1	17.3	4.8	798.0	35
14 Wedge Streamlined	100	3	10	8	95.1	17.3	4.9	708.0	35
14 Wedge Airframe	100	3	10	8	94.9	17.3	5.3	924.0	35
14 Cylinder	100	3	10	8	95.3	17.3	4.7	582.0	28
14 Cylinder Streamlined	100	3	10	8	95.3	17.3	4.9	516.0	28
14 Cylinder Airframe	100	3	10	8	95.1	17.3	5.2	674.4	28
14 Box	100	3	10	8	95.2	17.3	4.7	636.0	18
14 Box Streamlined	100	3	10	8	95.2	17.3	4.9	564.0	18
14 Sphere	100	3	10	8	95.3	17.3	4.8	528.0	14
14 Sphere Streamlined	100	3	10	8	95.3	17.3	4.9	468.0	14
14 Disk	100	3	10	8	95.2	17.3	4.9	636.0	21
14 Disk Streamlined	100	3	10	8	95.2	17.3	5.1	564.0	21
14 Disk Airframe	100	3	10	8	95.1	17.3	5.1	736.8	21
14 Close Structure	100	3	10	8	95.1	17.3	4.7	744.0	25
14 Slab	100	3	10	8	95.1	17.3	4.8	798.0	39
14 Slab Streamlined	100	3	10	8	95.1	17.3	4.9	708.0	39
14 Slab Airframe	100	3	10	8	94.9	17.3	5.3	924.0	39
14 Open Frame	100	6	20	10	93.8	17.2	4.9	528.0	49
14 Needle	100	6	20	10	94.5	17.3	5.0	690.0	42
14 Needle Streamlined	100	6	20	10	94.5	17.3	5.1	612.0	42
14 Needle Airframe	100	6	20	10	94.2	17.3	5.5	799.2	42
14 Wedge	100	6	20	10	94.3	17.3	4.9	798.0	35
14 Wedge Streamlined	100	6	20	10	94.3	17.3	5.1	708.0	35
14 Wedge Airframe	100	6	20	10	93.9	17.2	5.8	924.0	35
14 Cylinder	100	6	20	10	94.7	17.3	4.9	582.0	28
14 Cylinder Streamlined	100	6	20	10	94.7	17.3	5.1	516.0	28
14 Cylinder Airframe	100	6	20	10	94.4	17.3	5.8	674.4	28
14 Box	100	6	20	10	94.6	17.3	4.8	636.0	18
14 Box Streamlined	100	6	20	10	94.6	17.3	5.0	564.0	18
14 Sphere	100	6	20	10	94.8	17.3	4.9	528.0	14
14 Sphere Streamlined	100	6	20	10	94.8	17.3	5.1	468.0	14
14 Disk	100	6	20	10	94.6	17.3	5.2	636.0	21
14 Disk Streamlined	100	6	20	10	94.6	17.3	5.4	564.0	21
14 Disk Airframe	100	6	20	10	94.3	17.3	5.4	736.8	21
14 Close Structure	100	6	20	10	94.4	17.3	4.8	744.0	25
14 Slab	100	6	20	10	94.3	17.3	4.9	798.0	39
14 Slab Streamlined	100	6	20	10	94.3	17.3	5.1	708.0	39
14 Slab Airframe	100	6	20	10	93.9	17.2	5.8	924.0	39

TL Config	Tons	MaxG	Armor	Struct	Volume	Power	Cost	Surface	Length
9 Open Frame	200	3	10	10	181.9	74.2	7.4	778.0	60
9 Needle	200	3	10	10	184.3	74.4	7.6	1021.0	51
9 Needle Streamlined	200	3	10	10	184.3	74.4	7.8	904.0	51
9 Needle Airframe	200	3	10	10	183.1	74.3	8.1	1184.8	51
9 Wedge	200	3	10	10	183.6	74.4	7.5	1183.0	43
9 Wedge Streamlined	200	3	10	10	183.6	74.4	7.8	1048.0	43
9 Wedge Airframe	200	3	10	10	182.2	74.3	8.5	1372.0	43
9 Cylinder	200	3	10	10	185.0	74.5	7.5	859.0	34
9 Cylinder Streamlined	200	3	10	10	185.0	74.5	7.8	760.0	34
9 Cylinder Airframe	200	3	10	10	183.9	74.4	8.5	997.6	34
9 Box	200	3	10	10	184.6	74.5	7.4	940.0	21
9 Box Streamlined	200	3	10	10	184.6	74.5	7.7	832.0	21
9 Sphere	200	3	10	10	185.3	74.5	7.5	778.0	17
9 Sphere Streamlined	200	3	10	10	185.3	74.5	7.8	688.0	17
9 Disk	200	3	10	10	184.6	74.5	7.8	940.0	26
9 Disk Streamlined	200	3	10	10	184.6	74.5	8.1	832.0	26
9 Disk Airframe	200	3	10	10	183.5	74.4	8.1	1091.2	26
9 Close Structure	200	3	10	10	183.9	74.4	7.4	1102.0	30
9 Slab	200	3	10	10	183.6	74.4	7.5	1183.0	47
9 Slab Streamlined	200	3	10	10	183.6	74.4	7.8	1048.0	47
9 Slab Airframe	200	3	10	10	182.2	74.3	8.5	1372.0	47
9 Open Frame	200	6	20	12	174.9	73.7	7.6	778.0	60
9 Needle	200	6	20	12	179.8	74.1	7.9	1021.0	51
9 Needle Streamlined	200	6	20	12	179.8	74.1	8.2	904.0	51
9 Needle Airframe	200	6	20	12	177.3	73.9	8.8	1184.8	51
9 Wedge	200	6	20	12	178.4	74.0	7.7	1183.0	43
9 Wedge Streamlined	200	6	20	12	178.4	74.0	8.2	1048.0	43
9 Wedge Airframe	200	6	20	12	175.6	73.8	9.5	1372.0	43
9 Cylinder	200	6	20	12	181.2	74.2	7.7	859.0	34
9 Cylinder Streamlined	200	6	20	12	181.2	74.2	8.1	760.0	34
9 Cylinder Airframe	200	6	20	12	179.1	74.0	9.5	997.6	34
9 Box	200	6	20	12	180.5	74.1	7.6	940.0	21
9 Box Streamlined	200	6	20	12	180.5	74.1	7.9	832.0	21
9 Sphere	200	6	20	12	181.9	74.2	7.8	778.0	17
9 Sphere Streamlined	200	6	20	12	181.9	74.2	8.1	688.0	17
9 Disk	200	6	20	12	180.5	74.1	8.4	940.0	26
9 Disk Streamlined	200	6	20	12	180.5	74.1	8.8	832.0	26
9 Disk Airframe	200	6	20	12	178.2	74.0	8.7	1091.2	26
9 Close Structure	200	6	20	12	179.1	74.0	7.5	1102.0	30
9 Slab	200	6	20	12	178.4	74.0	7.7	1183.0	47
9 Slab Streamlined	200	6	20	12	178.4	74.0	8.2	1048.0	47
9 Slab Airframe	200	6	20	12	175.6	73.8	9.5	1372.0	47

TL Config	Tons	MaxG	Armor	Struct	Volume	Power	Cost	Surface	Length
10 Open Frame	200	3	10	10	186.5	54.4	8.4	778.0	60
10 Needle	200	3	10	10	188.3	54.5	8.5	1021.0	51
10 Needle Streamlined	200	3	10	10	188.3	54.5	8.8	904.0	51
10 Needle Airframe	200	3	10	10	187.4	54.4	9.0	1184.8	51
10 Wedge	200	3	10	10	187.8	54.5	8.5	1183.0	43
10 Wedge Streamlined	200	3	10	10	187.8	54.5	8.8	1048.0	43
10 Wedge Airframe	200	3	10	10	186.7	54.4	9.3	1372.0	43
10 Cylinder	200	3	10	10	188.8	54.5	8.4	859.0	34
10 Cylinder Streamlined	200	3	10	10	188.8	54.5	8.7	760.0	34
10 Cylinder Airframe	200	3	10	10	188.0	54.5	9.3	997.6	34
10 Box	200	3	10	10	188.5	54.5	8.4	940.0	21
10 Box Streamlined	200	3	10	10	188.5	54.5	8.7	832.0	21
10 Sphere	200	3	10	10	189.1	54.6	8.5	778.0	17
10 Sphere Streamlined	200	3	10	10	189.1	54.6	8.7	688.0	17
10 Disk	200	3	10	10	188.5	54.5	8.7	940.0	26
10 Disk Streamlined	200	3	10	10	188.5	54.5	9.0	832.0	26
10 Disk Airframe	200	3	10	10	187.7	54.5	9.0	1091.2	26
10 Close Structure	200	3	10	10	188.0	54.5	8.4	1102.0	30
10 Slab	200	3	10	10	187.8	54.5	8.5	1183.0	47
10 Slab Streamlined	200	3	10	10	187.8	54.5	8.8	1048.0	47
10 Slab Airframe	200	3	10	10	186.7	54.4	9.3	1372.0	47
10 Open Frame	200	6	20	12	181.2	54.0	8.6	778.0	60
10 Needle	200	6	20	12	184.9	54.3	8.8	1021.0	51
10 Needle Streamlined	200	6	20	12	184.9	54.3	9.1	904.0	51
10 Needle Airframe	200	6	20	12	183.0	54.1	9.6	1184.8	51
10 Wedge	200	6	20	12	183.9	54.2	8.7	1183.0	43
10 Wedge Streamlined	200	6	20	12	183.9	54.2	9.1	1048.0	43
10 Wedge Airframe	200	6	20	12	181.7	54.0	10.2	1372.0	43
10 Cylinder	200	6	20	12	185.9	54.3	8.6	859.0	34
10 Cylinder Streamlined	200	6	20	12	185.9	54.3	9.0	760.0	34
10 Cylinder Airframe	200	6	20	12	184.4	54.2	10.2	997.6	34
10 Box	200	6	20	12	185.4	54.3	8.5	940.0	21
10 Box Streamlined	200	6	20	12	185.4	54.3	8.9	832.0	21
10 Sphere	200	6	20	12	186.5	54.4	8.7	778.0	17
10 Sphere Streamlined	200	6	20	12	186.5	54.4	9.0	688.0	17
10 Disk	200	6	20	12	185.4	54.3	9.2	940.0	26
10 Disk Streamlined	200	6	20	12	185.4	54.3	9.6	832.0	26
10 Disk Airframe	200	6	20	12	183.7	54.2	9.5	1091.2	26
10 Close Structure	200	6	20	12	184.4	54.2	8.5	1102.0	30
10 Slab	200	6	20	12	183.9	54.2	8.7	1183.0	47
10 Slab Streamlined	200	6	20	12	183.9	54.2	9.1	1048.0	47
10 Slab Airframe	200	6	20	12	181.7	54.0	10.2	1372.0	47

TL Config	Tons	MaxG	Armor	Struct	Volume	Power	Cost	Surface	Length
12 Open Frame	200	3	10	10	188.7	34.5	9.4	778.0	60
12 Needle	200	3	10	10	189.7	34.6	9.5	1021.0	51
12 Needle Streamlined	200	3	10	10	189.7	34.6	9.7	904.0	51
12 Needle Airframe	200	3	10	10	189.2	34.6	10.0	1184.8	51
12 Wedge	200	3	10	10	189.4	34.6	9.5	1183.0	43
12 Wedge Streamlined	200	3	10	10	189.4	34.6	9.7	1048.0	43
12 Wedge Airframe	200	3	10	10	188.8	34.6	10.2	1372.0	43
12 Cylinder	200	3	10	10	190.0	34.6	9.4	859.0	34
12 Cylinder Streamlined	200	3	10	10	190.0	34.6	9.7	760.0	34
12 Cylinder Airframe	200	3	10	10	189.6	34.6	10.2	997.6	34
12 Box	200	3	10	10	189.9	34.6	9.4	940.0	21
12 Box Streamlined	200	3	10	10	189.9	34.6	9.7	832.0	21
12 Sphere	200	3	10	10	190.2	34.7	9.5	778.0	17
12 Sphere Streamlined	200	3	10	10	190.2	34.7	9.7	688.0	17
12 Disk	200	3	10	10	189.9	34.6	9.7	940.0	26
12 Disk Streamlined	200	3	10	10	189.9	34.6	10.0	832.0	26
12 Disk Airframe	200	3	10	10	189.4	34.6	10.0	1091.2	26
12 Close Structure	200	3	10	10	189.6	34.6	9.4	1102.0	30
12 Slab	200	3	10	10	189.4	34.6	9.5	1183.0	47
12 Slab Streamlined	200	3	10	10	189.4	34.6	9.7	1048.0	47
12 Slab Airframe	200	3	10	10	188.8	34.6	10.2	1372.0	47
12 Open Frame	200	6	20	12	185.7	34.3	9.6	778.0	60
12 Needle	200	6	20	12	187.8	34.5	9.7	1021.0	51
12 Needle Streamlined	200	6	20	12	187.8	34.5	10.0	904.0	51
12 Needle Airframe	200	6	20	12	186.7	34.4	10.5	1184.8	51
12 Wedge	200	6	20	12	187.2	34.4	9.7	1183.0	43
12 Wedge Streamlined	200	6	20	12	187.2	34.4	10.0	1048.0	43
12 Wedge Airframe	200	6	20	12	186.0	34.3	11.0	1372.0	43
12 Cylinder	200	6	20	12	188.4	34.5	9.6	859.0	34
12 Cylinder Streamlined	200	6	20	12	188.4	34.5	9.9	760.0	34
12 Cylinder Airframe	200	6	20	12	187.5	34.5	11.0	997.6	34
12 Box	200	6	20	12	188.1	34.5	9.5	940.0	21
12 Box Streamlined	200	6	20	12	188.1	34.5	9.9	832.0	21
12 Sphere	200	6	20	12	188.7	34.5	9.7	778.0	17
12 Sphere Streamlined	200	6	20	12	188.7	34.5	10.0	688.0	17
12 Disk	200	6	20	12	188.1	34.5	10.2	940.0	26
12 Disk Streamlined	200	6	20	12	188.1	34.5	10.5	832.0	26
12 Disk Airframe	200	6	20	12	187.1	34.4	10.5	1091.2	26
12 Close Structure	200	6	20	12	187.5	34.5	9.5	1102.0	30
12 Slab	200	6	20	12	187.2	34.4	9.7	1183.0	47
12 Slab Streamlined	200	6	20	12	187.2	34.4	10.0	1048.0	47
12 Slab Airframe	200	6	20	12	186.0	34.3	11.0	1372.0	47

TL Config	Tons	MaxG	Armor	Struct	Volume	Power	Cost	Surface	Length
14 Open Frame	200	3	10	10	190.2	34.7	9.4	778.0	60
14 Needle	200	3	10	10	190.7	34.7	9.5	1021.0	51
14 Needle Streamlined	200	3	10	10	190.7	34.7	9.8	904.0	51
14 Needle Airframe	200	3	10	10	190.4	34.7	10.0	1184.8	51
14 Wedge	200	3	10	10	190.5	34.7	9.5	1183.0	43
14 Wedge Streamlined	200	3	10	10	190.5	34.7	9.8	1048.0	43
14 Wedge Airframe	200	3	10	10	190.2	34.7	10.3	1372.0	43
14 Cylinder	200	3	10	10	190.8	34.7	9.4	859.0	34
14 Cylinder Streamlined	200	3	10	10	190.8	34.7	9.7	760.0	34
14 Cylinder Airframe	200	3	10	10	190.6	34.7	10.2	997.6	34
14 Box	200	3	10	10	190.8	34.7	9.4	940.0	21
14 Box Streamlined	200	3	10	10	190.8	34.7	9.7	832.0	21
14 Sphere	200	3	10	10	190.9	34.7	9.5	778.0	17
14 Sphere Streamlined	200	3	10	10	190.9	34.7	9.7	688.0	17
14 Disk	200	3	10	10	190.8	34.7	9.7	940.0	26
14 Disk Streamlined	200	3	10	10	190.8	34.7	10.0	832.0	26
14 Disk Airframe	200	3	10	10	190.5	34.7	10.0	1091.2	26
14 Close Structure	200	3	10	10	190.6	34.7	9.4	1102.0	30
14 Slab	200	3	10	10	190.5	34.7	9.5	1183.0	47
14 Slab Streamlined	200	3	10	10	190.5	34.7	9.8	1048.0	47
14 Slab Airframe	200	3	10	10	190.2	34.7	10.3	1372.0	47
14 Open Frame	200	6	20	12	188.7	34.5	9.6	778.0	60
14 Needle	200	6	20	12	189.7	34.6	9.8	1021.0	51
14 Needle Streamlined	200	6	20	12	189.7	34.6	10.1	904.0	51
14 Needle Airframe	200	6	20	12	189.2	34.6	10.6	1184.8	51
14 Wedge	200	6	20	12	189.4	34.6	9.7	1183.0	43
14 Wedge Streamlined	200	6	20	12	189.4	34.6	10.1	1048.0	43
14 Wedge Airframe	200	6	20	12	188.8	34.6	11.1	1372.0	43
14 Cylinder	200	6	20	12	190.0	34.6	9.6	859.0	34
14 Cylinder Streamlined	200	6	20	12	190.0	34.6	10.0	760.0	34
14 Cylinder Airframe	200	6	20	12	189.6	34.6	11.0	997.6	34
14 Box	200	6	20	12	189.9	34.6	9.5	940.0	21
14 Box Streamlined	200	6	20	12	189.9	34.6	9.9	832.0	21
14 Sphere	200	6	20	12	190.2	34.7	9.7	778.0	17
14 Sphere Streamlined	200	6	20	12	190.2	34.7	10.0	688.0	17
14 Disk	200	6	20	12	189.9	34.6	10.2	940.0	26
14 Disk Streamlined	200	6	20	12	189.9	34.6	10.5	832.0	26
14 Disk Airframe	200	6	20	12	189.4	34.6	10.5	1091.2	26
14 Close Structure	200	6	20	12	189.6	34.6	9.5	1102.0	30
14 Slab	200	6	20	12	189.4	34.6	9.7	1183.0	47
14 Slab Streamlined	200	6	20	12	189.4	34.6	10.1	1048.0	47
14 Slab Airframe	200	6	20	12	188.8	34.6	11.1	1372.0	47

TL	Config	Tons	MaxG	Armor	Struct	Volume	Power	Cost	Surface	Length
9	Open Frame	300	3	10	11	274.0	111.5	11.1	1048.0	70
9	Needle	300	3	10	11	277.2	111.7	11.3	1372.0	60
9	Needle Streamlined	300	3	10	11	277.2	111.7	11.6	1216.0	60
9	Needle Airframe	300	3	10	11	275.6	111.6	12.1	1590.4	60
9	Wedge	300	3	10	11	276.3	111.6	11.2	1588.0	50
9	Wedge Streamlined	300	3	10	11	276.3	111.6	11.6	1408.0	50
9	Wedge Airframe	300	3	10	11	274.4	111.5	12.5	1840.0	50
9	Cylinder	300	3	10	11	278.1	111.8	11.1	1156.0	40
9	Cylinder Streamlined	300	3	10	11	278.1	111.8	11.6	1024.0	40
9	Cylinder Airframe	300	3	10	11	276.7	111.7	12.5	1340.8	40
9	Box	300	3	10	11	277.7	111.7	11.1	1264.0	25
9	Box Streamlined	300	3	10	11	277.7	111.7	11.5	1120.0	25
9	Sphere	300	3	10	11	278.6	111.8	11.2	1048.0	20
9	Sphere Streamlined	300	3	10	11	278.6	111.8	11.6	928.0	20
9	Disk	300	3	10	11	277.7	111.7	11.6	1264.0	30
9	Disk Streamlined	300	3	10	11	277.7	111.7	12.1	1120.0	30
9	Disk Airframe	300	3	10	11	276.1	111.6	12.0	1465.6	30
9	Close Structure	300	3	10	11	276.7	111.7	11.0	1480.0	35
9	Slab	300	3	10	11	276.3	111.6	11.2	1588.0	55
9	Slab Streamlined	300	3	10	11	276.3	111.6	11.6	1408.0	55
9	Slab Airframe	300	3	10	11	274.4	111.5	12.5	1840.0	55
9	Open Frame	300	6	20	15	264.7	110.8	11.4	1048.0	70
9	Needle	300	6	20	15	271.2	111.3	11.7	1372.0	60
9	Needle Streamlined	300	6	20	15	271.2	111.3	12.1	1216.0	60
9	Needle Airframe	300	6	20	15	267.9	111.0	13.0	1590.4	60
9	Wedge	300	6	20	15	269.3	111.1	11.5	1588.0	50
9	Wedge Streamlined	300	6	20	15	269.3	111.1	12.1	1408.0	50
9	Wedge Airframe	300	6	20	15	265.5	110.8	13.9	1840.0	50
9	Cylinder	300	6	20	15	273.0	111.4	11.4	1156.0	40
9	Cylinder Streamlined	300	6	20	15	273.0	111.4	12.0	1024.0	40
9	Cylinder Airframe	300	6	20	15	270.3	111.2	13.8	1340.8	40
9	Box	300	6	20	15	272.1	111.3	11.3	1264.0	25
9	Box Streamlined	300	6	20	15	272.1	111.3	11.8	1120.0	25
9	Sphere	300	6	20	15	274.0	111.5	11.6	1048.0	20
9	Sphere Streamlined	300	6	20	15	274.0	111.5	12.1	928.0	20
9	Disk	300	6	20	15	272.1	111.3	12.4	1264.0	30
9	Disk Streamlined	300	6	20	15	272.1	111.3	13.0	1120.0	30
9	Disk Airframe	300	6	20	15	269.1	111.1	12.9	1465.6	30
9	Close Structure	300	6	20	15	270.3	111.2	11.2	1480.0	35
9	Slab	300	6	20	15	269.3	111.1	11.5	1588.0	55
9	Slab Streamlined	300	6	20	15	269.3	111.1	12.1	1408.0	55
9	Slab Airframe	300	6	20	15	265.5	110.8	13.9	1840.0	55

TL Config	Tons	MaxG	Armor	Struct	Volume	Power	Cost	Surface	Length
10 Open Frame	300	3	10	11	280.6	81.6	12.6	1048.0	70
10 Needle	300	3	10	11	283.0	81.8	12.7	1372.0	60
10 Needle Streamlined	300	3	10	11	283.0	81.8	13.1	1216.0	60
10 Needle Airframe	300	3	10	11	281.8	81.7	13.5	1590.4	60
10 Wedge	300	3	10	11	282.3	81.8	12.6	1588.0	50
10 Wedge Streamlined	300	3	10	11	282.3	81.8	13.1	1408.0	50
10 Wedge Airframe	300	3	10	11	280.9	81.7	13.8	1840.0	50
10 Cylinder	300	3	10	11	283.7	81.9	12.6	1156.0	40
10 Cylinder Streamlined	300	3	10	11	283.7	81.9	13.0	1024.0	40
10 Cylinder Airframe	300	3	10	11	282.6	81.8	13.8	1340.8	40
10 Box	300	3	10	11	283.3	81.8	12.5	1264.0	25
10 Box Streamlined	300	3	10	11	283.3	81.8	12.9	1120.0	25
10 Sphere	300	3	10	11	284.0	81.9	12.7	1048.0	20
10 Sphere Streamlined	300	3	10	11	284.0	81.9	13.1	928.0	20
10 Disk	300	3	10	11	283.3	81.8	13.0	1264.0	30
10 Disk Streamlined	300	3	10	11	283.3	81.8	13.4	1120.0	30
10 Disk Airframe	300	3	10	11	282.2	81.7	13.4	1465.6	30
10 Close Structure	300	3	10	11	282.6	81.8	12.5	1480.0	35
10 Slab	300	3	10	11	282.3	81.8	12.6	1588.0	55
10 Slab Streamlined	300	3	10	11	282.3	81.8	13.1	1408.0	55
10 Slab Airframe	300	3	10	11	280.9	81.7	13.8	1840.0	55
10 Open Frame	300	6	20	15	273.6	81.1	12.8	1048.0	70
10 Needle	300	6	20	15	278.5	81.5	13.1	1372.0	60
10 Needle Streamlined	300	6	20	15	278.5	81.5	13.5	1216.0	60
10 Needle Airframe	300	6	20	15	276.0	81.3	14.2	1590.4	60
10 Wedge	300	6	20	15	277.1	81.4	12.9	1588.0	50
10 Wedge Streamlined	300	6	20	15	277.1	81.4	13.5	1408.0	50
10 Wedge Airframe	300	6	20	15	274.2	81.2	15.0	1840.0	50
10 Cylinder	300	6	20	15	279.9	81.6	12.9	1156.0	40
10 Cylinder Streamlined	300	6	20	15	279.9	81.6	13.4	1024.0	40
10 Cylinder Airframe	300	6	20	15	277.8	81.4	14.9	1340.8	40
10 Box	300	6	20	15	279.2	81.5	12.7	1264.0	25
10 Box Streamlined	300	6	20	15	279.2	81.5	13.2	1120.0	25
10 Sphere	300	6	20	15	280.6	81.6	13.0	1048.0	20
10 Sphere Streamlined	300	6	20	15	280.6	81.6	13.5	928.0	20
10 Disk	300	6	20	15	279.2	81.5	13.7	1264.0	30
10 Disk Streamlined	300	6	20	15	279.2	81.5	14.2	1120.0	30
10 Disk Airframe	300	6	20	15	276.9	81.4	14.1	1465.6	30
10 Close Structure	300	6	20	15	277.8	81.4	12.7	1480.0	35
10 Slab	300	6	20	15	277.1	81.4	12.9	1588.0	55
10 Slab Streamlined	300	6	20	15	277.1	81.4	13.5	1408.0	55
10 Slab Airframe	300	6	20	15	274.2	81.2	15.0	1840.0	55

TL Config	Tons	MaxG	Armor	Struct	Volume	Power	Cost	Surface	Length
12 Open Frame	300	3	10	11	283.5	51.8	14.1	1048.0	70
12 Needle	300	3	10	11	284.9	52.0	14.2	1372.0	60
12 Needle Streamlined	300	3	10	11	284.9	52.0	14.5	1216.0	60
12 Needle Airframe	300	3	10	11	284.2	51.9	14.9	1590.4	60
12 Wedge	300	3	10	11	284.5	51.9	14.1	1588.0	50
12 Wedge Streamlined	300	3	10	11	284.5	51.9	14.6	1408.0	50
12 Wedge Airframe	300	3	10	11	283.7	51.9	15.2	1840.0	50
12 Cylinder	300	3	10	11	285.3	52.0	14.1	1156.0	40
12 Cylinder Streamlined	300	3	10	11	285.3	52.0	14.5	1024.0	40
12 Cylinder Airframe	300	3	10	11	284.7	51.9	15.2	1340.8	40
12 Box	300	3	10	11	285.1	52.0	14.0	1264.0	25
12 Box Streamlined	300	3	10	11	285.1	52.0	14.4	1120.0	25
12 Sphere	300	3	10	11	285.5	52.0	14.1	1048.0	20
12 Sphere Streamlined	300	3	10	11	285.5	52.0	14.5	928.0	20
12 Disk	300	3	10	11	285.1	52.0	14.5	1264.0	30
12 Disk Streamlined	300	3	10	11	285.1	52.0	14.9	1120.0	30
12 Disk Airframe	300	3	10	11	284.5	51.9	14.8	1465.6	30
12 Close Structure	300	3	10	11	284.7	51.9	14.0	1480.0	35
12 Slab	300	3	10	11	284.5	51.9	14.1	1588.0	55
12 Slab Streamlined	300	3	10	11	284.5	51.9	14.6	1408.0	55
12 Slab Airframe	300	3	10	11	283.7	51.9	15.2	1840.0	55
12 Open Frame	300	6	20	15	279.6	51.6	14.3	1048.0	70
12 Needle	300	6	20	15	282.3	51.8	14.5	1372.0	60
12 Needle Streamlined	300	6	20	15	282.3	51.8	14.9	1216.0	60
12 Needle Airframe	300	6	20	15	280.9	51.7	15.6	1590.4	60
12 Wedge	300	6	20	15	281.5	51.7	14.4	1588.0	50
12 Wedge Streamlined	300	6	20	15	281.5	51.7	14.9	1408.0	50
12 Wedge Airframe	300	6	20	15	279.9	51.6	16.3	1840.0	50
12 Cylinder	300	6	20	15	283.1	51.8	14.3	1156.0	40
12 Cylinder Streamlined	300	6	20	15	283.1	51.8	14.8	1024.0	40
12 Cylinder Airframe	300	6	20	15	281.9	51.7	16.2	1340.8	40
12 Box	300	6	20	15	282.7	51.8	14.2	1264.0	25
12 Box Streamlined	300	6	20	15	282.7	51.8	14.7	1120.0	25
12 Sphere	300	6	20	15	283.5	51.8	14.4	1048.0	20
12 Sphere Streamlined	300	6	20	15	283.5	51.8	14.9	928.0	20
12 Disk	300	6	20	15	282.7	51.8	15.1	1264.0	30
12 Disk Streamlined	300	6	20	15	282.7	51.8	15.6	1120.0	30
12 Disk Airframe	300	6	20	15	281.4	51.7	15.5	1465.6	30
12 Close Structure	300	6	20	15	281.9	51.7	14.2	1480.0	35
12 Slab	300	6	20	15	281.5	51.7	14.4	1588.0	55
12 Slab Streamlined	300	6	20	15	281.5	51.7	14.9	1408.0	55
12 Slab Airframe	300	6	20	15	279.9	51.6	16.3	1840.0	55

TL Config	Tons	MaxG	Armor	Struct	Volume	Power	Cost	Surface	Length
14 Open Frame	300	3	10	11	285.5	52.0	14.1	1048.0	70
14 Needle	300	3	10	11	286.2	52.0	14.2	1372.0	60
14 Needle Streamlined	300	3	10	11	286.2	52.0	14.6	1216.0	60
14 Needle Airframe	300	3	10	11	285.9	52.0	14.9	1590.4	60
14 Wedge	300	3	10	11	286.0	52.0	14.1	1588.0	50
14 Wedge Streamlined	300	3	10	11	286.0	52.0	14.6	1408.0	50
14 Wedge Airframe	300	3	10	11	285.6	52.0	15.2	1840.0	50
14 Cylinder	300	3	10	11	286.4	52.1	14.1	1156.0	40
14 Cylinder Streamlined	300	3	10	11	286.4	52.1	14.5	1024.0	40
14 Cylinder Airframe	300	3	10	11	286.1	52.0	15.2	1340.8	40
14 Box	300	3	10	11	286.3	52.1	14.0	1264.0	25
14 Box Streamlined	300	3	10	11	286.3	52.1	14.4	1120.0	25
14 Sphere	300	3	10	11	286.5	52.1	14.2	1048.0	20
14 Sphere Streamlined	300	3	10	11	286.5	52.1	14.5	928.0	20
14 Disk	300	3	10	11	286.3	52.1	14.5	1264.0	30
14 Disk Streamlined	300	3	10	11	286.3	52.1	14.9	1120.0	30
14 Disk Airframe	300	3	10	11	286.0	52.0	14.9	1465.6	30
14 Close Structure	300	3	10	11	286.1	52.0	14.0	1480.0	35
14 Slab	300	3	10	11	286.0	52.0	14.1	1588.0	55
14 Slab Streamlined	300	3	10	11	286.0	52.0	14.6	1408.0	55
14 Slab Airframe	300	3	10	11	285.6	52.0	15.2	1840.0	55
14 Open Frame	300	6	20	15	283.5	51.8	14.4	1048.0	70
14 Needle	300	6	20	15	284.9	52.0	14.6	1372.0	60
14 Needle Streamlined	300	6	20	15	284.9	52.0	15.0	1216.0	60
14 Needle Airframe	300	6	20	15	284.2	51.9	15.7	1590.4	60
14 Wedge	300	6	20	15	284.5	51.9	14.5	1588.0	50
14 Wedge Streamlined	300	6	20	15	284.5	51.9	15.0	1408.0	50
14 Wedge Airframe	300	6	20	15	283.7	51.9	16.3	1840.0	50
14 Cylinder	300	6	20	15	285.3	52.0	14.4	1156.0	40
14 Cylinder Streamlined	300	6	20	15	285.3	52.0	14.8	1024.0	40
14 Cylinder Airframe	300	6	20	15	284.7	51.9	16.3	1340.8	40
14 Box	300	6	20	15	285.1	52.0	14.2	1264.0	25
14 Box Streamlined	300	6	20	15	285.1	52.0	14.7	1120.0	25
14 Sphere	300	6	20	15	285.5	52.0	14.5	1048.0	20
14 Sphere Streamlined	300	6	20	15	285.5	52.0	14.9	928.0	20
14 Disk	300	6	20	15	285.1	52.0	15.1	1264.0	30
14 Disk Streamlined	300	6	20	15	285.1	52.0	15.6	1120.0	30
14 Disk Airframe	300	6	20	15	284.5	51.9	15.6	1465.6	30
14 Close Structure	300	6	20	15	284.7	51.9	14.2	1480.0	35
14 Slab	300	6	20	15	284.5	51.9	14.5	1588.0	55
14 Slab Streamlined	300	6	20	15	284.5	51.9	15.0	1408.0	55
14 Slab Airframe	300	6	20	15	283.7	51.9	16.3	1840.0	55

TL	Config	Tons	MaxG	Armor	Struct	Volume	Power	Cost	Surface	Length
9	Open Frame	400	3	10	12	366.0	148.7	14.8	1318.0	77
9	Needle	400	3	10	12	370.1	149.0	15.0	1723.0	66
9	Needle Streamlined	400	3	10	12	370.1	149.0	15.5	1528.0	66
9	Needle Airframe	400	3	10	12	368.0	148.8	16.0	1996.0	66
9	Wedge	400	3	10	12	368.9	148.9	14.9	1993.0	55
9	Wedge Streamlined	400	3	10	12	368.9	148.9	15.5	1768.0	55
9	Wedge Airframe	400	3	10	12	366.6	148.7	16.6	2308.0	55
9	Cylinder	400	3	10	12	371.3	149.1	14.8	1453.0	44
9	Cylinder Streamlined	400	3	10	12	371.3	149.1	15.4	1288.0	44
9	Cylinder Airframe	400	3	10	12	369.5	148.9	16.5	1684.0	44
9	Box	400	3	10	12	370.7	149.0	14.7	1588.0	28
9	Box Streamlined	400	3	10	12	370.7	149.0	15.3	1408.0	28
9	Sphere	400	3	10	12	371.8	149.1	14.9	1318.0	22
9	Sphere Streamlined	400	3	10	12	371.8	149.1	15.4	1168.0	22
9	Disk	400	3	10	12	370.7	149.0	15.4	1588.0	33
9	Disk Streamlined	400	3	10	12	370.7	149.0	16.0	1408.0	33
9	Disk Airframe	400	3	10	12	368.8	148.9	15.9	1840.0	33
9	Close Structure	400	3	10	12	369.5	148.9	14.7	1858.0	39
9	Slab	400	3	10	12	368.9	148.9	14.9	1993.0	61
9	Slab Streamlined	400	3	10	12	368.9	148.9	15.5	1768.0	61
9	Slab Airframe	400	3	10	12	366.6	148.7	16.6	2308.0	61
9	Open Frame	400	6	20	16	354.5	147.8	15.1	1318.0	77
9	Needle	400	6	20	16	362.6	148.4	15.5	1723.0	66
9	Needle Streamlined	400	6	20	16	362.6	148.4	16.1	1528.0	66
9	Needle Airframe	400	6	20	16	358.5	148.1	17.2	1996.0	66
9	Wedge	400	6	20	16	360.3	148.2	15.3	1993.0	55
9	Wedge Streamlined	400	6	20	16	360.3	148.2	16.1	1768.0	55
9	Wedge Airframe	400	6	20	16	355.5	147.9	18.2	2308.0	55
9	Cylinder	400	6	20	16	364.9	148.6	15.2	1453.0	44
9	Cylinder Streamlined	400	6	20	16	364.9	148.6	15.9	1288.0	44
9	Cylinder Airframe	400	6	20	16	361.4	148.3	18.2	1684.0	44
9	Box	400	6	20	16	363.7	148.5	15.0	1588.0	28
9	Box Streamlined	400	6	20	16	363.7	148.5	15.7	1408.0	28
9	Sphere	400	6	20	16	366.0	148.7	15.4	1318.0	22
9	Sphere Streamlined	400	6	20	16	366.0	148.7	16.0	1168.0	22
9	Disk	400	6	20	16	363.7	148.5	16.4	1588.0	33
9	Disk Streamlined	400	6	20	16	363.7	148.5	17.1	1408.0	33
9	Disk Airframe	400	6	20	16	359.9	148.2	17.0	1840.0	33
9	Close Structure	400	6	20	16	361.4	148.3	14.9	1858.0	39
9	Slab	400	6	20	16	360.3	148.2	15.3	1993.0	61
9	Slab Streamlined	400	6	20	16	360.3	148.2	16.1	1768.0	61
9	Slab Airframe	400	6	20	16	355.5	147.9	18.2	2308.0	61

TL Config	Tons	MaxG	Armor	Struct	Volume	Power	Cost	Surface	Length
10 Open Frame	400	3	10	12	374.7	108.9	16.7	1318.0	77
10 Needle	400	3	10	12	377.7	109.1	16.9	1723.0	66
10 Needle Streamlined	400	3	10	12	377.7	109.1	17.4	1528.0	66
10 Needle Airframe	400	3	10	12	376.2	109.0	17.9	1996.0	66
10 Wedge	400	3	10	12	376.8	109.0	16.8	1993.0	55
10 Wedge Streamlined	400	3	10	12	376.8	109.0	17.4	1768.0	55
10 Wedge Airframe	400	3	10	12	375.0	108.9	18.3	2308.0	55
10 Cylinder	400	3	10	12	378.6	109.2	16.8	1453.0	44
10 Cylinder Streamlined	400	3	10	12	378.6	109.2	17.3	1288.0	44
10 Cylinder Airframe	400	3	10	12	377.3	109.1	18.3	1684.0	44
10 Box	400	3	10	12	378.1	109.1	16.7	1588.0	28
10 Box Streamlined	400	3	10	12	378.1	109.1	17.2	1408.0	28
10 Sphere	400	3	10	12	379.0	109.2	16.8	1318.0	22
10 Sphere Streamlined	400	3	10	12	379.0	109.2	17.4	1168.0	22
10 Disk	400	3	10	12	378.1	109.1	17.3	1588.0	33
10 Disk Streamlined	400	3	10	12	378.1	109.1	17.8	1408.0	33
10 Disk Airframe	400	3	10	12	376.7	109.0	17.8	1840.0	33
10 Close Structure	400	3	10	12	377.3	109.1	16.6	1858.0	39
10 Slab	400	3	10	12	376.8	109.0	16.8	1993.0	61
10 Slab Streamlined	400	3	10	12	376.8	109.0	17.4	1768.0	61
10 Slab Airframe	400	3	10	12	375.0	108.9	18.3	2308.0	61
10 Open Frame	400	6	20	16	366.0	108.2	17.0	1318.0	77
10 Needle	400	6	20	16	372.0	108.7	17.3	1723.0	66
10 Needle Streamlined	400	6	20	16	372.0	108.7	17.9	1528.0	66
10 Needle Airframe	400	6	20	16	369.0	108.5	18.9	1996.0	66
10 Wedge	400	6	20	16	370.3	108.6	17.2	1993.0	55
10 Wedge Streamlined	400	6	20	16	370.3	108.6	17.9	1768.0	55
10 Wedge Airframe	400	6	20	16	366.8	108.3	19.7	2308.0	55
10 Cylinder	400	6	20	16	373.8	108.8	17.1	1453.0	44
10 Cylinder Streamlined	400	6	20	16	373.8	108.8	17.7	1288.0	44
10 Cylinder Airframe	400	6	20	16	371.2	108.6	19.7	1684.0	44
10 Box	400	6	20	16	372.9	108.8	16.9	1588.0	28
10 Box Streamlined	400	6	20	16	372.9	108.8	17.6	1408.0	28
10 Sphere	400	6	20	16	374.7	108.9	17.2	1318.0	22
10 Sphere Streamlined	400	6	20	16	374.7	108.9	17.9	1168.0	22
10 Disk	400	6	20	16	372.9	108.8	18.1	1588.0	33
10 Disk Streamlined	400	6	20	16	372.9	108.8	18.8	1408.0	33
10 Disk Airframe	400	6	20	16	370.1	108.5	18.7	1840.0	33
10 Close Structure	400	6	20	16	371.2	108.6	16.8	1858.0	39
10 Slab	400	6	20	16	370.3	108.6	17.2	1993.0	61
10 Slab Streamlined	400	6	20	16	370.3	108.6	17.9	1768.0	61
10 Slab Airframe	400	6	20	16	366.8	108.3	19.7	2308.0	61

TL Config	Tons	MaxG	Armor	Struct	Volume	Power	Cost	Surface	Length
12 Open Frame	400	3	10	12	378.4	69.2	18.7	1318.0	77
12 Needle	400	3	10	12	380.1	69.3	18.9	1723.0	66
12 Needle Streamlined	400	3	10	12	380.1	69.3	19.4	1528.0	66
12 Needle Airframe	400	3	10	12	379.2	69.2	19.8	1996.0	66
12 Wedge	400	3	10	12	379.6	69.2	18.8	1993.0	55
12 Wedge Streamlined	400	3	10	12	379.6	69.2	19.4	1768.0	55
12 Wedge Airframe	400	3	10	12	378.6	69.2	20.2	2308.0	55
12 Cylinder	400	3	10	12	380.6	69.3	18.8	1453.0	44
12 Cylinder Streamlined	400	3	10	12	380.6	69.3	19.3	1288.0	44
12 Cylinder Airframe	400	3	10	12	379.9	69.3	20.2	1684.0	44
12 Box	400	3	10	12	380.4	69.3	18.7	1588.0	28
12 Box Streamlined	400	3	10	12	380.4	69.3	19.2	1408.0	28
12 Sphere	400	3	10	12	380.9	69.3	18.8	1318.0	22
12 Sphere Streamlined	400	3	10	12	380.9	69.3	19.3	1168.0	22
12 Disk	400	3	10	12	380.4	69.3	19.2	1588.0	33
12 Disk Streamlined	400	3	10	12	380.4	69.3	19.7	1408.0	33
12 Disk Airframe	400	3	10	12	379.5	69.2	19.7	1840.0	33
12 Close Structure	400	3	10	12	379.9	69.3	18.7	1858.0	39
12 Slab	400	3	10	12	379.6	69.2	18.8	1993.0	61
12 Slab Streamlined	400	3	10	12	379.6	69.2	19.4	1768.0	61
12 Slab Airframe	400	3	10	12	378.6	69.2	20.2	2308.0	61
12 Open Frame	400	6	20	16	373.4	68.8	19.0	1318.0	77
12 Needle	400	6	20	16	376.9	69.0	19.3	1723.0	66
12 Needle Streamlined	400	6	20	16	376.9	69.0	19.8	1528.0	66
12 Needle Airframe	400	6	20	16	375.1	68.9	20.7	1996.0	66
12 Wedge	400	6	20	16	375.9	69.0	19.2	1993.0	55
12 Wedge Streamlined	400	6	20	16	375.9	69.0	19.8	1768.0	55
12 Wedge Airframe	400	6	20	16	373.9	68.8	21.5	2308.0	55
12 Cylinder	400	6	20	16	377.9	69.1	19.1	1453.0	44
12 Cylinder Streamlined	400	6	20	16	377.9	69.1	19.7	1288.0	44
12 Cylinder Airframe	400	6	20	16	376.4	69.0	21.4	1684.0	44
12 Box	400	6	20	16	377.4	69.1	18.9	1588.0	28
12 Box Streamlined	400	6	20	16	377.4	69.1	19.5	1408.0	28
12 Sphere	400	6	20	16	378.4	69.2	19.2	1318.0	22
12 Sphere Streamlined	400	6	20	16	378.4	69.2	19.8	1168.0	22
12 Disk	400	6	20	16	377.4	69.1	20.0	1588.0	33
12 Disk Streamlined	400	6	20	16	377.4	69.1	20.6	1408.0	33
12 Disk Airframe	400	6	20	16	375.8	69.0	20.6	1840.0	33
12 Close Structure	400	6	20	16	376.4	69.0	18.9	1858.0	39
12 Slab	400	6	20	16	375.9	69.0	19.2	1993.0	61
12 Slab Streamlined	400	6	20	16	375.9	69.0	19.8	1768.0	61
12 Slab Airframe	400	6	20	16	373.9	68.8	21.5	2308.0	61

TL Config	Tons	MaxG	Armor	Struct	Volume	Power	Cost	Surface	Length
14 Open Frame	400	3	10	12	380.9	69.3	18.8	1318.0	77
14 Needle	400	3	10	12	381.7	69.4	18.9	1723.0	66
14 Needle Streamlined	400	3	10	12	381.7	69.4	19.4	1528.0	66
14 Needle Airframe	400	3	10	12	381.3	69.4	19.8	1996.0	66
14 Wedge	400	3	10	12	381.5	69.4	18.8	1993.0	55
14 Wedge Streamlined	400	3	10	12	381.5	69.4	19.4	1768.0	55
14 Wedge Airframe	400	3	10	12	381.0	69.3	20.2	2308.0	55
14 Cylinder	400	3	10	12	382.0	69.4	18.8	1453.0	44
14 Cylinder Streamlined	400	3	10	12	382.0	69.4	19.3	1288.0	44
14 Cylinder Airframe	400	3	10	12	381.6	69.4	20.2	1684.0	44
14 Box	400	3	10	12	381.8	69.4	18.7	1588.0	28
14 Box Streamlined	400	3	10	12	381.8	69.4	19.2	1408.0	28
14 Sphere	400	3	10	12	382.1	69.4	18.8	1318.0	22
14 Sphere Streamlined	400	3	10	12	382.1	69.4	19.3	1168.0	22
14 Disk	400	3	10	12	381.8	69.4	19.2	1588.0	33
14 Disk Streamlined	400	3	10	12	381.8	69.4	19.8	1408.0	33
14 Disk Airframe	400	3	10	12	381.4	69.4	19.7	1840.0	33
14 Close Structure	400	3	10	12	381.6	69.4	18.7	1858.0	39
14 Slab	400	3	10	12	381.5	69.4	18.8	1993.0	61
14 Slab Streamlined	400	3	10	12	381.5	69.4	19.4	1768.0	61
14 Slab Airframe	400	3	10	12	381.0	69.3	20.2	2308.0	61
14 Open Frame	400	6	20	16	378.4	69.2	19.1	1318.0	77
14 Needle	400	6	20	16	380.1	69.3	19.3	1723.0	66
14 Needle Streamlined	400	6	20	16	380.1	69.3	19.9	1528.0	66
14 Needle Airframe	400	6	20	16	379.2	69.2	20.8	1996.0	66
14 Wedge	400	6	20	16	379.6	69.2	19.2	1993.0	55
14 Wedge Streamlined	400	6	20	16	379.6	69.2	19.9	1768.0	55
14 Wedge Airframe	400	6	20	16	378.6	69.2	21.6	2308.0	55
14 Cylinder	400	6	20	16	380.6	69.3	19.1	1453.0	44
14 Cylinder Streamlined	400	6	20	16	380.6	69.3	19.7	1288.0	44
14 Cylinder Airframe	400	6	20	16	379.9	69.3	21.5	1684.0	44
14 Box	400	6	20	16	380.4	69.3	18.9	1588.0	28
14 Box Streamlined	400	6	20	16	380.4	69.3	19.6	1408.0	28
14 Sphere	400	6	20	16	380.9	69.3	19.2	1318.0	22
14 Sphere Streamlined	400	6	20	16	380.9	69.3	19.8	1168.0	22
14 Disk	400	6	20	16	380.4	69.3	20.0	1588.0	33
14 Disk Streamlined	400	6	20	16	380.4	69.3	20.7	1408.0	33
14 Disk Airframe	400	6	20	16	379.5	69.2	20.6	1840.0	33
14 Close Structure	400	6	20	16	379.9	69.3	18.9	1858.0	39
14 Slab	400	6	20	16	379.6	69.2	19.2	1993.0	61
14 Slab Streamlined	400	6	20	16	379.6	69.2	19.9	1768.0	61
14 Slab Airframe	400	6	20	16	378.6	69.2	21.6	2308.0	61

TL	Config	Tons	MaxG	Armor	Struct	Volume	Power	Cost	Surface	Length
9	Open Frame	500	3	10	14	458.9	185.9	18.4	1486.0	84
9	Needle	500	3	10	14	463.5	186.3	18.7	1945.0	72
9	Needle Streamlined	500	3	10	14	463.5	186.3	19.3	1724.0	72
9	Needle Airframe	500	3	10	14	461.2	186.1	19.9	2254.4	72
9	Wedge	500	3	10	14	462.2	186.2	18.5	2251.0	60
9	Wedge Streamlined	500	3	10	14	462.2	186.2	19.3	1996.0	60
9	Wedge Airframe	500	3	10	14	459.5	186.0	20.5	2608.0	60
9	Cylinder	500	3	10	14	464.8	186.4	18.5	1639.0	48
9	Cylinder Streamlined	500	3	10	14	464.8	186.4	19.2	1452.0	48
9	Cylinder Airframe	500	3	10	14	462.8	186.2	20.5	1900.8	48
9	Box	500	3	10	14	464.2	186.3	18.4	1792.0	30
9	Box Streamlined	500	3	10	14	464.2	186.3	19.1	1588.0	30
9	Sphere	500	3	10	14	465.5	186.4	18.6	1486.0	24
9	Sphere Streamlined	500	3	10	14	465.5	186.4	19.2	1316.0	24
9	Disk	500	3	10	14	464.2	186.3	19.2	1792.0	36
9	Disk Streamlined	500	3	10	14	464.2	186.3	19.9	1588.0	36
9	Disk Airframe	500	3	10	14	462.0	186.2	19.8	2077.6	36
9	Close Structure	500	3	10	14	462.8	186.2	18.3	2098.0	42
9	Slab	500	3	10	14	462.2	186.2	18.5	2251.0	66
9	Slab Streamlined	500	3	10	14	462.2	186.2	19.3	1996.0	66
9	Slab Airframe	500	3	10	14	459.5	186.0	20.5	2608.0	66
9	Open Frame	500	6	20	18	445.8	185.0	18.8	1486.0	84
9	Needle	500	6	20	18	455.0	185.6	19.2	1945.0	72
9	Needle Streamlined	500	6	20	18	455.0	185.6	19.9	1724.0	72
9	Needle Airframe	500	6	20	18	450.3	185.3	21.2	2254.4	72
9	Wedge	500	6	20	18	452.3	185.4	19.0	2251.0	60
9	Wedge Streamlined	500	6	20	18	452.3	185.4	19.9	1996.0	60
9	Wedge Airframe	500	6	20	18	447.0	185.0	22.4	2608.0	60
9	Cylinder	500	6	20	18	457.6	185.8	18.9	1639.0	48
9	Cylinder Streamlined	500	6	20	18	457.6	185.8	19.7	1452.0	48
9	Cylinder Airframe	500	6	20	18	453.7	185.5	22.4	1900.8	48
9	Box	500	6	20	18	456.3	185.7	18.7	1792.0	30
9	Box Streamlined	500	6	20	18	456.3	185.7	19.5	1588.0	30
9	Sphere	500	6	20	18	458.9	185.9	19.1	1486.0	24
9	Sphere Streamlined	500	6	20	18	458.9	185.9	19.9	1316.0	24
9	Disk	500	6	20	18	456.3	185.7	20.3	1792.0	36
9	Disk Streamlined	500	6	20	18	456.3	185.7	21.1	1588.0	36
9	Disk Airframe	500	6	20	18	452.0	185.4	21.0	2077.6	36
9	Close Structure	500	6	20	18	453.7	185.5	18.6	2098.0	42
9	Slab	500	6	20	18	452.3	185.4	19.0	2251.0	66
9	Slab Streamlined	500	6	20	18	452.3	185.4	19.9	1996.0	66
9	Slab Airframe	500	6	20	18	447.0	185.0	22.4	2608.0	66

TL Config	Tons	MaxG	Armor	Struct	Volume	Power	Cost	Surface	Length
10 Open Frame	500	3	10	14	469.3	136.2	20.9	1486.0	84
10 Needle	500	3	10	14	472.8	136.4	21.1	1945.0	72
10 Needle Streamlined	500	3	10	14	472.8	136.4	21.7	1724.0	72
10 Needle Airframe	500	3	10	14	471.0	136.3	22.2	2254.4	72
10 Wedge	500	3	10	14	471.8	136.4	21.0	2251.0	60
10 Wedge Streamlined	500	3	10	14	471.8	136.4	21.7	1996.0	60
10 Wedge Airframe	500	3	10	14	469.8	136.2	22.7	2608.0	60
10 Cylinder	500	3	10	14	473.8	136.5	20.9	1639.0	48
10 Cylinder Streamlined	500	3	10	14	473.8	136.5	21.6	1452.0	48
10 Cylinder Airframe	500	3	10	14	472.3	136.4	22.7	1900.8	48
10 Box	500	3	10	14	473.3	136.5	20.8	1792.0	30
10 Box Streamlined	500	3	10	14	473.3	136.5	21.5	1588.0	30
10 Sphere	500	3	10	14	474.2	136.5	21.0	1486.0	24
10 Sphere Streamlined	500	3	10	14	474.2	136.5	21.7	1316.0	24
10 Disk	500	3	10	14	473.3	136.5	21.5	1792.0	36
10 Disk Streamlined	500	3	10	14	473.3	136.5	22.2	1588.0	36
10 Disk Airframe	500	3	10	14	471.7	136.3	22.1	2077.6	36
10 Close Structure	500	3	10	14	472.3	136.4	20.8	2098.0	42
10 Slab	500	3	10	14	471.8	136.4	21.0	2251.0	66
10 Slab Streamlined	500	3	10	14	471.8	136.4	21.7	1996.0	66
10 Slab Airframe	500	3	10	14	469.8	136.2	22.7	2608.0	66
10 Open Frame	500	6	20	18	459.5	135.4	21.2	1486.0	84
10 Needle	500	6	20	18	466.4	136.0	21.6	1945.0	72
10 Needle Streamlined	500	6	20	18	466.4	136.0	22.3	1724.0	72
10 Needle Airframe	500	6	20	18	462.9	135.7	23.3	2254.4	72
10 Wedge	500	6	20	18	464.4	135.8	21.4	2251.0	60
10 Wedge Streamlined	500	6	20	18	464.4	135.8	22.3	1996.0	60
10 Wedge Airframe	500	6	20	18	460.4	135.5	24.4	2608.0	60
10 Cylinder	500	6	20	18	468.3	136.1	21.3	1639.0	48
10 Cylinder Streamlined	500	6	20	18	468.3	136.1	22.1	1452.0	48
10 Cylinder Airframe	500	6	20	18	465.4	135.9	24.3	1900.8	48
10 Box	500	6	20	18	467.4	136.0	21.1	1792.0	30
10 Box Streamlined	500	6	20	18	467.4	136.0	21.9	1588.0	30
10 Sphere	500	6	20	18	469.3	136.2	21.5	1486.0	24
10 Sphere Streamlined	500	6	20	18	469.3	136.2	22.2	1316.0	24
10 Disk	500	6	20	18	467.4	136.0	22.5	1792.0	36
10 Disk Streamlined	500	6	20	18	467.4	136.0	23.3	1588.0	36
10 Disk Airframe	500	6	20	18	464.1	135.8	23.2	2077.6	36
10 Close Structure	500	6	20	18	465.4	135.9	21.0	2098.0	42
10 Slab	500	6	20	18	464.4	135.8	21.4	2251.0	66
10 Slab Streamlined	500	6	20	18	464.4	135.8	22.3	1996.0	66
10 Slab Airframe	500	6	20	18	460.4	135.5	24.4	2608.0	66

TL Config	Tons	MaxG	Armor	Struct	Volume	Power	Cost	Surface	Length
12 Open Frame	500	3	10	14	473.5	86.5	23.4	1486.0	84
12 Needle	500	3	10	14	475.5	86.6	23.5	1945.0	72
12 Needle Streamlined	500	3	10	14	475.5	86.6	24.1	1724.0	72
12 Needle Airframe	500	3	10	14	474.5	86.6	24.6	2254.4	72
12 Wedge	500	3	10	14	474.9	86.6	23.5	2251.0	60
12 Wedge Streamlined	500	3	10	14	474.9	86.6	24.1	1996.0	60
12 Wedge Airframe	500	3	10	14	473.8	86.5	25.1	2608.0	60
12 Cylinder	500	3	10	14	476.1	86.7	23.4	1639.0	48
12 Cylinder Streamlined	500	3	10	14	476.1	86.7	24.1	1452.0	48
12 Cylinder Airframe	500	3	10	14	475.2	86.6	25.1	1900.8	48
12 Box	500	3	10	14	475.8	86.7	23.3	1792.0	30
12 Box Streamlined	500	3	10	14	475.8	86.7	24.0	1588.0	30
12 Sphere	500	3	10	14	476.4	86.7	23.5	1486.0	24
12 Sphere Streamlined	500	3	10	14	476.4	86.7	24.1	1316.0	24
12 Disk	500	3	10	14	475.8	86.7	23.9	1792.0	36
12 Disk Streamlined	500	3	10	14	475.8	86.7	24.6	1588.0	36
12 Disk Airframe	500	3	10	14	474.9	86.6	24.5	2077.6	36
12 Close Structure	500	3	10	14	475.2	86.6	23.3	2098.0	42
12 Slab	500	3	10	14	474.9	86.6	23.5	2251.0	66
12 Slab Streamlined	500	3	10	14	474.9	86.6	24.1	1996.0	66
12 Slab Airframe	500	3	10	14	473.8	86.5	25.1	2608.0	66
12 Open Frame	500	6	20	18	467.9	86.1	23.7	1486.0	84
12 Needle	500	6	20	18	471.9	86.4	24.0	1945.0	72
12 Needle Streamlined	500	6	20	18	471.9	86.4	24.7	1724.0	72
12 Needle Airframe	500	6	20	18	469.9	86.2	25.7	2254.4	72
12 Wedge	500	6	20	18	470.7	86.3	23.9	2251.0	60
12 Wedge Streamlined	500	6	20	18	470.7	86.3	24.7	1996.0	60
12 Wedge Airframe	500	6	20	18	468.4	86.1	26.6	2608.0	60
12 Cylinder	500	6	20	18	473.0	86.4	23.8	1639.0	48
12 Cylinder Streamlined	500	6	20	18	473.0	86.4	24.5	1452.0	48
12 Cylinder Airframe	500	6	20	18	471.3	86.3	26.5	1900.8	48
12 Box	500	6	20	18	472.4	86.4	23.6	1792.0	30
12 Box Streamlined	500	6	20	18	472.4	86.4	24.4	1588.0	30
12 Sphere	500	6	20	18	473.5	86.5	23.9	1486.0	24
12 Sphere Streamlined	500	6	20	18	473.5	86.5	24.6	1316.0	24
12 Disk	500	6	20	18	472.4	86.4	24.8	1792.0	36
12 Disk Streamlined	500	6	20	18	472.4	86.4	25.6	1588.0	36
12 Disk Airframe	500	6	20	18	470.6	86.3	25.5	2077.6	36
12 Close Structure	500	6	20	18	471.3	86.3	23.5	2098.0	42
12 Slab	500	6	20	18	470.7	86.3	23.9	2251.0	66
12 Slab Streamlined	500	6	20	18	470.7	86.3	24.7	1996.0	66
12 Slab Airframe	500	6	20	18	468.4	86.1	26.6	2608.0	66

TL Config	Tons	MaxG	Armor	Struct	Volume	Power	Cost	Surface	Length
14 Open Frame	500	3	10	14	476.4	86.7	23.4	1486.0	84
14 Needle	500	3	10	14	477.3	86.8	23.6	1945.0	72
14 Needle Streamlined	500	3	10	14	477.3	86.8	24.2	1724.0	72
14 Needle Airframe	500	3	10	14	476.8	86.7	24.7	2254.4	72
14 Wedge	500	3	10	14	477.1	86.7	23.5	2251.0	60
14 Wedge Streamlined	500	3	10	14	477.1	86.7	24.2	1996.0	60
14 Wedge Airframe	500	3	10	14	476.5	86.7	25.1	2608.0	60
14 Cylinder	500	3	10	14	477.6	86.8	23.4	1639.0	48
14 Cylinder Streamlined	500	3	10	14	477.6	86.8	24.1	1452.0	48
14 Cylinder Airframe	500	3	10	14	477.2	86.8	25.1	1900.8	48
14 Box	500	3	10	14	477.5	86.8	23.4	1792.0	30
14 Box Streamlined	500	3	10	14	477.5	86.8	24.0	1588.0	30
14 Sphere	500	3	10	14	477.8	86.8	23.5	1486.0	24
14 Sphere Streamlined	500	3	10	14	477.8	86.8	24.1	1316.0	24
14 Disk	500	3	10	14	477.5	86.8	24.0	1792.0	36
14 Disk Streamlined	500	3	10	14	477.5	86.8	24.6	1588.0	36
14 Disk Airframe	500	3	10	14	477.0	86.7	24.6	2077.6	36
14 Close Structure	500	3	10	14	477.2	86.8	23.3	2098.0	42
14 Slab	500	3	10	14	477.1	86.7	23.5	2251.0	66
14 Slab Streamlined	500	3	10	14	477.1	86.7	24.2	1996.0	66
14 Slab Airframe	500	3	10	14	476.5	86.7	25.1	2608.0	66
14 Open Frame	500	6	20	18	473.5	86.5	23.8	1486.0	84
14 Needle	500	6	20	18	475.5	86.6	24.1	1945.0	72
14 Needle Streamlined	500	6	20	18	475.5	86.6	24.7	1724.0	72
14 Needle Airframe	500	6	20	18	474.5	86.6	25.7	2254.4	72
14 Wedge	500	6	20	18	474.9	86.6	23.9	2251.0	60
14 Wedge Streamlined	500	6	20	18	474.9	86.6	24.8	1996.0	60
14 Wedge Airframe	500	6	20	18	473.8	86.5	26.7	2608.0	60
14 Cylinder	500	6	20	18	476.1	86.7	23.8	1639.0	48
14 Cylinder Streamlined	500	6	20	18	476.1	86.7	24.6	1452.0	48
14 Cylinder Airframe	500	6	20	18	475.2	86.6	26.6	1900.8	48
14 Box	500	6	20	18	475.8	86.7	23.6	1792.0	30
14 Box Streamlined	500	6	20	18	475.8	86.7	24.4	1588.0	30
14 Sphere	500	6	20	18	476.4	86.7	23.9	1486.0	24
14 Sphere Streamlined	500	6	20	18	476.4	86.7	24.7	1316.0	24
14 Disk	500	6	20	18	475.8	86.7	24.9	1792.0	36
14 Disk Streamlined	500	6	20	18	475.8	86.7	25.6	1588.0	36
14 Disk Airframe	500	6	20	18	474.9	86.6	25.6	2077.6	36
14 Close Structure	500	6	20	18	475.2	86.6	23.6	2098.0	42
14 Slab	500	6	20	18	474.9	86.6	23.9	2251.0	66
14 Slab Streamlined	500	6	20	18	474.9	86.6	24.8	1996.0	66
14 Slab Airframe	500	6	20	18	473.8	86.5	26.7	2608.0	66

TL	Config	Tons	MaxG	Armor	Struct	Volume	Power	Cost	Surface	Length
9	Open Frame	600	3	10	15	551.0	223.1	22.1	1748.0	88
9	Needle	600	3	10	15	556.4	223.5	22.4	2288.0	75
9	Needle Streamlined	600	3	10	15	556.4	223.5	23.1	2028.0	75
9	Needle Airframe	600	3	10	15	553.7	223.3	23.9	2652.0	75
9	Wedge	600	3	10	15	554.9	223.4	22.2	2648.0	63
9	Wedge Streamlined	600	3	10	15	554.9	223.4	23.1	2348.0	63
9	Wedge Airframe	600	3	10	15	551.7	223.2	24.6	3068.0	63
9	Cylinder	600	3	10	15	557.9	223.7	22.2	1928.0	50
9	Cylinder Streamlined	600	3	10	15	557.9	223.7	23.0	1708.0	50
9	Cylinder Airframe	600	3	10	15	555.6	223.5	24.5	2236.0	50
9	Box	600	3	10	15	557.2	223.6	22.0	2108.0	31
9	Box Streamlined	600	3	10	15	557.2	223.6	22.9	1868.0	31
9	Sphere	600	3	10	15	558.7	223.7	22.3	1748.0	25
9	Sphere Streamlined	600	3	10	15	558.7	223.7	23.1	1548.0	25
9	Disk	600	3	10	15	557.2	223.6	23.0	2108.0	38
9	Disk Streamlined	600	3	10	15	557.2	223.6	23.8	1868.0	38
9	Disk Airframe	600	3	10	15	554.6	223.4	23.7	2444.0	38
9	Close Structure	600	3	10	15	555.6	223.5	22.0	2468.0	44
9	Slab	600	3	10	15	554.9	223.4	22.2	2648.0	69
9	Slab Streamlined	600	3	10	15	554.9	223.4	23.1	2348.0	69
9	Slab Airframe	600	3	10	15	551.7	223.2	24.6	3068.0	69
9	Open Frame	600	6	20	19	535.6	222.0	22.5	1748.0	88
9	Needle	600	6	20	19	546.4	222.8	23.1	2288.0	75
9	Needle Streamlined	600	6	20	19	546.4	222.8	23.9	2028.0	75
9	Needle Airframe	600	6	20	19	540.9	222.4	25.4	2652.0	75
9	Wedge	600	6	20	19	543.3	222.6	22.8	2648.0	63
9	Wedge Streamlined	600	6	20	19	543.3	222.6	23.9	2348.0	63
9	Wedge Airframe	600	6	20	19	537.0	222.1	26.8	3068.0	63
9	Cylinder	600	6	20	19	549.5	223.0	22.7	1928.0	50
9	Cylinder Streamlined	600	6	20	19	549.5	223.0	23.7	1708.0	50
9	Cylinder Airframe	600	6	20	19	544.8	222.7	26.8	2236.0	50
9	Box	600	6	20	19	547.9	222.9	22.4	2108.0	31
9	Box Streamlined	600	6	20	19	547.9	222.9	23.4	1868.0	31
9	Sphere	600	6	20	19	551.0	223.1	22.9	1748.0	25
9	Sphere Streamlined	600	6	20	19	551.0	223.1	23.9	1548.0	25
9	Disk	600	6	20	19	547.9	222.9	24.3	2108.0	38
9	Disk Streamlined	600	6	20	19	547.9	222.9	25.3	1868.0	38
9	Disk Airframe	600	6	20	19	542.9	222.5	25.2	2444.0	38
9	Close Structure	600	6	20	19	544.8	222.7	22.3	2468.0	44
9	Slab	600	6	20	19	543.3	222.6	22.8	2648.0	69
9	Slab Streamlined	600	6	20	19	543.3	222.6	23.9	2348.0	69
9	Slab Airframe	600	6	20	19	537.0	222.1	26.8	3068.0	69

TL Config	Tons	MaxG	Armor	Struct	Volume	Power	Cost	Surface	Length
10 Open Frame	600	3	10	15	563.4	163.4	25.1	1748.0	88
10 Needle	600	3	10	15	567.5	163.7	25.3	2288.0	75
10 Needle Streamlined	600	3	10	15	567.5	163.7	26.0	2028.0	75
10 Needle Airframe	600	3	10	15	565.4	163.6	26.6	2652.0	75
10 Wedge	600	3	10	15	566.3	163.6	25.2	2648.0	63
10 Wedge Streamlined	600	3	10	15	566.3	163.6	26.0	2348.0	63
10 Wedge Airframe	600	3	10	15	563.9	163.5	27.2	3068.0	63
10 Cylinder	600	3	10	15	568.6	163.8	25.1	1928.0	50
10 Cylinder Streamlined	600	3	10	15	568.6	163.8	25.9	1708.0	50
10 Cylinder Airframe	600	3	10	15	566.9	163.7	27.2	2236.0	50
10 Box	600	3	10	15	568.1	163.8	25.0	2108.0	31
10 Box Streamlined	600	3	10	15	568.1	163.8	25.8	1868.0	31
10 Sphere	600	3	10	15	569.2	163.9	25.2	1748.0	25
10 Sphere Streamlined	600	3	10	15	569.2	163.9	26.0	1548.0	25
10 Disk	600	3	10	15	568.1	163.8	25.8	2108.0	38
10 Disk Streamlined	600	3	10	15	568.1	163.8	26.6	1868.0	38
10 Disk Airframe	600	3	10	15	566.2	163.6	26.5	2444.0	38
10 Close Structure	600	3	10	15	566.9	163.7	24.9	2468.0	44
10 Slab	600	3	10	15	566.3	163.6	25.2	2648.0	69
10 Slab Streamlined	600	3	10	15	566.3	163.6	26.0	2348.0	69
10 Slab Airframe	600	3	10	15	563.9	163.5	27.2	3068.0	69
10 Open Frame	600	6	20	19	551.9	162.6	25.4	1748.0	88
10 Needle	600	6	20	19	560.0	163.2	25.9	2288.0	75
10 Needle Streamlined	600	6	20	19	560.0	163.2	26.7	2028.0	75
10 Needle Airframe	600	6	20	19	555.8	162.9	28.0	2652.0	75
10 Wedge	600	6	20	19	557.6	163.0	25.6	2648.0	63
10 Wedge Streamlined	600	6	20	19	557.6	163.0	26.7	2348.0	63
10 Wedge Airframe	600	6	20	19	552.9	162.6	29.1	3068.0	63
10 Cylinder	600	6	20	19	562.3	163.3	25.5	1928.0	50
10 Cylinder Streamlined	600	6	20	19	562.3	163.3	26.5	1708.0	50
10 Cylinder Airframe	600	6	20	19	558.8	163.1	29.1	2236.0	50
10 Box	600	6	20	19	561.1	163.3	25.3	2108.0	31
10 Box Streamlined	600	6	20	19	561.1	163.3	26.2	1868.0	31
10 Sphere	600	6	20	19	563.4	163.4	25.7	1748.0	25
10 Sphere Streamlined	600	6	20	19	563.4	163.4	26.6	1548.0	25
10 Disk	600	6	20	19	561.1	163.3	26.9	2108.0	38
10 Disk Streamlined	600	6	20	19	561.1	163.3	27.9	1868.0	38
10 Disk Airframe	600	6	20	19	557.3	163.0	27.7	2444.0	38
10 Close Structure	600	6	20	19	558.8	163.1	25.2	2468.0	44
10 Slab	600	6	20	19	557.6	163.0	25.6	2648.0	69
10 Slab Streamlined	600	6	20	19	557.6	163.0	26.7	2348.0	69
10 Slab Airframe	600	6	20	19	552.9	162.6	29.1	3068.0	69

TL Config	Tons	MaxG	Armor	Struct	Volume	Power	Cost	Surface	Length
12 Open Frame	600	3	10	15	568.4	103.8	28.1	1748.0	88
12 Needle	600	3	10	15	570.7	104.0	28.2	2288.0	75
12 Needle Streamlined	600	3	10	15	570.7	104.0	29.0	2028.0	75
12 Needle Airframe	600	3	10	15	569.5	103.9	29.5	2652.0	75
12 Wedge	600	3	10	15	570.0	103.9	28.2	2648.0	63
12 Wedge Streamlined	600	3	10	15	570.0	103.9	29.0	2348.0	63
12 Wedge Airframe	600	3	10	15	568.7	103.8	30.1	3068.0	63
12 Cylinder	600	3	10	15	571.4	104.0	28.1	1928.0	50
12 Cylinder Streamlined	600	3	10	15	571.4	104.0	28.9	1708.0	50
12 Cylinder Airframe	600	3	10	15	570.4	103.9	30.0	2236.0	50
12 Box	600	3	10	15	571.0	104.0	28.0	2108.0	31
12 Box Streamlined	600	3	10	15	571.0	104.0	28.8	1868.0	31
12 Sphere	600	3	10	15	571.7	104.0	28.2	1748.0	25
12 Sphere Streamlined	600	3	10	15	571.7	104.0	28.9	1548.0	25
12 Disk	600	3	10	15	571.0	104.0	28.7	2108.0	38
12 Disk Streamlined	600	3	10	15	571.0	104.0	29.5	1868.0	38
12 Disk Airframe	600	3	10	15	569.9	103.9	29.4	2444.0	38
12 Close Structure	600	3	10	15	570.4	103.9	28.0	2468.0	44
12 Slab	600	3	10	15	570.0	103.9	28.2	2648.0	69
12 Slab Streamlined	600	3	10	15	570.0	103.9	29.0	2348.0	69
12 Slab Airframe	600	3	10	15	568.7	103.8	30.1	3068.0	69
12 Open Frame	600	6	20	19	561.8	103.3	28.5	1748.0	88
12 Needle	600	6	20	19	566.4	103.6	28.8	2288.0	75
12 Needle Streamlined	600	6	20	19	566.4	103.6	29.6	2028.0	75
12 Needle Airframe	600	6	20	19	564.1	103.5	30.7	2652.0	75
12 Wedge	600	6	20	19	565.1	103.6	28.6	2648.0	63
12 Wedge Streamlined	600	6	20	19	565.1	103.6	29.6	2348.0	63
12 Wedge Airframe	600	6	20	19	562.4	103.4	31.8	3068.0	63
12 Cylinder	600	6	20	19	567.7	103.7	28.5	1928.0	50
12 Cylinder Streamlined	600	6	20	19	567.7	103.7	29.4	1708.0	50
12 Cylinder Airframe	600	6	20	19	565.7	103.6	31.7	2236.0	50
12 Box	600	6	20	19	567.1	103.7	28.3	2108.0	31
12 Box Streamlined	600	6	20	19	567.1	103.7	29.2	1868.0	31
12 Sphere	600	6	20	19	568.4	103.8	28.7	1748.0	25
12 Sphere Streamlined	600	6	20	19	568.4	103.8	29.5	1548.0	25
12 Disk	600	6	20	19	567.1	103.7	29.7	2108.0	38
12 Disk Streamlined	600	6	20	19	567.1	103.7	30.6	1868.0	38
12 Disk Airframe	600	6	20	19	564.9	103.5	30.6	2444.0	38
12 Close Structure	600	6	20	19	565.7	103.6	28.2	2468.0	44
12 Slab	600	6	20	19	565.1	103.6	28.6	2648.0	69
12 Slab Streamlined	600	6	20	19	565.1	103.6	29.6	2348.0	69
12 Slab Airframe	600	6	20	19	562.4	103.4	31.8	3068.0	69

TL Config	Tons	MaxG	Armor	Struct	Volume	Power	Cost	Surface	Length
14 Open Frame	600	3	10	15	571.7	104.0	28.1	1748.0	88
14 Needle	600	3	10	15	572.8	104.1	28.3	2288.0	75
14 Needle Streamlined	600	3	10	15	572.8	104.1	29.0	2028.0	75
14 Needle Airframe	600	3	10	15	572.3	104.1	29.6	2652.0	75
14 Wedge	600	3	10	15	572.5	104.1	28.2	2648.0	63
14 Wedge Streamlined	600	3	10	15	572.5	104.1	29.0	2348.0	63
14 Wedge Airframe	600	3	10	15	571.8	104.1	30.1	3068.0	63
14 Cylinder	600	3	10	15	573.2	104.2	28.1	1928.0	50
14 Cylinder Streamlined	600	3	10	15	573.2	104.2	28.9	1708.0	50
14 Cylinder Airframe	600	3	10	15	572.7	104.1	30.1	2236.0	50
14 Box	600	3	10	15	573.0	104.1	28.0	2108.0	31
14 Box Streamlined	600	3	10	15	573.0	104.1	28.8	1868.0	31
14 Sphere	600	3	10	15	573.3	104.2	28.2	1748.0	25
14 Sphere Streamlined	600	3	10	15	573.3	104.2	28.9	1548.0	25
14 Disk	600	3	10	15	573.0	104.1	28.7	2108.0	38
14 Disk Streamlined	600	3	10	15	573.0	104.1	29.5	1868.0	38
14 Disk Airframe	600	3	10	15	572.5	104.1	29.5	2444.0	38
14 Close Structure	600	3	10	15	572.7	104.1	28.0	2468.0	44
14 Slab	600	3	10	15	572.5	104.1	28.2	2648.0	69
14 Slab Streamlined	600	3	10	15	572.5	104.1	29.0	2348.0	69
14 Slab Airframe	600	3	10	15	571.8	104.1	30.1	3068.0	69
14 Open Frame	600	6	20	19	568.4	103.8	28.5	1748.0	88
14 Needle	600	6	20	19	570.7	104.0	28.9	2288.0	75
14 Needle Streamlined	600	6	20	19	570.7	104.0	29.7	2028.0	75
14 Needle Airframe	600	6	20	19	569.5	103.9	30.8	2652.0	75
14 Wedge	600	6	20	19	570.0	103.9	28.7	2648.0	63
14 Wedge Streamlined	600	6	20	19	570.0	103.9	29.7	2348.0	63
14 Wedge Airframe	600	6	20	19	568.7	103.8	31.9	3068.0	63
14 Cylinder	600	6	20	19	571.4	104.0	28.6	1928.0	50
14 Cylinder Streamlined	600	6	20	19	571.4	104.0	29.4	1708.0	50
14 Cylinder Airframe	600	6	20	19	570.4	103.9	31.8	2236.0	50
14 Box	600	6	20	19	571.0	104.0	28.3	2108.0	31
14 Box Streamlined	600	6	20	19	571.0	104.0	29.3	1868.0	31
14 Sphere	600	6	20	19	571.7	104.0	28.7	1748.0	25
14 Sphere Streamlined	600	6	20	19	571.7	104.0	29.6	1548.0	25
14 Disk	600	6	20	19	571.0	104.0	29.8	2108.0	38
14 Disk Streamlined	600	6	20	19	571.0	104.0	30.7	1868.0	38
14 Disk Airframe	600	6	20	19	569.9	103.9	30.6	2444.0	38
14 Close Structure	600	6	20	19	570.4	103.9	28.3	2468.0	44
14 Slab	600	6	20	19	570.0	103.9	28.7	2648.0	69
14 Slab Streamlined	600	6	20	19	570.0	103.9	29.7	2348.0	69
14 Slab Airframe	600	6	20	19	568.7	103.8	31.9	3068.0	69

TL	Config	Tons	MaxG	Armor	Struct	Volume	Power	Cost	Surface	Length
9	Open Frame	700	3	10	16	643.9	260.4	25.8	1916.0	95
9	Needle	700	3	10	16	649.8	260.8	26.1	2510.0	81
9	Needle Streamlined	700	3	10	16	649.8	260.8	26.9	2224.0	81
9	Needle Airframe	700	3	10	16	646.8	260.6	27.7	2910.4	81
9	Wedge	700	3	10	16	648.1	260.7	25.9	2906.0	68
9	Wedge Streamlined	700	3	10	16	648.1	260.7	26.9	2576.0	68
9	Wedge Airframe	700	3	10	16	644.6	260.5	28.5	3368.0	68
9	Cylinder	700	3	10	16	651.5	261.0	25.8	2114.0	54
9	Cylinder Streamlined	700	3	10	16	651.5	261.0	26.8	1872.0	54
9	Cylinder Airframe	700	3	10	16	648.9	260.8	28.5	2452.8	54
9	Box	700	3	10	16	650.6	260.9	25.7	2312.0	34
9	Box Streamlined	700	3	10	16	650.6	260.9	26.6	2048.0	34
9	Sphere	700	3	10	16	652.3	261.0	26.0	1916.0	27
9	Sphere Streamlined	700	3	10	16	652.3	261.0	26.9	1696.0	27
9	Disk	700	3	10	16	650.6	260.9	26.7	2312.0	41
9	Disk Streamlined	700	3	10	16	650.6	260.9	27.7	2048.0	41
9	Disk Airframe	700	3	10	16	647.9	260.7	27.6	2681.6	41
9	Close Structure	700	3	10	16	648.9	260.8	25.6	2708.0	47
9	Slab	700	3	10	16	648.1	260.7	25.9	2906.0	74
9	Slab Streamlined	700	3	10	16	648.1	260.7	26.9	2576.0	74
9	Slab Airframe	700	3	10	16	644.6	260.5	28.5	3368.0	74
9	Open Frame	700	6	20	20	626.9	259.2	26.2	1916.0	95
9	Needle	700	6	20	20	638.8	260.0	26.8	2510.0	81
9	Needle Streamlined	700	6	20	20	638.8	260.0	27.8	2224.0	81
9	Needle Airframe	700	6	20	20	632.7	259.6	29.4	2910.4	81
9	Wedge	700	6	20	20	635.4	259.8	26.5	2906.0	68
9	Wedge Streamlined	700	6	20	20	635.4	259.8	27.8	2576.0	68
9	Wedge Airframe	700	6	20	20	628.4	259.3	31.0	3368.0	68
9	Cylinder	700	6	20	20	642.2	260.3	26.4	2114.0	54
9	Cylinder Streamlined	700	6	20	20	642.2	260.3	27.5	1872.0	54
9	Cylinder Airframe	700	6	20	20	637.1	259.9	30.9	2452.8	54
9	Box	700	6	20	20	640.5	260.2	26.1	2312.0	34
9	Box Streamlined	700	6	20	20	640.5	260.2	27.2	2048.0	34
9	Sphere	700	6	20	20	643.9	260.4	26.6	1916.0	27
9	Sphere Streamlined	700	6	20	20	643.9	260.4	27.7	1696.0	27
9	Disk	700	6	20	20	640.5	260.2	28.2	2312.0	41
9	Disk Streamlined	700	6	20	20	640.5	260.2	29.3	2048.0	41
9	Disk Airframe	700	6	20	20	634.9	259.7	29.2	2681.6	41
9	Close Structure	700	6	20	20	637.1	259.9	25.9	2708.0	47
9	Slab	700	6	20	20	635.4	259.8	26.5	2906.0	74
9	Slab Streamlined	700	6	20	20	635.4	259.8	27.8	2576.0	74
9	Slab Airframe	700	6	20	20	628.4	259.3	31.0	3368.0	74

TL Config	Tons	MaxG	Armor	Struct	Volume	Power	Cost	Surface	Length
10 Open Frame	700	3	10	16	658.1	190.7	29.2	1916.0	95
10 Needle	700	3	10	16	662.6	191.1	29.5	2510.0	81
10 Needle Streamlined	700	3	10	16	662.6	191.1	30.3	2224.0	81
10 Needle Airframe	700	3	10	16	660.3	190.9	31.0	2910.4	81
10 Wedge	700	3	10	16	661.3	191.0	29.3	2906.0	68
10 Wedge Streamlined	700	3	10	16	661.3	191.0	30.3	2576.0	68
10 Wedge Airframe	700	3	10	16	658.7	190.8	31.6	3368.0	68
10 Cylinder	700	3	10	16	663.8	191.1	29.3	2114.0	54
10 Cylinder Streamlined	700	3	10	16	663.8	191.1	30.2	1872.0	54
10 Cylinder Airframe	700	3	10	16	661.9	191.0	31.6	2452.8	54
10 Box	700	3	10	16	663.2	191.1	29.1	2312.0	34
10 Box Streamlined	700	3	10	16	663.2	191.1	30.0	2048.0	34
10 Sphere	700	3	10	16	664.5	191.2	29.4	1916.0	27
10 Sphere Streamlined	700	3	10	16	664.5	191.2	30.3	1696.0	27
10 Disk	700	3	10	16	663.2	191.1	30.0	2312.0	41
10 Disk Streamlined	700	3	10	16	663.2	191.1	30.9	2048.0	41
10 Disk Airframe	700	3	10	16	661.1	190.9	30.9	2681.6	41
10 Close Structure	700	3	10	16	661.9	191.0	29.1	2708.0	47
10 Slab	700	3	10	16	661.3	191.0	29.3	2906.0	74
10 Slab Streamlined	700	3	10	16	661.3	191.0	30.3	2576.0	74
10 Slab Airframe	700	3	10	16	658.7	190.8	31.6	3368.0	74
10 Open Frame	700	6	20	20	645.4	189.8	29.6	1916.0	95
10 Needle	700	6	20	20	654.3	190.4	30.1	2510.0	81
10 Needle Streamlined	700	6	20	20	654.3	190.4	31.0	2224.0	81
10 Needle Airframe	700	6	20	20	649.8	190.1	32.4	2910.4	81
10 Wedge	700	6	20	20	651.7	190.3	29.9	2906.0	68
10 Wedge Streamlined	700	6	20	20	651.7	190.3	31.0	2576.0	68
10 Wedge Airframe	700	6	20	20	646.5	189.9	33.8	3368.0	68
10 Cylinder	700	6	20	20	656.8	190.6	29.7	2114.0	54
10 Cylinder Streamlined	700	6	20	20	656.8	190.6	30.8	1872.0	54
10 Cylinder Airframe	700	6	20	20	653.0	190.3	33.7	2452.8	54
10 Box	700	6	20	20	655.6	190.5	29.5	2312.0	34
10 Box Streamlined	700	6	20	20	655.6	190.5	30.6	2048.0	34
10 Sphere	700	6	20	20	658.1	190.7	30.0	1916.0	27
10 Sphere Streamlined	700	6	20	20	658.1	190.7	31.0	1696.0	27
10 Disk	700	6	20	20	655.6	190.5	31.3	2312.0	41
10 Disk Streamlined	700	6	20	20	655.6	190.5	32.3	2048.0	41
10 Disk Airframe	700	6	20	20	651.4	190.2	32.2	2681.6	41
10 Close Structure	700	6	20	20	653.0	190.3	29.4	2708.0	47
10 Slab	700	6	20	20	651.7	190.3	29.9	2906.0	74
10 Slab Streamlined	700	6	20	20	651.7	190.3	31.0	2576.0	74
10 Slab Airframe	700	6	20	20	646.5	189.9	33.8	3368.0	74

TL Config	Tons	MaxG	Armor	Struct	Volume	Power	Cost	Surface	Length
12 Open Frame	700	3	10	16	663.6	121.1	32.7	1916.0	95
12 Needle	700	3	10	16	666.1	121.3	32.9	2510.0	81
12 Needle Streamlined	700	3	10	16	666.1	121.3	33.7	2224.0	81
12 Needle Airframe	700	3	10	16	664.8	121.2	34.4	2910.4	81
12 Wedge	700	3	10	16	665.4	121.3	32.8	2906.0	68
12 Wedge Streamlined	700	3	10	16	665.4	121.3	33.7	2576.0	68
12 Wedge Airframe	700	3	10	16	663.9	121.2	35.0	3368.0	68
12 Cylinder	700	3	10	16	666.8	121.4	32.8	2114.0	54
12 Cylinder Streamlined	700	3	10	16	666.8	121.4	33.6	1872.0	54
12 Cylinder Airframe	700	3	10	16	665.7	121.3	34.9	2452.8	54
12 Box	700	3	10	16	666.5	121.3	32.6	2312.0	34
12 Box Streamlined	700	3	10	16	666.5	121.3	33.5	2048.0	34
12 Sphere	700	3	10	16	667.2	121.4	32.8	1916.0	27
12 Sphere Streamlined	700	3	10	16	667.2	121.4	33.7	1696.0	27
12 Disk	700	3	10	16	666.5	121.3	33.4	2312.0	41
12 Disk Streamlined	700	3	10	16	666.5	121.3	34.3	2048.0	41
12 Disk Airframe	700	3	10	16	665.3	121.3	34.3	2681.6	41
12 Close Structure	700	3	10	16	665.7	121.3	32.6	2708.0	47
12 Slab	700	3	10	16	665.4	121.3	32.8	2906.0	74
12 Slab Streamlined	700	3	10	16	665.4	121.3	33.7	2576.0	74
12 Slab Airframe	700	3	10	16	663.9	121.2	35.0	3368.0	74
12 Open Frame	700	6	20	20	656.3	120.6	33.1	1916.0	95
12 Needle	700	6	20	20	661.4	121.0	33.5	2510.0	81
12 Needle Streamlined	700	6	20	20	661.4	121.0	34.4	2224.0	81
12 Needle Airframe	700	6	20	20	658.8	120.8	35.7	2910.4	81
12 Wedge	700	6	20	20	659.9	120.9	33.3	2906.0	68
12 Wedge Streamlined	700	6	20	20	659.9	120.9	34.5	2576.0	68
12 Wedge Airframe	700	6	20	20	656.9	120.6	36.9	3368.0	68
12 Cylinder	700	6	20	20	662.8	121.1	33.2	2114.0	54
12 Cylinder Streamlined	700	6	20	20	662.8	121.1	34.2	1872.0	54
12 Cylinder Airframe	700	6	20	20	660.6	120.9	36.8	2452.8	54
12 Box	700	6	20	20	662.1	121.0	33.0	2312.0	34
12 Box Streamlined	700	6	20	20	662.1	121.0	34.0	2048.0	34
12 Sphere	700	6	20	20	663.6	121.1	33.4	1916.0	27
12 Sphere Streamlined	700	6	20	20	663.6	121.1	34.4	1696.0	27
12 Disk	700	6	20	20	662.1	121.0	34.6	2312.0	41
12 Disk Streamlined	700	6	20	20	662.1	121.0	35.6	2048.0	41
12 Disk Airframe	700	6	20	20	659.7	120.8	35.5	2681.6	41
12 Close Structure	700	6	20	20	660.6	120.9	32.9	2708.0	47
12 Slab	700	6	20	20	659.9	120.9	33.3	2906.0	74
12 Slab Streamlined	700	6	20	20	659.9	120.9	34.5	2576.0	74
12 Slab Airframe	700	6	20	20	656.9	120.6	36.9	3368.0	74

TL Config	Tons	MaxG	Armor	Struct	Volume	Power	Cost	Surface	Length
14 Open Frame	700	3	10	16	667.2	121.4	32.8	1916.0	95
14 Needle	700	3	10	16	668.5	121.5	33.0	2510.0	81
14 Needle Streamlined	700	3	10	16	668.5	121.5	33.8	2224.0	81
14 Needle Airframe	700	3	10	16	667.8	121.4	34.4	2910.4	81
14 Wedge	700	3	10	16	668.1	121.5	32.9	2906.0	68
14 Wedge Streamlined	700	3	10	16	668.1	121.5	33.8	2576.0	68
14 Wedge Airframe	700	3	10	16	667.4	121.4	35.0	3368.0	68
14 Cylinder	700	3	10	16	668.8	121.5	32.8	2114.0	54
14 Cylinder Streamlined	700	3	10	16	668.8	121.5	33.7	1872.0	54
14 Cylinder Airframe	700	3	10	16	668.3	121.5	35.0	2452.8	54
14 Box	700	3	10	16	668.6	121.5	32.7	2312.0	34
14 Box Streamlined	700	3	10	16	668.6	121.5	33.6	2048.0	34
14 Sphere	700	3	10	16	669.0	121.5	32.9	1916.0	27
14 Sphere Streamlined	700	3	10	16	669.0	121.5	33.7	1696.0	27
14 Disk	700	3	10	16	668.6	121.5	33.5	2312.0	41
14 Disk Streamlined	700	3	10	16	668.6	121.5	34.3	2048.0	41
14 Disk Airframe	700	3	10	16	668.1	121.5	34.3	2681.6	41
14 Close Structure	700	3	10	16	668.3	121.5	32.6	2708.0	47
14 Slab	700	3	10	16	668.1	121.5	32.9	2906.0	74
14 Slab Streamlined	700	3	10	16	668.1	121.5	33.8	2576.0	74
14 Slab Airframe	700	3	10	16	667.4	121.4	35.0	3368.0	74
14 Open Frame	700	6	20	20	663.6	121.1	33.3	1916.0	95
14 Needle	700	6	20	20	666.1	121.3	33.6	2510.0	81
14 Needle Streamlined	700	6	20	20	666.1	121.3	34.5	2224.0	81
14 Needle Airframe	700	6	20	20	664.8	121.2	35.8	2910.4	81
14 Wedge	700	6	20	20	665.4	121.3	33.4	2906.0	68
14 Wedge Streamlined	700	6	20	20	665.4	121.3	34.5	2576.0	68
14 Wedge Airframe	700	6	20	20	663.9	121.2	37.0	3368.0	68
14 Cylinder	700	6	20	20	666.8	121.4	33.3	2114.0	54
14 Cylinder Streamlined	700	6	20	20	666.8	121.4	34.3	1872.0	54
14 Cylinder Airframe	700	6	20	20	665.7	121.3	36.9	2452.8	54
14 Box	700	6	20	20	666.5	121.3	33.0	2312.0	34
14 Box Streamlined	700	6	20	20	666.5	121.3	34.1	2048.0	34
14 Sphere	700	6	20	20	667.2	121.4	33.4	1916.0	27
14 Sphere Streamlined	700	6	20	20	667.2	121.4	34.4	1696.0	27
14 Disk	700	6	20	20	666.5	121.3	34.6	2312.0	41
14 Disk Streamlined	700	6	20	20	666.5	121.3	35.7	2048.0	41
14 Disk Airframe	700	6	20	20	665.3	121.3	35.6	2681.6	41
14 Close Structure	700	6	20	20	665.7	121.3	33.0	2708.0	47
14 Slab	700	6	20	20	665.4	121.3	33.4	2906.0	74
14 Slab Streamlined	700	6	20	20	665.4	121.3	34.5	2576.0	74
14 Slab Airframe	700	6	20	20	663.9	121.2	37.0	3368.0	74

TL	Config	Tons	MaxG	Armor	Struct	Volume	Power	Cost	Surface	Length
9	Open Frame	800	3	10	16	736.7	297.7	29.4	2096.0	98
9	Needle	800	3	10	16	743.2	298.2	29.7	2744.0	84
9	Needle Streamlined	800	3	10	16	743.2	298.2	30.7	2432.0	84
9	Needle Airframe	800	3	10	16	739.9	297.9	31.6	3180.8	84
9	Wedge	800	3	10	16	741.3	298.0	29.6	3176.0	70
9	Wedge Streamlined	800	3	10	16	741.3	298.0	30.7	2816.0	70
9	Wedge Airframe	800	3	10	16	737.6	297.7	32.4	3680.0	70
9	Cylinder	800	3	10	16	745.0	298.3	29.5	2312.0	56
9	Cylinder Streamlined	800	3	10	16	745.0	298.3	30.5	2048.0	56
9	Cylinder Airframe	800	3	10	16	742.3	298.1	32.4	2681.6	56
9	Box	800	3	10	16	744.1	298.2	29.3	2528.0	35
9	Box Streamlined	800	3	10	16	744.1	298.2	30.4	2240.0	35
9	Sphere	800	3	10	16	746.0	298.4	29.6	2096.0	28
9	Sphere Streamlined	800	3	10	16	746.0	298.4	30.7	1856.0	28
9	Disk	800	3	10	16	744.1	298.2	30.5	2528.0	42
9	Disk Streamlined	800	3	10	16	744.1	298.2	31.5	2240.0	42
9	Disk Airframe	800	3	10	16	741.1	298.0	31.5	2931.2	42
9	Close Structure	800	3	10	16	742.3	298.1	29.3	2960.0	49
9	Slab	800	3	10	16	741.3	298.0	29.6	3176.0	77
9	Slab Streamlined	800	3	10	16	741.3	298.0	30.7	2816.0	77
9	Slab Airframe	800	3	10	16	737.6	297.7	32.4	3680.0	77
9	Open Frame	800	6	20	21	718.2	296.3	29.9	2096.0	98
9	Needle	800	6	20	21	731.2	297.3	30.6	2744.0	84
9	Needle Streamlined	800	6	20	21	731.2	297.3	31.6	2432.0	84
9	Needle Airframe	800	6	20	21	724.6	296.8	33.5	3180.8	84
9	Wedge	800	6	20	21	727.5	297.0	30.2	3176.0	70
9	Wedge Streamlined	800	6	20	21	727.5	297.0	31.7	2816.0	70
9	Wedge Airframe	800	6	20	21	719.9	296.4	35.1	3680.0	70
9	Cylinder	800	6	20	21	734.9	297.5	30.1	2312.0	56
9	Cylinder Streamlined	800	6	20	21	734.9	297.5	31.4	2048.0	56
9	Cylinder Airframe	800	6	20	21	729.3	297.1	35.1	2681.6	56
9	Box	800	6	20	21	733.0	297.4	29.7	2528.0	35
9	Box Streamlined	800	6	20	21	733.0	297.4	31.0	2240.0	35
9	Sphere	800	6	20	21	736.7	297.7	30.4	2096.0	28
9	Sphere Streamlined	800	6	20	21	736.7	297.7	31.6	1856.0	28
9	Disk	800	6	20	21	733.0	297.4	32.0	2528.0	42
9	Disk Streamlined	800	6	20	21	733.0	297.4	33.3	2240.0	42
9	Disk Airframe	800	6	20	21	727.0	297.0	33.2	2931.2	42
9	Close Structure	800	6	20	21	729.3	297.1	29.6	2960.0	49
9	Slab	800	6	20	21	727.5	297.0	30.2	3176.0	77
9	Slab Streamlined	800	6	20	21	727.5	297.0	31.7	2816.0	77
9	Slab Airframe	800	6	20	21	719.9	296.4	35.1	3680.0	77

TL Config	Tons	MaxG	Armor	Struct	Volume	Power	Cost	Surface	Length
10 Open Frame	800	3	10	16	752.8	218.0	33.4	2096.0	98
10 Needle	800	3	10	16	757.6	218.4	33.6	2744.0	84
10 Needle Streamlined	800	3	10	16	757.6	218.4	34.6	2432.0	84
10 Needle Airframe	800	3	10	16	755.2	218.2	35.3	3180.8	84
10 Wedge	800	3	10	16	756.2	218.3	33.5	3176.0	70
10 Wedge Streamlined	800	3	10	16	756.2	218.3	34.6	2816.0	70
10 Wedge Airframe	800	3	10	16	753.4	218.1	36.0	3680.0	70
10 Cylinder	800	3	10	16	759.0	218.5	33.4	2312.0	56
10 Cylinder Streamlined	800	3	10	16	759.0	218.5	34.4	2048.0	56
10 Cylinder Airframe	800	3	10	16	756.9	218.3	36.0	2681.6	56
10 Box	800	3	10	16	758.3	218.4	33.3	2528.0	35
10 Box Streamlined	800	3	10	16	758.3	218.4	34.3	2240.0	35
10 Sphere	800	3	10	16	759.7	218.5	33.5	2096.0	28
10 Sphere Streamlined	800	3	10	16	759.7	218.5	34.5	1856.0	28
10 Disk	800	3	10	16	758.3	218.4	34.2	2528.0	42
10 Disk Streamlined	800	3	10	16	758.3	218.4	35.3	2240.0	42
10 Disk Airframe	800	3	10	16	756.1	218.3	35.2	2931.2	42
10 Close Structure	800	3	10	16	756.9	218.3	33.2	2960.0	49
10 Slab	800	3	10	16	756.2	218.3	33.5	3176.0	77
10 Slab Streamlined	800	3	10	16	756.2	218.3	34.6	2816.0	77
10 Slab Airframe	800	3	10	16	753.4	218.1	36.0	3680.0	77
10 Open Frame	800	6	20	21	738.9	217.0	33.8	2096.0	98
10 Needle	800	6	20	21	748.6	217.7	34.3	2744.0	84
10 Needle Streamlined	800	6	20	21	748.6	217.7	35.4	2432.0	84
10 Needle Airframe	800	6	20	21	743.7	217.3	36.9	3180.8	84
10 Wedge	800	6	20	21	745.8	217.5	34.1	3176.0	70
10 Wedge Streamlined	800	6	20	21	745.8	217.5	35.4	2816.0	70
10 Wedge Airframe	800	6	20	21	740.1	217.1	38.3	3680.0	70
10 Cylinder	800	6	20	21	751.4	217.9	33.9	2312.0	56
10 Cylinder Streamlined	800	6	20	21	751.4	217.9	35.1	2048.0	56
10 Cylinder Airframe	800	6	20	21	747.2	217.6	38.3	2681.6	56
10 Box	800	6	20	21	750.0	217.8	33.6	2528.0	35
10 Box Streamlined	800	6	20	21	750.0	217.8	34.9	2240.0	35
10 Sphere	800	6	20	21	752.8	218.0	34.2	2096.0	28
10 Sphere Streamlined	800	6	20	21	752.8	218.0	35.3	1856.0	28
10 Disk	800	6	20	21	750.0	217.8	35.6	2528.0	42
10 Disk Streamlined	800	6	20	21	750.0	217.8	36.8	2240.0	42
10 Disk Airframe	800	6	20	21	745.5	217.5	36.7	2931.2	42
10 Close Structure	800	6	20	21	747.2	217.6	33.5	2960.0	49
10 Slab	800	6	20	21	745.8	217.5	34.1	3176.0	77
10 Slab Streamlined	800	6	20	21	745.8	217.5	35.4	2816.0	77
10 Slab Airframe	800	6	20	21	740.1	217.1	38.3	3680.0	77

TL Config	Tons	MaxG	Armor	Struct	Volume	Power	Cost	Surface	Length
12 Open Frame	800	3	10	16	758.7	138.5	37.4	2096.0	98
12 Needle	800	3	10	16	761.5	138.7	37.6	2744.0	84
12 Needle Streamlined	800	3	10	16	761.5	138.7	38.5	2432.0	84
12 Needle Airframe	800	3	10	16	760.1	138.6	39.2	3180.8	84
12 Wedge	800	3	10	16	760.7	138.6	37.5	3176.0	70
12 Wedge Streamlined	800	3	10	16	760.7	138.6	38.5	2816.0	70
12 Wedge Airframe	800	3	10	16	759.1	138.5	39.9	3680.0	70
12 Cylinder	800	3	10	16	762.3	138.7	37.4	2312.0	56
12 Cylinder Streamlined	800	3	10	16	762.3	138.7	38.4	2048.0	56
12 Cylinder Airframe	800	3	10	16	761.1	138.6	39.8	2681.6	56
12 Box	800	3	10	16	761.9	138.7	37.3	2528.0	35
12 Box Streamlined	800	3	10	16	761.9	138.7	38.3	2240.0	35
12 Sphere	800	3	10	16	762.7	138.8	37.5	2096.0	28
12 Sphere Streamlined	800	3	10	16	762.7	138.8	38.5	1856.0	28
12 Disk	800	3	10	16	761.9	138.7	38.1	2528.0	42
12 Disk Streamlined	800	3	10	16	761.9	138.7	39.1	2240.0	42
12 Disk Airframe	800	3	10	16	760.6	138.6	39.1	2931.2	42
12 Close Structure	800	3	10	16	761.1	138.6	37.2	2960.0	49
12 Slab	800	3	10	16	760.7	138.6	37.5	3176.0	77
12 Slab Streamlined	800	3	10	16	760.7	138.6	38.5	2816.0	77
12 Slab Airframe	800	3	10	16	759.1	138.5	39.9	3680.0	77
12 Open Frame	800	6	20	21	750.8	137.9	37.8	2096.0	98
12 Needle	800	6	20	21	756.3	138.3	38.3	2744.0	84
12 Needle Streamlined	800	6	20	21	756.3	138.3	39.3	2432.0	84
12 Needle Airframe	800	6	20	21	753.5	138.1	40.7	3180.8	84
12 Wedge	800	6	20	21	754.8	138.2	38.0	3176.0	70
12 Wedge Streamlined	800	6	20	21	754.8	138.2	39.3	2816.0	70
12 Wedge Airframe	800	6	20	21	751.5	137.9	42.0	3680.0	70
12 Cylinder	800	6	20	21	757.9	138.4	37.9	2312.0	56
12 Cylinder Streamlined	800	6	20	21	757.9	138.4	39.0	2048.0	56
12 Cylinder Airframe	800	6	20	21	755.6	138.2	41.9	2681.6	56
12 Box	800	6	20	21	757.1	138.3	37.6	2528.0	35
12 Box Streamlined	800	6	20	21	757.1	138.3	38.8	2240.0	35
12 Sphere	800	6	20	21	758.7	138.5	38.1	2096.0	28
12 Sphere Streamlined	800	6	20	21	758.7	138.5	39.2	1856.0	28
12 Disk	800	6	20	21	757.1	138.3	39.4	2528.0	42
12 Disk Streamlined	800	6	20	21	757.1	138.3	40.5	2240.0	42
12 Disk Airframe	800	6	20	21	754.5	138.1	40.4	2931.2	42
12 Close Structure	800	6	20	21	755.6	138.2	37.6	2960.0	49
12 Slab	800	6	20	21	754.8	138.2	38.0	3176.0	77
12 Slab Streamlined	800	6	20	21	754.8	138.2	39.3	2816.0	77
12 Slab Airframe	800	6	20	21	751.5	137.9	42.0	3680.0	77

TL Config	Tons	MaxG	Armor	Struct	Volume	Power	Cost	Surface	Length
14 Open Frame	800	3	10	16	762.7	138.8	37.4	2096.0	98
14 Needle	800	3	10	16	764.1	138.9	37.6	2744.0	84
14 Needle Streamlined	800	3	10	16	764.1	138.9	38.5	2432.0	84
14 Needle Airframe	800	3	10	16	763.4	138.8	39.3	3180.8	84
14 Wedge	800	3	10	16	763.7	138.8	37.5	3176.0	70
14 Wedge Streamlined	800	3	10	16	763.7	138.8	38.6	2816.0	70
14 Wedge Airframe	800	3	10	16	762.9	138.8	39.9	3680.0	70
14 Cylinder	800	3	10	16	764.5	138.9	37.4	2312.0	56
14 Cylinder Streamlined	800	3	10	16	764.5	138.9	38.4	2048.0	56
14 Cylinder Airframe	800	3	10	16	763.9	138.8	39.8	2681.6	56
14 Box	800	3	10	16	764.3	138.9	37.3	2528.0	35
14 Box Streamlined	800	3	10	16	764.3	138.9	38.3	2240.0	35
14 Sphere	800	3	10	16	764.7	138.9	37.5	2096.0	28
14 Sphere Streamlined	800	3	10	16	764.7	138.9	38.5	1856.0	28
14 Disk	800	3	10	16	764.3	138.9	38.2	2528.0	42
14 Disk Streamlined	800	3	10	16	764.3	138.9	39.2	2240.0	42
14 Disk Airframe	800	3	10	16	763.6	138.8	39.1	2931.2	42
14 Close Structure	800	3	10	16	763.9	138.8	37.3	2960.0	49
14 Slab	800	3	10	16	763.7	138.8	37.5	3176.0	77
14 Slab Streamlined	800	3	10	16	763.7	138.8	38.6	2816.0	77
14 Slab Airframe	800	3	10	16	762.9	138.8	39.9	3680.0	77
14 Open Frame	800	6	20	21	758.7	138.5	37.9	2096.0	98
14 Needle	800	6	20	21	761.5	138.7	38.3	2744.0	84
14 Needle Streamlined	800	6	20	21	761.5	138.7	39.4	2432.0	84
14 Needle Airframe	800	6	20	21	760.1	138.6	40.8	3180.8	84
14 Wedge	800	6	20	21	760.7	138.6	38.1	3176.0	70
14 Wedge Streamlined	800	6	20	21	760.7	138.6	39.4	2816.0	70
14 Wedge Airframe	800	6	20	21	759.1	138.5	42.1	3680.0	70
14 Cylinder	800	6	20	21	762.3	138.7	38.0	2312.0	56
14 Cylinder Streamlined	800	6	20	21	762.3	138.7	39.1	2048.0	56
14 Cylinder Airframe	800	6	20	21	761.1	138.6	41.9	2681.6	56
14 Box	800	6	20	21	761.9	138.7	37.7	2528.0	35
14 Box Streamlined	800	6	20	21	761.9	138.7	38.9	2240.0	35
14 Sphere	800	6	20	21	762.7	138.8	38.1	2096.0	28
14 Sphere Streamlined	800	6	20	21	762.7	138.8	39.3	1856.0	28
14 Disk	800	6	20	21	761.9	138.7	39.4	2528.0	42
14 Disk Streamlined	800	6	20	21	761.9	138.7	40.6	2240.0	42
14 Disk Airframe	800	6	20	21	760.6	138.6	40.5	2931.2	42
14 Close Structure	800	6	20	21	761.1	138.6	37.6	2960.0	49
14 Slab	800	6	20	21	760.7	138.6	38.1	3176.0	77
14 Slab Streamlined	800	6	20	21	760.7	138.6	39.4	2816.0	77
14 Slab Airframe	800	6	20	21	759.1	138.5	42.1	3680.0	77

TL	Config	Tons	MaxG	Armor	Struct	Volume	Power	Cost	Surface	Length
9	Open Frame	900	3	10	17	829.6	334.9	33.1	2264.0	102
9	Needle	900	3	10	17	836.6	335.5	33.4	2966.0	87
9	Needle Streamlined	900	3	10	17	836.6	335.5	34.5	2628.0	87
9	Needle Airframe	900	3	10	17	833.0	335.2	35.5	3439.2	87
9	Wedge	900	3	10	17	834.6	335.3	33.2	3434.0	73
9	Wedge Streamlined	900	3	10	17	834.6	335.3	34.5	3044.0	73
9	Wedge Airframe	900	3	10	17	830.5	335.0	36.4	3980.0	73
9	Cylinder	900	3	10	17	838.6	335.6	33.2	2498.0	58
9	Cylinder Streamlined	900	3	10	17	838.6	335.6	34.3	2212.0	58
9	Cylinder Airframe	900	3	10	17	835.6	335.4	36.4	2898.4	58
9	Box	900	3	10	17	837.6	335.5	33.0	2732.0	36
9	Box Streamlined	900	3	10	17	837.6	335.5	34.2	2420.0	36
9	Sphere	900	3	10	17	839.6	335.7	33.3	2264.0	29
9	Sphere Streamlined	900	3	10	17	839.6	335.7	34.5	2004.0	29
9	Disk	900	3	10	17	837.6	335.5	34.2	2732.0	44
9	Disk Streamlined	900	3	10	17	837.6	335.5	35.4	2420.0	44
9	Disk Airframe	900	3	10	17	834.3	335.3	35.3	3168.8	44
9	Close Structure	900	3	10	17	835.6	335.4	32.9	3200.0	51
9	Slab	900	3	10	17	834.6	335.3	33.2	3434.0	80
9	Slab Streamlined	900	3	10	17	834.6	335.3	34.5	3044.0	80
9	Slab Airframe	900	3	10	17	830.5	335.0	36.4	3980.0	80
9	Open Frame	900	6	20	22	809.5	333.5	33.6	2264.0	102
9	Needle	900	6	20	22	823.6	334.5	34.3	2966.0	87
9	Needle Streamlined	900	6	20	22	823.6	334.5	35.5	2628.0	87
9	Needle Airframe	900	6	20	22	816.4	334.0	37.5	3439.2	87
9	Wedge	900	6	20	22	819.5	334.2	34.0	3434.0	73
9	Wedge Streamlined	900	6	20	22	819.5	334.2	35.5	3044.0	73
9	Wedge Airframe	900	6	20	22	811.3	333.6	39.3	3980.0	73
9	Cylinder	900	6	20	22	827.6	334.8	33.8	2498.0	58
9	Cylinder Streamlined	900	6	20	22	827.6	334.8	35.2	2212.0	58
9	Cylinder Airframe	900	6	20	22	821.6	334.3	39.2	2898.4	58
9	Box	900	6	20	22	825.6	334.6	33.4	2732.0	36
9	Box Streamlined	900	6	20	22	825.6	334.6	34.9	2420.0	36
9	Sphere	900	6	20	22	829.6	334.9	34.1	2264.0	29
9	Sphere Streamlined	900	6	20	22	829.6	334.9	35.5	2004.0	29
9	Disk	900	6	20	22	825.6	334.6	35.9	2732.0	44
9	Disk Streamlined	900	6	20	22	825.6	334.6	37.4	2420.0	44
9	Disk Airframe	900	6	20	22	819.0	334.2	37.2	3168.8	44
9	Close Structure	900	6	20	22	821.6	334.3	33.3	3200.0	51
9	Slab	900	6	20	22	819.5	334.2	34.0	3434.0	80
9	Slab Streamlined	900	6	20	22	819.5	334.2	35.5	3044.0	80
9	Slab Airframe	900	6	20	22	811.3	333.6	39.3	3980.0	80

TL Config	Tons	MaxG	Armor	Struct	Volume	Power	Cost	Surface	Length
10 Open Frame	900	3	10	17	847.5	245.3	37.5	2264.0	102
10 Needle	900	3	10	17	852.7	245.7	37.8	2966.0	87
10 Needle Streamlined	900	3	10	17	852.7	245.7	38.9	2628.0	87
10 Needle Airframe	900	3	10	17	850.0	245.5	39.7	3439.2	87
10 Wedge	900	3	10	17	851.2	245.6	37.6	3434.0	73
10 Wedge Streamlined	900	3	10	17	851.2	245.6	38.9	3044.0	73
10 Wedge Airframe	900	3	10	17	848.1	245.4	40.5	3980.0	73
10 Cylinder	900	3	10	17	854.2	245.8	37.6	2498.0	58
10 Cylinder Streamlined	900	3	10	17	854.2	245.8	38.7	2212.0	58
10 Cylinder Airframe	900	3	10	17	852.0	245.6	40.4	2898.4	58
10 Box	900	3	10	17	853.5	245.8	37.4	2732.0	36
10 Box Streamlined	900	3	10	17	853.5	245.8	38.6	2420.0	36
10 Sphere	900	3	10	17	855.0	245.9	37.7	2264.0	29
10 Sphere Streamlined	900	3	10	17	855.0	245.9	38.8	2004.0	29
10 Disk	900	3	10	17	853.5	245.8	38.5	2732.0	44
10 Disk Streamlined	900	3	10	17	853.5	245.8	39.6	2420.0	44
10 Disk Airframe	900	3	10	17	851.0	245.6	39.6	3168.8	44
10 Close Structure	900	3	10	17	852.0	245.6	37.4	3200.0	51
10 Slab	900	3	10	17	851.2	245.6	37.6	3434.0	80
10 Slab Streamlined	900	3	10	17	851.2	245.6	38.9	3044.0	80
10 Slab Airframe	900	3	10	17	848.1	245.4	40.5	3980.0	80
10 Open Frame	900	6	20	22	832.4	244.2	38.0	2264.0	102
10 Needle	900	6	20	22	842.9	245.0	38.6	2966.0	87
10 Needle Streamlined	900	6	20	22	842.9	245.0	39.7	2628.0	87
10 Needle Airframe	900	6	20	22	837.6	244.6	41.4	3439.2	87
10 Wedge	900	6	20	22	839.9	244.8	38.3	3434.0	73
10 Wedge Streamlined	900	6	20	22	839.9	244.8	39.8	3044.0	73
10 Wedge Airframe	900	6	20	22	833.8	244.3	43.0	3980.0	73
10 Cylinder	900	6	20	22	845.9	245.2	38.1	2498.0	58
10 Cylinder Streamlined	900	6	20	22	845.9	245.2	39.5	2212.0	58
10 Cylinder Airframe	900	6	20	22	841.4	244.9	42.9	2898.4	58
10 Box	900	6	20	22	844.4	245.1	37.8	2732.0	36
10 Box Streamlined	900	6	20	22	844.4	245.1	39.2	2420.0	36
10 Sphere	900	6	20	22	847.5	245.3	38.4	2264.0	29
10 Sphere Streamlined	900	6	20	22	847.5	245.3	39.7	2004.0	29
10 Disk	900	6	20	22	844.4	245.1	39.9	2732.0	44
10 Disk Streamlined	900	6	20	22	844.4	245.1	41.3	2420.0	44
10 Disk Airframe	900	6	20	22	839.5	244.7	41.1	3168.8	44
10 Close Structure	900	6	20	22	841.4	244.9	37.7	3200.0	51
10 Slab	900	6	20	22	839.9	244.8	38.3	3434.0	80
10 Slab Streamlined	900	6	20	22	839.9	244.8	39.8	3044.0	80
10 Slab Airframe	900	6	20	22	833.8	244.3	43.0	3980.0	80

TL Config	Tons	MaxG	Armor	Struct	Volume	Power	Cost	Surface	Length
12 Open Frame	900	3	10	17	853.9	155.8	42.0	2264.0	102
12 Needle	900	3	10	17	856.9	156.0	42.3	2966.0	87
12 Needle Streamlined	900	3	10	17	856.9	156.0	43.3	2628.0	87
12 Needle Airframe	900	3	10	17	855.4	155.9	44.0	3439.2	87
12 Wedge	900	3	10	17	856.0	156.0	42.1	3434.0	73
12 Wedge Streamlined	900	3	10	17	856.0	156.0	43.3	3044.0	73
12 Wedge Airframe	900	3	10	17	854.3	155.8	44.7	3980.0	73
12 Cylinder	900	3	10	17	857.8	156.1	42.1	2498.0	58
12 Cylinder Streamlined	900	3	10	17	857.8	156.1	43.2	2212.0	58
12 Cylinder Airframe	900	3	10	17	856.5	156.0	44.7	2898.4	58
12 Box	900	3	10	17	857.3	156.0	41.9	2732.0	36
12 Box Streamlined	900	3	10	17	857.3	156.0	43.0	2420.0	36
12 Sphere	900	3	10	17	858.2	156.1	42.2	2264.0	29
12 Sphere Streamlined	900	3	10	17	858.2	156.1	43.3	2004.0	29
12 Disk	900	3	10	17	857.3	156.0	42.9	2732.0	44
12 Disk Streamlined	900	3	10	17	857.3	156.0	44.0	2420.0	44
12 Disk Airframe	900	3	10	17	855.9	155.9	43.9	3168.8	44
12 Close Structure	900	3	10	17	856.5	156.0	41.9	3200.0	51
12 Slab	900	3	10	17	856.0	156.0	42.1	3434.0	80
12 Slab Streamlined	900	3	10	17	856.0	156.0	43.3	3044.0	80
12 Slab Airframe	900	3	10	17	854.3	155.8	44.7	3980.0	80
12 Open Frame	900	6	20	22	845.3	155.2	42.5	2264.0	102
12 Needle	900	6	20	22	851.3	155.6	43.0	2966.0	87
12 Needle Streamlined	900	6	20	22	851.3	155.6	44.1	2628.0	87
12 Needle Airframe	900	6	20	22	848.3	155.4	45.6	3439.2	87
12 Wedge	900	6	20	22	849.6	155.5	42.7	3434.0	73
12 Wedge Streamlined	900	6	20	22	849.6	155.5	44.2	3044.0	73
12 Wedge Airframe	900	6	20	22	846.1	155.2	47.0	3980.0	73
12 Cylinder	900	6	20	22	853.0	155.7	42.6	2498.0	58
12 Cylinder Streamlined	900	6	20	22	853.0	155.7	43.9	2212.0	58
12 Cylinder Airframe	900	6	20	22	850.5	155.5	46.9	2898.4	58
12 Box	900	6	20	22	852.2	155.7	42.3	2732.0	36
12 Box Streamlined	900	6	20	22	852.2	155.7	43.6	2420.0	36
12 Sphere	900	6	20	22	853.9	155.8	42.8	2264.0	29
12 Sphere Streamlined	900	6	20	22	853.9	155.8	44.1	2004.0	29
12 Disk	900	6	20	22	852.2	155.7	44.2	2732.0	44
12 Disk Streamlined	900	6	20	22	852.2	155.7	45.5	2420.0	44
12 Disk Airframe	900	6	20	22	849.4	155.5	45.4	3168.8	44
12 Close Structure	900	6	20	22	850.5	155.5	42.2	3200.0	51
12 Slab	900	6	20	22	849.6	155.5	42.7	3434.0	80
12 Slab Streamlined	900	6	20	22	849.6	155.5	44.2	3044.0	80
12 Slab Airframe	900	6	20	22	846.1	155.2	47.0	3980.0	80

TL Config	Tons	MaxG	Armor	Struct	Volume	Power	Cost	Surface	Length
14 Open Frame	900	3	10	17	858.2	156.1	42.1	2264.0	102
14 Needle	900	3	10	17	859.7	156.2	42.3	2966.0	87
14 Needle Streamlined	900	3	10	17	859.7	156.2	43.3	2628.0	87
14 Needle Airframe	900	3	10	17	858.9	156.2	44.1	3439.2	87
14 Wedge	900	3	10	17	859.3	156.2	42.2	3434.0	73
14 Wedge Streamlined	900	3	10	17	859.3	156.2	43.4	3044.0	73
14 Wedge Airframe	900	3	10	17	858.4	156.1	44.8	3980.0	73
14 Cylinder	900	3	10	17	860.1	156.3	42.1	2498.0	58
14 Cylinder Streamlined	900	3	10	17	860.1	156.3	43.2	2212.0	58
14 Cylinder Airframe	900	3	10	17	859.5	156.2	44.7	2898.4	58
14 Box	900	3	10	17	859.9	156.2	42.0	2732.0	36
14 Box Streamlined	900	3	10	17	859.9	156.2	43.1	2420.0	36
14 Sphere	900	3	10	17	860.3	156.3	42.2	2264.0	29
14 Sphere Streamlined	900	3	10	17	860.3	156.3	43.3	2004.0	29
14 Disk	900	3	10	17	859.9	156.2	42.9	2732.0	44
14 Disk Streamlined	900	3	10	17	859.9	156.2	44.0	2420.0	44
14 Disk Airframe	900	3	10	17	859.2	156.2	44.0	3168.8	44
14 Close Structure	900	3	10	17	859.5	156.2	41.9	3200.0	51
14 Slab	900	3	10	17	859.3	156.2	42.2	3434.0	80
14 Slab Streamlined	900	3	10	17	859.3	156.2	43.4	3044.0	80
14 Slab Airframe	900	3	10	17	858.4	156.1	44.8	3980.0	80
14 Open Frame	900	6	20	22	853.9	155.8	42.6	2264.0	102
14 Needle	900	6	20	22	856.9	156.0	43.1	2966.0	87
14 Needle Streamlined	900	6	20	22	856.9	156.0	44.2	2628.0	87
14 Needle Airframe	900	6	20	22	855.4	155.9	45.7	3439.2	87
14 Wedge	900	6	20	22	856.0	156.0	42.8	3434.0	73
14 Wedge Streamlined	900	6	20	22	856.0	156.0	44.2	3044.0	73
14 Wedge Airframe	900	6	20	22	854.3	155.8	47.1	3980.0	73
14 Cylinder	900	6	20	22	857.8	156.1	42.7	2498.0	58
14 Cylinder Streamlined	900	6	20	22	857.8	156.1	43.9	2212.0	58
14 Cylinder Airframe	900	6	20	22	856.5	156.0	47.0	2898.4	58
14 Box	900	6	20	22	857.3	156.0	42.4	2732.0	36
14 Box Streamlined	900	6	20	22	857.3	156.0	43.7	2420.0	36
14 Sphere	900	6	20	22	858.2	156.1	42.9	2264.0	29
14 Sphere Streamlined	900	6	20	22	858.2	156.1	44.1	2004.0	29
14 Disk	900	6	20	22	857.3	156.0	44.3	2732.0	44
14 Disk Streamlined	900	6	20	22	857.3	156.0	45.6	2420.0	44
14 Disk Airframe	900	6	20	22	855.9	155.9	45.5	3168.8	44
14 Close Structure	900	6	20	22	856.5	156.0	42.3	3200.0	51
14 Slab	900	6	20	22	856.0	156.0	42.8	3434.0	80
14 Slab Streamlined	900	6	20	22	856.0	156.0	44.2	3044.0	80
14 Slab Airframe	900	6	20	22	854.3	155.8	47.1	3980.0	80

TL	Config	Tons	MaxG	Armor	Struct	Volume	Power	Cost	Surface	Length
9	Open Frame	1000	3	10	18	922.4	372.2	36.7	2436.0	105
9	Needle	1000	3	10	18	930.0	372.8	37.1	3192.0	90
9	Needle Streamlined	1000	3	10	18	930.0	372.8	38.3	2828.0	90
9	Needle Airframe	1000	3	10	18	926.2	372.5	39.3	3701.6	90
9	Wedge	1000	3	10	18	927.8	372.6	36.9	3696.0	75
9	Wedge Streamlined	1000	3	10	18	927.8	372.6	38.3	3276.0	75
9	Wedge Airframe	1000	3	10	18	923.4	372.3	40.3	4284.0	75
9	Cylinder	1000	3	10	18	932.2	372.9	36.8	2688.0	60
9	Cylinder Streamlined	1000	3	10	18	932.2	372.9	38.1	2380.0	60
9	Cylinder Airframe	1000	3	10	18	928.9	372.7	40.3	3119.2	60
9	Box	1000	3	10	18	931.1	372.8	36.6	2940.0	38
9	Box Streamlined	1000	3	10	18	931.1	372.8	37.9	2604.0	38
9	Sphere	1000	3	10	18	933.2	373.0	37.0	2436.0	30
9	Sphere Streamlined	1000	3	10	18	933.2	373.0	38.3	2156.0	30
9	Disk	1000	3	10	18	931.1	372.8	38.0	2940.0	45
9	Disk Streamlined	1000	3	10	18	931.1	372.8	39.3	2604.0	45
9	Disk Airframe	1000	3	10	18	927.5	372.6	39.2	3410.4	45
9	Close Structure	1000	3	10	18	928.9	372.7	36.5	3444.0	53
9	Slab	1000	3	10	18	927.8	372.6	36.9	3696.0	83
9	Slab Streamlined	1000	3	10	18	927.8	372.6	38.3	3276.0	83
9	Slab Airframe	1000	3	10	18	923.4	372.3	40.3	4284.0	83
9	Open Frame	1000	6	20	23	900.8	370.6	37.3	2436.0	105
9	Needle	1000	6	20	23	916.0	371.7	38.1	3192.0	90
9	Needle Streamlined	1000	6	20	23	916.0	371.7	39.4	2828.0	90
9	Needle Airframe	1000	6	20	23	908.3	371.2	41.5	3701.6	90
9	Wedge	1000	6	20	23	911.6	371.4	37.7	3696.0	75
9	Wedge Streamlined	1000	6	20	23	911.6	371.4	39.4	3276.0	75
9	Wedge Airframe	1000	6	20	23	902.8	370.8	43.5	4284.0	75
9	Cylinder	1000	6	20	23	920.3	372.0	37.5	2688.0	60
9	Cylinder Streamlined	1000	6	20	23	920.3	372.0	39.1	2380.0	60
9	Cylinder Airframe	1000	6	20	23	913.8	371.6	43.4	3119.2	60
9	Box	1000	6	20	23	918.1	371.9	37.1	2940.0	38
9	Box Streamlined	1000	6	20	23	918.1	371.9	38.7	2604.0	38
9	Sphere	1000	6	20	23	922.4	372.2	37.8	2436.0	30
9	Sphere Streamlined	1000	6	20	23	922.4	372.2	39.3	2156.0	30
9	Disk	1000	6	20	23	918.1	371.9	39.8	2940.0	45
9	Disk Streamlined	1000	6	20	23	918.1	371.9	41.4	2604.0	45
9	Disk Airframe	1000	6	20	23	911.0	371.4	41.2	3410.4	45
9	Close Structure	1000	6	20	23	913.8	371.6	37.0	3444.0	53
9	Slab	1000	6	20	23	911.6	371.4	37.7	3696.0	83
9	Slab Streamlined	1000	6	20	23	911.6	371.4	39.4	3276.0	83
9	Slab Airframe	1000	6	20	23	902.8	370.8	43.5	4284.0	83

TL Config	Tons	MaxG	Armor	Struct	Volume	Power	Cost	Surface	Length
10 Open Frame	1000	3	10	18	942.1	272.6	41.7	2436.0	105
10 Needle	1000	3	10	18	947.8	273.0	42.0	3192.0	90
10 Needle Streamlined	1000	3	10	18	947.8	273.0	43.1	2828.0	90
10 Needle Airframe	1000	3	10	18	944.9	272.8	44.0	3701.6	90
10 Wedge	1000	3	10	18	946.2	272.9	41.8	3696.0	75
10 Wedge Streamlined	1000	3	10	18	946.2	272.9	43.1	3276.0	75
10 Wedge Airframe	1000	3	10	18	942.9	272.7	44.9	4284.0	75
10 Cylinder	1000	3	10	18	949.4	273.1	41.7	2688.0	60
10 Cylinder Streamlined	1000	3	10	18	949.4	273.1	43.0	2380.0	60
10 Cylinder Airframe	1000	3	10	18	947.0	273.0	44.8	3119.2	60
10 Box	1000	3	10	18	948.6	273.1	41.6	2940.0	38
10 Box Streamlined	1000	3	10	18	948.6	273.1	42.8	2604.0	38
10 Sphere	1000	3	10	18	950.2	273.2	41.9	2436.0	30
10 Sphere Streamlined	1000	3	10	18	950.2	273.2	43.1	2156.0	30
10 Disk	1000	3	10	18	948.6	273.1	42.7	2940.0	45
10 Disk Streamlined	1000	3	10	18	948.6	273.1	44.0	2604.0	45
10 Disk Airframe	1000	3	10	18	946.0	272.9	43.9	3410.4	45
10 Close Structure	1000	3	10	18	947.0	273.0	41.5	3444.0	53
10 Slab	1000	3	10	18	946.2	272.9	41.8	3696.0	83
10 Slab Streamlined	1000	3	10	18	946.2	272.9	43.1	3276.0	83
10 Slab Airframe	1000	3	10	18	942.9	272.7	44.9	4284.0	83
10 Open Frame	1000	6	20	23	925.9	271.4	42.2	2436.0	105
10 Needle	1000	6	20	23	937.3	272.2	42.8	3192.0	90
10 Needle Streamlined	1000	6	20	23	937.3	272.2	44.1	2828.0	90
10 Needle Airframe	1000	6	20	23	931.5	271.8	45.9	3701.6	90
10 Wedge	1000	6	20	23	934.0	272.0	42.5	3696.0	75
10 Wedge Streamlined	1000	6	20	23	934.0	272.0	44.1	3276.0	75
10 Wedge Airframe	1000	6	20	23	927.4	271.5	47.6	4284.0	75
10 Cylinder	1000	6	20	23	940.5	272.5	42.3	2688.0	60
10 Cylinder Streamlined	1000	6	20	23	940.5	272.5	43.8	2380.0	60
10 Cylinder Airframe	1000	6	20	23	935.6	272.1	47.5	3119.2	60
10 Box	1000	6	20	23	938.9	272.4	42.0	2940.0	38
10 Box Streamlined	1000	6	20	23	938.9	272.4	43.5	2604.0	38
10 Sphere	1000	6	20	23	942.1	272.6	42.6	2436.0	30
10 Sphere Streamlined	1000	6	20	23	942.1	272.6	44.0	2156.0	30
10 Disk	1000	6	20	23	938.9	272.4	44.3	2940.0	45
10 Disk Streamlined	1000	6	20	23	938.9	272.4	45.8	2604.0	45
10 Disk Airframe	1000	6	20	23	933.6	272.0	45.6	3410.4	45
10 Close Structure	1000	6	20	23	935.6	272.1	41.9	3444.0	53
10 Slab	1000	6	20	23	934.0	272.0	42.5	3696.0	83
10 Slab Streamlined	1000	6	20	23	934.0	272.0	44.1	3276.0	83
10 Slab Airframe	1000	6	20	23	927.4	271.5	47.6	4284.0	83

TL Config	Tons	MaxG	Armor	Struct	Volume	Power	Cost	Surface	Length
12 Open Frame	1000	3	10	18	949.1	173.1	46.7	2436.0	105
12 Needle	1000	3	10	18	952.3	173.4	46.9	3192.0	90
12 Needle Streamlined	1000	3	10	18	952.3	173.4	48.1	2828.0	90
12 Needle Airframe	1000	3	10	18	950.7	173.2	48.9	3701.6	90
12 Wedge	1000	3	10	18	951.4	173.3	46.8	3696.0	75
12 Wedge Streamlined	1000	3	10	18	951.4	173.3	48.1	3276.0	75
12 Wedge Airframe	1000	3	10	18	949.5	173.2	49.6	4284.0	75
12 Cylinder	1000	3	10	18	953.2	173.4	46.7	2688.0	60
12 Cylinder Streamlined	1000	3	10	18	953.2	173.4	47.9	2380.0	60
12 Cylinder Airframe	1000	3	10	18	951.8	173.3	49.6	3119.2	60
12 Box	1000	3	10	18	952.8	173.4	46.6	2940.0	38
12 Box Streamlined	1000	3	10	18	952.8	173.4	47.8	2604.0	38
12 Sphere	1000	3	10	18	953.7	173.5	46.8	2436.0	30
12 Sphere Streamlined	1000	3	10	18	953.7	173.5	48.0	2156.0	30
12 Disk	1000	3	10	18	952.8	173.4	47.6	2940.0	45
12 Disk Streamlined	1000	3	10	18	952.8	173.4	48.8	2604.0	45
12 Disk Airframe	1000	3	10	18	951.3	173.3	48.8	3410.4	45
12 Close Structure	1000	3	10	18	951.8	173.3	46.5	3444.0	53
12 Slab	1000	3	10	18	951.4	173.3	46.8	3696.0	83
12 Slab Streamlined	1000	3	10	18	951.4	173.3	48.1	3276.0	83
12 Slab Airframe	1000	3	10	18	949.5	173.2	49.6	4284.0	83
12 Open Frame	1000	6	20	23	939.8	172.4	47.2	2436.0	105
12 Needle	1000	6	20	23	946.3	172.9	47.7	3192.0	90
12 Needle Streamlined	1000	6	20	23	946.3	172.9	49.0	2828.0	90
12 Needle Airframe	1000	6	20	23	943.0	172.7	50.6	3701.6	90
12 Wedge	1000	6	20	23	944.4	172.8	47.4	3696.0	75
12 Wedge Streamlined	1000	6	20	23	944.4	172.8	49.0	3276.0	75
12 Wedge Airframe	1000	6	20	23	940.7	172.5	52.1	4284.0	75
12 Cylinder	1000	6	20	23	948.1	173.1	47.3	2688.0	60
12 Cylinder Streamlined	1000	6	20	23	948.1	173.1	48.7	2380.0	60
12 Cylinder Airframe	1000	6	20	23	945.4	172.8	52.0	3119.2	60
12 Box	1000	6	20	23	947.2	173.0	47.0	2940.0	38
12 Box Streamlined	1000	6	20	23	947.2	173.0	48.4	2604.0	38
12 Sphere	1000	6	20	23	949.1	173.1	47.5	2436.0	30
12 Sphere Streamlined	1000	6	20	23	949.1	173.1	48.9	2156.0	30
12 Disk	1000	6	20	23	947.2	173.0	49.0	2940.0	45
12 Disk Streamlined	1000	6	20	23	947.2	173.0	50.5	2604.0	45
12 Disk Airframe	1000	6	20	23	944.2	172.8	50.3	3410.4	45
12 Close Structure	1000	6	20	23	945.4	172.8	46.9	3444.0	53
12 Slab	1000	6	20	23	944.4	172.8	47.4	3696.0	83
12 Slab Streamlined	1000	6	20	23	944.4	172.8	49.0	3276.0	83
12 Slab Airframe	1000	6	20	23	940.7	172.5	52.1	4284.0	83

TL Config	Tons	MaxG	Armor	Struct	Volume	Power	Cost	Surface	Length
14 Open Frame	1000	3	10	18	953.7	173.5	46.7	2436.0	105
14 Needle	1000	3	10	18	955.3	173.6	47.0	3192.0	90
14 Needle Streamlined	1000	3	10	18	955.3	173.6	48.1	2828.0	90
14 Needle Airframe	1000	3	10	18	954.5	173.5	48.9	3701.6	90
14 Wedge	1000	3	10	18	954.9	173.6	46.8	3696.0	75
14 Wedge Streamlined	1000	3	10	18	954.9	173.6	48.1	3276.0	75
14 Wedge Airframe	1000	3	10	18	953.9	173.5	49.7	4284.0	75
14 Cylinder	1000	3	10	18	955.8	173.6	46.7	2688.0	60
14 Cylinder Streamlined	1000	3	10	18	955.8	173.6	48.0	2380.0	60
14 Cylinder Airframe	1000	3	10	18	955.1	173.6	49.6	3119.2	60
14 Box	1000	3	10	18	955.6	173.6	46.6	2940.0	38
14 Box Streamlined	1000	3	10	18	955.6	173.6	47.9	2604.0	38
14 Sphere	1000	3	10	18	956.0	173.6	46.9	2436.0	30
14 Sphere Streamlined	1000	3	10	18	956.0	173.6	48.1	2156.0	30
14 Disk	1000	3	10	18	955.6	173.6	47.6	2940.0	45
14 Disk Streamlined	1000	3	10	18	955.6	173.6	48.9	2604.0	45
14 Disk Airframe	1000	3	10	18	954.8	173.5	48.8	3410.4	45
14 Close Structure	1000	3	10	18	955.1	173.6	46.6	3444.0	53
14 Slab	1000	3	10	18	954.9	173.6	46.8	3696.0	83
14 Slab Streamlined	1000	3	10	18	954.9	173.6	48.1	3276.0	83
14 Slab Airframe	1000	3	10	18	953.9	173.5	49.7	4284.0	83
14 Open Frame	1000	6	20	23	949.1	173.1	47.3	2436.0	105
14 Needle	1000	6	20	23	952.3	173.4	47.8	3192.0	90
14 Needle Streamlined	1000	6	20	23	952.3	173.4	49.1	2828.0	90
14 Needle Airframe	1000	6	20	23	950.7	173.2	50.7	3701.6	90
14 Wedge	1000	6	20	23	951.4	173.3	47.5	3696.0	75
14 Wedge Streamlined	1000	6	20	23	951.4	173.3	49.1	3276.0	75
14 Wedge Airframe	1000	6	20	23	949.5	173.2	52.2	4284.0	75
14 Cylinder	1000	6	20	23	953.2	173.4	47.4	2688.0	60
14 Cylinder Streamlined	1000	6	20	23	953.2	173.4	48.8	2380.0	60
14 Cylinder Airframe	1000	6	20	23	951.8	173.3	52.1	3119.2	60
14 Box	1000	6	20	23	952.8	173.4	47.1	2940.0	38
14 Box Streamlined	1000	6	20	23	952.8	173.4	48.5	2604.0	38
14 Sphere	1000	6	20	23	953.7	173.5	47.6	2436.0	30
14 Sphere Streamlined	1000	6	20	23	953.7	173.5	49.0	2156.0	30
14 Disk	1000	6	20	23	952.8	173.4	49.1	2940.0	45
14 Disk Streamlined	1000	6	20	23	952.8	173.4	50.5	2604.0	45
14 Disk Airframe	1000	6	20	23	951.3	173.3	50.4	3410.4	45
14 Close Structure	1000	6	20	23	951.8	173.3	47.0	3444.0	53
14 Slab	1000	6	20	23	951.4	173.3	47.5	3696.0	83
14 Slab Streamlined	1000	6	20	23	951.4	173.3	49.1	3276.0	83
14 Slab Airframe	1000	6	20	23	949.5	173.2	52.2	4284.0	83

TL	Config	Tons	MaxG	Armor	Struct	Volume	Power	Cost	Surface	Length
9	Open Frame	2000	3	10	23	1854.9	745.2	73.2	3710.0	126
9	Needle	2000	3	10	23	1866.5	746.0	73.7	4871.0	108
9	Needle Streamlined	2000	3	10	23	1866.5	746.0	76.1	4312.0	108
9	Needle Airframe	2000	3	10	23	1860.6	745.6	77.7	5653.6	108
9	Wedge	2000	3	10	23	1863.2	745.8	73.5	5645.0	90
9	Wedge Streamlined	2000	3	10	23	1863.2	745.8	76.1	5000.0	90
9	Wedge Airframe	2000	3	10	23	1856.4	745.3	79.2	6548.0	90
9	Cylinder	2000	3	10	23	1869.8	746.3	73.3	4097.0	72
9	Cylinder Streamlined	2000	3	10	23	1869.8	746.3	75.8	3624.0	72
9	Cylinder Airframe	2000	3	10	23	1864.9	745.9	79.1	4759.2	72
9	Box	2000	3	10	23	1868.2	746.1	73.0	4484.0	45
9	Box Streamlined	2000	3	10	23	1868.2	746.1	75.5	3968.0	45
9	Sphere	2000	3	10	23	1871.5	746.4	73.6	3710.0	36
9	Sphere Streamlined	2000	3	10	23	1871.5	746.4	76.0	3280.0	36
9	Disk	2000	3	10	23	1868.2	746.1	75.1	4484.0	54
9	Disk Streamlined	2000	3	10	23	1868.2	746.1	77.6	3968.0	54
9	Disk Airframe	2000	3	10	23	1862.8	745.7	77.4	5206.4	54
9	Close Structure	2000	3	10	23	1864.9	745.9	72.9	5258.0	63
9	Slab	2000	3	10	23	1863.2	745.8	73.5	5645.0	99
9	Slab Streamlined	2000	3	10	23	1863.2	745.8	76.1	5000.0	99
9	Slab Airframe	2000	3	10	23	1856.4	745.3	79.2	6548.0	99
9	Open Frame	2000	6	20	28	1821.7	742.7	74.1	3710.0	126
9	Needle	2000	6	20	28	1845.0	744.4	75.2	4871.0	108
9	Needle Streamlined	2000	6	20	28	1845.0	744.4	77.8	4312.0	108
9	Needle Airframe	2000	6	20	28	1833.2	743.6	81.0	5653.6	108
9	Wedge	2000	6	20	28	1838.3	743.9	74.6	5645.0	90
9	Wedge Streamlined	2000	6	20	28	1838.3	743.9	77.8	5000.0	90
9	Wedge Airframe	2000	6	20	28	1824.7	742.9	84.0	6548.0	90
9	Cylinder	2000	6	20	28	1851.6	744.9	74.4	4097.0	72
9	Cylinder Streamlined	2000	6	20	28	1851.6	744.9	77.2	3624.0	72
9	Cylinder Airframe	2000	6	20	28	1841.6	744.2	83.9	4759.2	72
9	Box	2000	6	20	28	1848.3	744.7	73.8	4484.0	45
9	Box Streamlined	2000	6	20	28	1848.3	744.7	76.7	3968.0	45
9	Sphere	2000	6	20	28	1854.9	745.2	74.9	3710.0	36
9	Sphere Streamlined	2000	6	20	28	1854.9	745.2	77.7	3280.0	36
9	Disk	2000	6	20	28	1848.3	744.7	77.9	4484.0	54
9	Disk Streamlined	2000	6	20	28	1848.3	744.7	80.8	3968.0	54
9	Disk Airframe	2000	6	20	28	1837.4	743.9	80.5	5206.4	54
9	Close Structure	2000	6	20	28	1841.6	744.2	73.5	5258.0	63
9	Slab	2000	6	20	28	1838.3	743.9	74.6	5645.0	99
9	Slab Streamlined	2000	6	20	28	1838.3	743.9	77.8	5000.0	99
9	Slab Airframe	2000	6	20	28	1824.7	742.9	84.0	6548.0	99

TL Config	Tons	MaxG	Armor	Struct	Volume	Power	Cost	Surface	Length
10 Open Frame	2000	3	10	23	1891.8	545.8	83.1	3710.0	126
10 Needle	2000	3	10	23	1900.5	546.4	83.5	4871.0	108
10 Needle Streamlined	2000	3	10	23	1900.5	546.4	85.8	4312.0	108
10 Needle Airframe	2000	3	10	23	1896.1	546.1	87.2	5653.6	108
10 Wedge	2000	3	10	23	1898.0	546.2	83.3	5645.0	90
10 Wedge Streamlined	2000	3	10	23	1898.0	546.2	85.8	5000.0	90
10 Wedge Airframe	2000	3	10	23	1892.9	545.9	88.5	6548.0	90
10 Cylinder	2000	3	10	23	1903.0	546.6	83.2	4097.0	72
10 Cylinder Streamlined	2000	3	10	23	1903.0	546.6	85.6	3624.0	72
10 Cylinder Airframe	2000	3	10	23	1899.2	546.3	88.4	4759.2	72
10 Box	2000	3	10	23	1901.7	546.5	82.9	4484.0	45
10 Box Streamlined	2000	3	10	23	1901.7	546.5	85.4	3968.0	45
10 Sphere	2000	3	10	23	1904.2	546.7	83.4	3710.0	36
10 Sphere Streamlined	2000	3	10	23	1904.2	546.7	85.8	3280.0	36
10 Disk	2000	3	10	23	1901.7	546.5	84.7	4484.0	54
10 Disk Streamlined	2000	3	10	23	1901.7	546.5	87.1	3968.0	54
10 Disk Airframe	2000	3	10	23	1897.7	546.2	87.0	5206.4	54
10 Close Structure	2000	3	10	23	1899.2	546.3	82.8	5258.0	63
10 Slab	2000	3	10	23	1898.0	546.2	83.3	5645.0	99
10 Slab Streamlined	2000	3	10	23	1898.0	546.2	85.8	5000.0	99
10 Slab Airframe	2000	3	10	23	1892.9	545.9	88.5	6548.0	99
10 Open Frame	2000	6	20	28	1866.9	543.9	83.9	3710.0	126
10 Needle	2000	6	20	28	1884.3	545.2	84.8	4871.0	108
10 Needle Streamlined	2000	6	20	28	1884.3	545.2	87.3	4312.0	108
10 Needle Airframe	2000	6	20	28	1875.5	544.6	90.0	5653.6	108
10 Wedge	2000	6	20	28	1879.3	544.9	84.3	5645.0	90
10 Wedge Streamlined	2000	6	20	28	1879.3	544.9	87.3	5000.0	90
10 Wedge Airframe	2000	6	20	28	1869.2	544.1	92.6	6548.0	90
10 Cylinder	2000	6	20	28	1889.3	545.6	84.1	4097.0	72
10 Cylinder Streamlined	2000	6	20	28	1889.3	545.6	86.8	3624.0	72
10 Cylinder Airframe	2000	6	20	28	1881.8	545.0	92.5	4759.2	72
10 Box	2000	6	20	28	1886.8	545.4	83.6	4484.0	45
10 Box Streamlined	2000	6	20	28	1886.8	545.4	86.4	3968.0	45
10 Sphere	2000	6	20	28	1891.8	545.8	84.5	3710.0	36
10 Sphere Streamlined	2000	6	20	28	1891.8	545.8	87.2	3280.0	36
10 Disk	2000	6	20	28	1886.8	545.4	87.1	4484.0	54
10 Disk Streamlined	2000	6	20	28	1886.8	545.4	89.9	3968.0	54
10 Disk Airframe	2000	6	20	28	1878.7	544.8	89.6	5206.4	54
10 Close Structure	2000	6	20	28	1881.8	545.0	83.4	5258.0	63
10 Slab	2000	6	20	28	1879.3	544.9	84.3	5645.0	99
10 Slab Streamlined	2000	6	20	28	1879.3	544.9	87.3	5000.0	99
10 Slab Airframe	2000	6	20	28	1869.2	544.1	92.6	6548.0	99

TL Config	Tons	MaxG	Armor	Struct	Volume	Power	Cost	Surface	Length
12 Open Frame	2000	3	10	23	1902.4	346.6	93.1	3710.0	126
12 Needle	2000	3	10	23	1907.4	346.9	93.5	4871.0	108
12 Needle Streamlined	2000	3	10	23	1907.4	346.9	95.7	4312.0	108
12 Needle Airframe	2000	3	10	23	1904.9	346.7	97.0	5653.6	108
12 Wedge	2000	3	10	23	1906.0	346.8	93.3	5645.0	90
12 Wedge Streamlined	2000	3	10	23	1906.0	346.8	95.8	5000.0	90
12 Wedge Airframe	2000	3	10	23	1903.1	346.6	98.1	6548.0	90
12 Cylinder	2000	3	10	23	1908.8	347.0	93.1	4097.0	72
12 Cylinder Streamlined	2000	3	10	23	1908.8	347.0	95.5	3624.0	72
12 Cylinder Airframe	2000	3	10	23	1906.7	346.9	98.0	4759.2	72
12 Box	2000	3	10	23	1908.1	347.0	92.9	4484.0	45
12 Box Streamlined	2000	3	10	23	1908.1	347.0	95.3	3968.0	45
12 Sphere	2000	3	10	23	1909.5	347.1	93.3	3710.0	36
12 Sphere Streamlined	2000	3	10	23	1909.5	347.1	95.7	3280.0	36
12 Disk	2000	3	10	23	1908.1	347.0	94.5	4484.0	54
12 Disk Streamlined	2000	3	10	23	1908.1	347.0	96.9	3968.0	54
12 Disk Airframe	2000	3	10	23	1905.8	346.8	96.8	5206.4	54
12 Close Structure	2000	3	10	23	1906.7	346.9	92.8	5258.0	63
12 Slab	2000	3	10	23	1906.0	346.8	93.3	5645.0	99
12 Slab Streamlined	2000	3	10	23	1906.0	346.8	95.8	5000.0	99
12 Slab Airframe	2000	3	10	23	1903.1	346.6	98.1	6548.0	99
12 Open Frame	2000	6	20	28	1888.2	345.5	93.9	3710.0	126
12 Needle	2000	6	20	28	1898.2	346.2	94.7	4871.0	108
12 Needle Streamlined	2000	6	20	28	1898.2	346.2	97.1	4312.0	108
12 Needle Airframe	2000	6	20	28	1893.1	345.9	99.6	5653.6	108
12 Wedge	2000	6	20	28	1895.3	346.0	94.3	5645.0	90
12 Wedge Streamlined	2000	6	20	28	1895.3	346.0	97.2	5000.0	90
12 Wedge Airframe	2000	6	20	28	1889.5	345.6	101.9	6548.0	90
12 Cylinder	2000	6	20	28	1901.0	346.5	94.0	4097.0	72
12 Cylinder Streamlined	2000	6	20	28	1901.0	346.5	96.7	3624.0	72
12 Cylinder Airframe	2000	6	20	28	1896.8	346.1	101.7	4759.2	72
12 Box	2000	6	20	28	1899.6	346.4	93.6	4484.0	45
12 Box Streamlined	2000	6	20	28	1899.6	346.4	96.3	3968.0	45
12 Sphere	2000	6	20	28	1902.4	346.6	94.4	3710.0	36
12 Sphere Streamlined	2000	6	20	28	1902.4	346.6	97.0	3280.0	36
12 Disk	2000	6	20	28	1899.6	346.4	96.7	4484.0	54
12 Disk Streamlined	2000	6	20	28	1899.6	346.4	99.4	3968.0	54
12 Disk Airframe	2000	6	20	28	1894.9	346.0	99.2	5206.4	54
12 Close Structure	2000	6	20	28	1896.8	346.1	93.4	5258.0	63
12 Slab	2000	6	20	28	1895.3	346.0	94.3	5645.0	99
12 Slab Streamlined	2000	6	20	28	1895.3	346.0	97.2	5000.0	99
12 Slab Airframe	2000	6	20	28	1889.5	345.6	101.9	6548.0	99

TL Config	Tons	MaxG	Armor	Struct	Volume	Power	Cost	Surface	Length
14 Open Frame	2000	3	10	23	1909.5	347.1	93.2	3710.0	126
14 Needle	2000	3	10	23	1912.0	347.3	93.5	4871.0	108
14 Needle Streamlined	2000	3	10	23	1912.0	347.3	95.8	4312.0	108
14 Needle Airframe	2000	3	10	23	1910.8	347.2	97.1	5653.6	108
14 Wedge	2000	3	10	23	1911.3	347.2	93.3	5645.0	90
14 Wedge Streamlined	2000	3	10	23	1911.3	347.2	95.8	5000.0	90
14 Wedge Airframe	2000	3	10	23	1909.9	347.1	98.2	6548.0	90
14 Cylinder	2000	3	10	23	1912.7	347.3	93.2	4097.0	72
14 Cylinder Streamlined	2000	3	10	23	1912.7	347.3	95.6	3624.0	72
14 Cylinder Airframe	2000	3	10	23	1911.7	347.3	98.1	4759.2	72
14 Box	2000	3	10	23	1912.4	347.3	93.0	4484.0	45
14 Box Streamlined	2000	3	10	23	1912.4	347.3	95.4	3968.0	45
14 Sphere	2000	3	10	23	1913.1	347.4	93.4	3710.0	36
14 Sphere Streamlined	2000	3	10	23	1913.1	347.4	95.7	3280.0	36
14 Disk	2000	3	10	23	1912.4	347.3	94.5	4484.0	54
14 Disk Streamlined	2000	3	10	23	1912.4	347.3	96.9	3968.0	54
14 Disk Airframe	2000	3	10	23	1911.2	347.2	96.9	5206.4	54
14 Close Structure	2000	3	10	23	1911.7	347.3	92.9	5258.0	63
14 Slab	2000	3	10	23	1911.3	347.2	93.3	5645.0	99
14 Slab Streamlined	2000	3	10	23	1911.3	347.2	95.8	5000.0	99
14 Slab Airframe	2000	3	10	23	1909.9	347.1	98.2	6548.0	99
14 Open Frame	2000	6	20	28	1902.4	346.6	94.1	3710.0	126
14 Needle	2000	6	20	28	1907.4	346.9	94.8	4871.0	108
14 Needle Streamlined	2000	6	20	28	1907.4	346.9	97.2	4312.0	108
14 Needle Airframe	2000	6	20	28	1904.9	346.7	99.8	5653.6	108
14 Wedge	2000	6	20	28	1906.0	346.8	94.4	5645.0	90
14 Wedge Streamlined	2000	6	20	28	1906.0	346.8	97.3	5000.0	90
14 Wedge Airframe	2000	6	20	28	1903.1	346.6	102.1	6548.0	90
14 Cylinder	2000	6	20	28	1908.8	347.0	94.1	4097.0	72
14 Cylinder Streamlined	2000	6	20	28	1908.8	347.0	96.8	3624.0	72
14 Cylinder Airframe	2000	6	20	28	1906.7	346.9	101.9	4759.2	72
14 Box	2000	6	20	28	1908.1	347.0	93.7	4484.0	45
14 Box Streamlined	2000	6	20	28	1908.1	347.0	96.4	3968.0	45
14 Sphere	2000	6	20	28	1909.5	347.1	94.5	3710.0	36
14 Sphere Streamlined	2000	6	20	28	1909.5	347.1	97.1	3280.0	36
14 Disk	2000	6	20	28	1908.1	347.0	96.8	4484.0	54
14 Disk Streamlined	2000	6	20	28	1908.1	347.0	99.5	3968.0	54
14 Disk Airframe	2000	6	20	28	1905.8	346.8	99.3	5206.4	54
14 Close Structure	2000	6	20	28	1906.7	346.9	93.6	5258.0	63
14 Slab	2000	6	20	28	1906.0	346.8	94.4	5645.0	99
14 Slab Streamlined	2000	6	20	28	1906.0	346.8	97.3	5000.0	99
14 Slab Airframe	2000	6	20	28	1903.1	346.6	102.1	6548.0	99

TL	Config	Tons	MaxG	Armor	Struct	Volume	Power	Cost	Surface	Length
9	Open Frame	3000	3	10	26	2788.1	1118.2	109.6	4886.0	147
9	Needle	3000	3	10	26	2803.5	1119.3	110.4	6425.0	126
9	Needle Streamlined	3000	3	10	26	2803.5	1119.3	113.8	5684.0	126
9	Needle Airframe	3000	3	10	26	2795.7	1118.7	115.9	7462.4	126
9	Wedge	3000	3	10	26	2799.1	1119.0	110.0	7451.0	105
9	Wedge Streamlined	3000	3	10	26	2799.1	1119.0	113.8	6596.0	105
9	Wedge Airframe	3000	3	10	26	2790.1	1118.3	118.0	8648.0	105
9	Cylinder	3000	3	10	26	2807.9	1119.6	109.8	5399.0	84
9	Cylinder Streamlined	3000	3	10	26	2807.9	1119.6	113.5	4772.0	84
9	Cylinder Airframe	3000	3	10	26	2801.3	1119.1	117.9	6276.8	84
9	Box	3000	3	10	26	2805.7	1119.5	109.4	5912.0	53
9	Box Streamlined	3000	3	10	26	2805.7	1119.5	113.1	5228.0	53
9	Sphere	3000	3	10	26	2810.1	1119.8	110.1	4886.0	42
9	Sphere Streamlined	3000	3	10	26	2810.1	1119.8	113.7	4316.0	42
9	Disk	3000	3	10	26	2805.7	1119.5	112.1	5912.0	63
9	Disk Streamlined	3000	3	10	26	2805.7	1119.5	115.8	5228.0	63
9	Disk Airframe	3000	3	10	26	2798.5	1118.9	115.6	6869.6	63
9	Close Structure	3000	3	10	26	2801.3	1119.1	109.2	6938.0	74
9	Slab	3000	3	10	26	2799.1	1119.0	110.0	7451.0	116
9	Slab Streamlined	3000	3	10	26	2799.1	1119.0	113.8	6596.0	116
9	Slab Airframe	3000	3	10	26	2790.1	1118.3	118.0	8648.0	116
9	Open Frame	3000	6	20	28	2744.2	1114.9	110.8	4886.0	147
9	Needle	3000	6	20	28	2775.0	1117.2	112.3	6425.0	126
9	Needle Streamlined	3000	6	20	28	2775.0	1117.2	116.1	5684.0	126
9	Needle Airframe	3000	6	20	28	2759.4	1116.0	120.3	7462.4	126
9	Wedge	3000	6	20	28	2766.2	1116.5	111.6	7451.0	105
9	Wedge Streamlined	3000	6	20	28	2766.2	1116.5	116.1	6596.0	105
9	Wedge Airframe	3000	6	20	28	2748.2	1115.2	124.4	8648.0	105
9	Cylinder	3000	6	20	28	2783.8	1117.8	111.2	5399.0	84
9	Cylinder Streamlined	3000	6	20	28	2783.8	1117.8	115.4	4772.0	84
9	Cylinder Airframe	3000	6	20	28	2770.6	1116.9	124.2	6276.8	84
9	Box	3000	6	20	28	2779.4	1117.5	110.4	5912.0	53
9	Box Streamlined	3000	6	20	28	2779.4	1117.5	114.6	5228.0	53
9	Sphere	3000	6	20	28	2788.1	1118.2	111.9	4886.0	42
9	Sphere Streamlined	3000	6	20	28	2788.1	1118.2	115.9	4316.0	42
9	Disk	3000	6	20	28	2779.4	1117.5	115.8	5912.0	63
9	Disk Streamlined	3000	6	20	28	2779.4	1117.5	120.1	5228.0	63
9	Disk Airframe	3000	6	20	28	2765.0	1116.5	119.7	6869.6	63
9	Close Structure	3000	6	20	28	2770.6	1116.9	110.1	6938.0	74
9	Slab	3000	6	20	28	2766.2	1116.5	111.6	7451.0	116
9	Slab Streamlined	3000	6	20	28	2766.2	1116.5	116.1	6596.0	116
9	Slab Airframe	3000	6	20	28	2748.2	1115.2	124.4	8648.0	116

TL Config	Tons	MaxG	Armor	Struct	Volume	Power	Cost	Surface	Length
10 Open Frame	3000	3	10	26	2842.0	819.0	124.5	4886.0	147
10 Needle	3000	3	10	26	2853.5	819.8	125.1	6425.0	126
10 Needle Streamlined	3000	3	10	26	2853.5	819.8	128.5	5684.0	126
10 Needle Airframe	3000	3	10	26	2847.7	819.4	130.3	7462.4	126
10 Wedge	3000	3	10	26	2850.2	819.6	124.8	7451.0	105
10 Wedge Streamlined	3000	3	10	26	2850.2	819.6	128.5	6596.0	105
10 Wedge Airframe	3000	3	10	26	2843.5	819.1	132.0	8648.0	105
10 Cylinder	3000	3	10	26	2856.8	820.1	124.6	5399.0	84
10 Cylinder Streamlined	3000	3	10	26	2856.8	820.1	128.2	4772.0	84
10 Cylinder Airframe	3000	3	10	26	2851.9	819.7	131.9	6276.8	84
10 Box	3000	3	10	26	2855.2	820.0	124.3	5912.0	53
10 Box Streamlined	3000	3	10	26	2855.2	820.0	127.9	5228.0	53
10 Sphere	3000	3	10	26	2858.5	820.2	124.9	4886.0	42
10 Sphere Streamlined	3000	3	10	26	2858.5	820.2	128.4	4316.0	42
10 Disk	3000	3	10	26	2855.2	820.0	126.6	5912.0	63
10 Disk Streamlined	3000	3	10	26	2855.2	820.0	130.2	5228.0	63
10 Disk Airframe	3000	3	10	26	2849.8	819.6	130.0	6869.6	63
10 Close Structure	3000	3	10	26	2851.9	819.7	124.1	6938.0	74
10 Slab	3000	3	10	26	2850.2	819.6	124.8	7451.0	116
10 Slab Streamlined	3000	3	10	26	2850.2	819.6	128.5	6596.0	116
10 Slab Airframe	3000	3	10	26	2843.5	819.1	132.0	8648.0	116
10 Open Frame	3000	6	20	28	2809.0	816.5	125.5	4886.0	147
10 Needle	3000	6	20	28	2832.1	818.3	126.8	6425.0	126
10 Needle Streamlined	3000	6	20	28	2832.1	818.3	130.4	5684.0	126
10 Needle Airframe	3000	6	20	28	2820.4	817.4	134.1	7462.4	126
10 Wedge	3000	6	20	28	2825.5	817.8	126.2	7451.0	105
10 Wedge Streamlined	3000	6	20	28	2825.5	817.8	130.5	6596.0	105
10 Wedge Airframe	3000	6	20	28	2812.0	816.8	137.5	8648.0	105
10 Cylinder	3000	6	20	28	2838.7	818.7	125.8	5399.0	84
10 Cylinder Streamlined	3000	6	20	28	2838.7	818.7	129.8	4772.0	84
10 Cylinder Airframe	3000	6	20	28	2828.8	818.0	137.3	6276.8	84
10 Box	3000	6	20	28	2835.4	818.5	125.1	5912.0	53
10 Box Streamlined	3000	6	20	28	2835.4	818.5	129.2	5228.0	53
10 Sphere	3000	6	20	28	2842.0	819.0	126.4	4886.0	42
10 Sphere Streamlined	3000	6	20	28	2842.0	819.0	130.3	4316.0	42
10 Disk	3000	6	20	28	2835.4	818.5	129.8	5912.0	63
10 Disk Streamlined	3000	6	20	28	2835.4	818.5	133.8	5228.0	63
10 Disk Airframe	3000	6	20	28	2824.6	817.7	133.5	6869.6	63
10 Close Structure	3000	6	20	28	2828.8	818.0	124.9	6938.0	74
10 Slab	3000	6	20	28	2825.5	817.8	126.2	7451.0	116
10 Slab Streamlined	3000	6	20	28	2825.5	817.8	130.5	6596.0	116
10 Slab Airframe	3000	6	20	28	2812.0	816.8	137.5	8648.0	116

TL Config	Tons	MaxG	Armor	Struct	Volume	Power	Cost	Surface	Length
12 Open Frame	3000	3	10	26	2856.1	520.0	139.5	4886.0	147
12 Needle	3000	3	10	26	2862.7	520.5	140.0	6425.0	126
12 Needle Streamlined	3000	3	10	26	2862.7	520.5	143.4	5684.0	126
12 Needle Airframe	3000	3	10	26	2859.4	520.3	145.0	7462.4	126
12 Wedge	3000	3	10	26	2860.8	520.4	139.7	7451.0	105
12 Wedge Streamlined	3000	3	10	26	2860.8	520.4	143.4	6596.0	105
12 Wedge Airframe	3000	3	10	26	2857.0	520.1	146.5	8648.0	105
12 Cylinder	3000	3	10	26	2864.6	520.7	139.6	5399.0	84
12 Cylinder Streamlined	3000	3	10	26	2864.6	520.7	143.1	4772.0	84
12 Cylinder Airframe	3000	3	10	26	2861.8	520.5	146.4	6276.8	84
12 Box	3000	3	10	26	2863.7	520.6	139.3	5912.0	53
12 Box Streamlined	3000	3	10	26	2863.7	520.6	142.8	5228.0	53
12 Sphere	3000	3	10	26	2865.6	520.7	139.8	4886.0	42
12 Sphere Streamlined	3000	3	10	26	2865.6	520.7	143.3	4316.0	42
12 Disk	3000	3	10	26	2863.7	520.6	141.3	5912.0	63
12 Disk Streamlined	3000	3	10	26	2863.7	520.6	144.9	5228.0	63
12 Disk Airframe	3000	3	10	26	2860.6	520.4	144.7	6869.6	63
12 Close Structure	3000	3	10	26	2861.8	520.5	139.2	6938.0	74
12 Slab	3000	3	10	26	2860.8	520.4	139.7	7451.0	116
12 Slab Streamlined	3000	3	10	26	2860.8	520.4	143.4	6596.0	116
12 Slab Airframe	3000	3	10	26	2857.0	520.1	146.5	8648.0	116
12 Open Frame	3000	6	20	28	2837.3	518.6	140.6	4886.0	147
12 Needle	3000	6	20	28	2850.5	519.6	141.6	6425.0	126
12 Needle Streamlined	3000	6	20	28	2850.5	519.6	145.2	5684.0	126
12 Needle Airframe	3000	6	20	28	2843.8	519.1	148.5	7462.4	126
12 Wedge	3000	6	20	28	2846.7	519.3	141.1	7451.0	105
12 Wedge Streamlined	3000	6	20	28	2846.7	519.3	145.2	6596.0	105
12 Wedge Airframe	3000	6	20	28	2839.0	518.8	151.5	8648.0	105
12 Cylinder	3000	6	20	28	2854.3	519.9	140.7	5399.0	84
12 Cylinder Streamlined	3000	6	20	28	2854.3	519.9	144.6	4772.0	84
12 Cylinder Airframe	3000	6	20	28	2848.6	519.5	151.3	6276.8	84
12 Box	3000	6	20	28	2852.4	519.8	140.1	5912.0	53
12 Box Streamlined	3000	6	20	28	2852.4	519.8	144.1	5228.0	53
12 Sphere	3000	6	20	28	2856.1	520.0	141.2	4886.0	42
12 Sphere Streamlined	3000	6	20	28	2856.1	520.0	145.0	4316.0	42
12 Disk	3000	6	20	28	2852.4	519.8	144.2	5912.0	63
12 Disk Streamlined	3000	6	20	28	2852.4	519.8	148.2	5228.0	63
12 Disk Airframe	3000	6	20	28	2846.2	519.3	147.9	6869.6	63
12 Close Structure	3000	6	20	28	2848.6	519.5	139.9	6938.0	74
12 Slab	3000	6	20	28	2846.7	519.3	141.1	7451.0	116
12 Slab Streamlined	3000	6	20	28	2846.7	519.3	145.2	6596.0	116
12 Slab Airframe	3000	6	20	28	2839.0	518.8	151.5	8648.0	116

TL Config	Tons	MaxG	Armor	Struct	Volume	Power	Cost	Surface	Length
14 Open Frame	3000	3	10	26	2865.6	520.7	139.6	4886.0	147
14 Needle	3000	3	10	26	2868.9	521.0	140.1	6425.0	126
14 Needle Streamlined	3000	3	10	26	2868.9	521.0	143.5	5684.0	126
14 Needle Airframe	3000	3	10	26	2867.2	520.9	145.1	7462.4	126
14 Wedge	3000	3	10	26	2867.9	520.9	139.8	7451.0	105
14 Wedge Streamlined	3000	3	10	26	2867.9	520.9	143.5	6596.0	105
14 Wedge Airframe	3000	3	10	26	2866.0	520.8	146.7	8648.0	105
14 Cylinder	3000	3	10	26	2869.8	521.0	139.6	5399.0	84
14 Cylinder Streamlined	3000	3	10	26	2869.8	521.0	143.2	4772.0	84
14 Cylinder Airframe	3000	3	10	26	2868.4	520.9	146.5	6276.8	84
14 Box	3000	3	10	26	2869.3	521.0	139.3	5912.0	53
14 Box Streamlined	3000	3	10	26	2869.3	521.0	142.9	5228.0	53
14 Sphere	3000	3	10	26	2870.3	521.1	139.9	4886.0	42
14 Sphere Streamlined	3000	3	10	26	2870.3	521.1	143.4	4316.0	42
14 Disk	3000	3	10	26	2869.3	521.0	141.4	5912.0	63
14 Disk Streamlined	3000	3	10	26	2869.3	521.0	145.0	5228.0	63
14 Disk Airframe	3000	3	10	26	2867.8	520.9	144.8	6869.6	63
14 Close Structure	3000	3	10	26	2868.4	520.9	139.3	6938.0	74
14 Slab	3000	3	10	26	2867.9	520.9	139.8	7451.0	116
14 Slab Streamlined	3000	3	10	26	2867.9	520.9	143.5	6596.0	116
14 Slab Airframe	3000	3	10	26	2866.0	520.8	146.7	8648.0	116
14 Open Frame	3000	6	20	28	2856.1	520.0	140.9	4886.0	147
14 Needle	3000	6	20	28	2862.7	520.5	141.8	6425.0	126
14 Needle Streamlined	3000	6	20	28	2862.7	520.5	145.4	5684.0	126
14 Needle Airframe	3000	6	20	28	2859.4	520.3	148.7	7462.4	126
14 Wedge	3000	6	20	28	2860.8	520.4	141.3	7451.0	105
14 Wedge Streamlined	3000	6	20	28	2860.8	520.4	145.4	6596.0	105
14 Wedge Airframe	3000	6	20	28	2857.0	520.1	151.8	8648.0	105
14 Cylinder	3000	6	20	28	2864.6	520.7	140.9	5399.0	84
14 Cylinder Streamlined	3000	6	20	28	2864.6	520.7	144.8	4772.0	84
14 Cylinder Airframe	3000	6	20	28	2861.8	520.5	151.5	6276.8	84
14 Box	3000	6	20	28	2863.7	520.6	140.3	5912.0	53
14 Box Streamlined	3000	6	20	28	2863.7	520.6	144.3	5228.0	53
14 Sphere	3000	6	20	28	2865.6	520.7	141.3	4886.0	42
14 Sphere Streamlined	3000	6	20	28	2865.6	520.7	145.2	4316.0	42
14 Disk	3000	6	20	28	2863.7	520.6	144.4	5912.0	63
14 Disk Streamlined	3000	6	20	28	2863.7	520.6	148.4	5228.0	63
14 Disk Airframe	3000	6	20	28	2860.6	520.4	148.2	6869.6	63
14 Close Structure	3000	6	20	28	2861.8	520.5	140.1	6938.0	74
14 Slab	3000	6	20	28	2860.8	520.4	141.3	7451.0	116
14 Slab Streamlined	3000	6	20	28	2860.8	520.4	145.4	6596.0	116
14 Slab Airframe	3000	6	20	28	2857.0	520.1	151.8	8648.0	116

TL Config	Tons	MaxG	Armor	Struct	Volume	Power	Cost	Surface	Length
9 Open Frame	4000	3	10	28	3722.2	1491.2	146.0	5980.0	165
9 Needle	4000	3	10	28	3741.1	1492.6	146.9	7870.0	141
9 Needle Streamlined	4000	3	10	28	3741.1	1492.6	151.5	6960.0	141
9 Needle Airframe	4000	3	10	28	3731.5	1491.9	154.1	9144.0	141
9 Wedge	4000	3	10	28	3735.7	1492.2	146.5	9130.0	118
9 Wedge Streamlined	4000	3	10	28	3735.7	1492.2	151.5	8080.0	118
9 Wedge Airframe	4000	3	10	28	3724.6	1491.4	156.6	10600.0	118
9 Cylinder	4000	3	10	28	3746.5	1493.0	146.3	6610.0	94
9 Cylinder Streamlined	4000	3	10	28	3746.5	1493.0	151.1	5840.0	94
9 Cylinder Airframe	4000	3	10	28	3738.4	1492.4	156.5	7688.0	94
9 Box	4000	3	10	28	3743.8	1492.8	145.7	7240.0	59
9 Box Streamlined	4000	3	10	28	3743.8	1492.8	150.6	6400.0	59
9 Sphere	4000	3	10	28	3749.2	1493.2	146.7	5980.0	47
9 Sphere Streamlined	4000	3	10	28	3749.2	1493.2	151.4	5280.0	47
9 Disk	4000	3	10	28	3743.8	1492.8	149.1	7240.0	71
9 Disk Streamlined	4000	3	10	28	3743.8	1492.8	154.0	6400.0	71
9 Disk Airframe	4000	3	10	28	3734.9	1492.2	153.7	8416.0	71
9 Close Structure	4000	3	10	28	3738.4	1492.4	145.5	8500.0	82
9 Slab	4000	3	10	28	3735.7	1492.2	146.5	9130.0	129
9 Slab Streamlined	4000	3	10	28	3735.7	1492.2	151.5	8080.0	129
9 Slab Airframe	4000	3	10	28	3724.6	1491.4	156.6	10600.0	129
9 Open Frame	4000	6	20	28	3668.2	1487.2	147.5	5980.0	165
9 Needle	4000	6	20	28	3706.0	1490.0	149.3	7870.0	141
9 Needle Streamlined	4000	6	20	28	3706.0	1490.0	154.3	6960.0	141
9 Needle Airframe	4000	6	20	28	3686.8	1488.6	159.5	9144.0	141
9 Wedge	4000	6	20	28	3695.2	1489.2	148.4	9130.0	118
9 Wedge Streamlined	4000	6	20	28	3695.2	1489.2	154.3	8080.0	118
9 Wedge Airframe	4000	6	20	28	3673.1	1487.6	164.5	10600.0	118
9 Cylinder	4000	6	20	28	3716.8	1490.8	148.0	6610.0	94
9 Cylinder Streamlined	4000	6	20	28	3716.8	1490.8	153.4	5840.0	94
9 Cylinder Airframe	4000	6	20	28	3700.6	1489.6	164.3	7688.0	94
9 Box	4000	6	20	28	3711.4	1490.4	147.0	7240.0	59
9 Box Streamlined	4000	6	20	28	3711.4	1490.4	152.5	6400.0	59
9 Sphere	4000	6	20	28	3722.2	1491.2	148.8	5980.0	47
9 Sphere Streamlined	4000	6	20	28	3722.2	1491.2	154.1	5280.0	47
9 Disk	4000	6	20	28	3711.4	1490.4	153.7	7240.0	71
9 Disk Streamlined	4000	6	20	28	3711.4	1490.4	159.2	6400.0	71
9 Disk Airframe	4000	6	20	28	3693.7	1489.1	158.7	8416.0	71
9 Close Structure	4000	6	20	28	3700.6	1489.6	146.6	8500.0	82
9 Slab	4000	6	20	28	3695.2	1489.2	148.4	9130.0	129
9 Slab Streamlined	4000	6	20	28	3695.2	1489.2	154.3	8080.0	129
9 Slab Airframe	4000	6	20	28	3673.1	1487.6	164.5	10600.0	129

TL Config	Tons	MaxG	Armor	Struct	Volume	Power	Cost	Surface	Length
10 Open Frame	4000	3	10	28	3792.8	1092.2	165.8	5980.0	165
10 Needle	4000	3	10	28	3807.0	1093.3	166.6	7870.0	141
10 Needle Streamlined	4000	3	10	28	3807.0	1093.3	171.1	6960.0	141
10 Needle Airframe	4000	3	10	28	3799.8	1092.8	173.3	9144.0	141
10 Wedge	4000	3	10	28	3802.9	1093.0	166.2	9130.0	118
10 Wedge Streamlined	4000	3	10	28	3802.9	1093.0	171.1	8080.0	118
10 Wedge Airframe	4000	3	10	28	3794.6	1092.4	175.4	10600.0	118
10 Cylinder	4000	3	10	28	3811.0	1093.6	166.0	6610.0	94
10 Cylinder Streamlined	4000	3	10	28	3811.0	1093.6	170.7	5840.0	94
10 Cylinder Airframe	4000	3	10	28	3805.0	1093.1	175.3	7688.0	94
10 Box	4000	3	10	28	3809.0	1093.4	165.6	7240.0	59
10 Box Streamlined	4000	3	10	28	3809.0	1093.4	170.4	6400.0	59
10 Sphere	4000	3	10	28	3813.1	1093.7	166.4	5980.0	47
10 Sphere Streamlined	4000	3	10	28	3813.1	1093.7	171.0	5280.0	47
10 Disk	4000	3	10	28	3809.0	1093.4	168.4	7240.0	71
10 Disk Streamlined	4000	3	10	28	3809.0	1093.4	173.2	6400.0	71
10 Disk Airframe	4000	3	10	28	3802.4	1092.9	173.0	8416.0	71
10 Close Structure	4000	3	10	28	3805.0	1093.1	165.4	8500.0	82
10 Slab	4000	3	10	28	3802.9	1093.0	166.2	9130.0	129
10 Slab Streamlined	4000	3	10	28	3802.9	1093.0	171.1	8080.0	129
10 Slab Airframe	4000	3	10	28	3794.6	1092.4	175.4	10600.0	129
10 Open Frame	4000	6	20	28	3752.3	1089.2	167.1	5980.0	165
10 Needle	4000	6	20	28	3780.7	1091.3	168.7	7870.0	141
10 Needle Streamlined	4000	6	20	28	3780.7	1091.3	173.5	6960.0	141
10 Needle Airframe	4000	6	20	28	3766.3	1090.3	178.0	9144.0	141
10 Wedge	4000	6	20	28	3772.6	1090.7	167.9	9130.0	118
10 Wedge Streamlined	4000	6	20	28	3772.6	1090.7	173.5	8080.0	118
10 Wedge Airframe	4000	6	20	28	3756.0	1089.5	182.1	10600.0	118
10 Cylinder	4000	6	20	28	3788.8	1091.9	167.5	6610.0	94
10 Cylinder Streamlined	4000	6	20	28	3788.8	1091.9	172.8	5840.0	94
10 Cylinder Airframe	4000	6	20	28	3776.6	1091.0	181.9	7688.0	94
10 Box	4000	6	20	28	3784.7	1091.6	166.7	7240.0	59
10 Box Streamlined	4000	6	20	28	3784.7	1091.6	172.0	6400.0	59
10 Sphere	4000	6	20	28	3792.8	1092.2	168.2	5980.0	47
10 Sphere Streamlined	4000	6	20	28	3792.8	1092.2	173.3	5280.0	47
10 Disk	4000	6	20	28	3784.7	1091.6	172.3	7240.0	71
10 Disk Streamlined	4000	6	20	28	3784.7	1091.6	177.7	6400.0	71
10 Disk Airframe	4000	6	20	28	3771.4	1090.7	177.3	8416.0	71
10 Close Structure	4000	6	20	28	3776.6	1091.0	166.4	8500.0	82
10 Slab	4000	6	20	28	3772.6	1090.7	167.9	9130.0	129
10 Slab Streamlined	4000	6	20	28	3772.6	1090.7	173.5	8080.0	129
10 Slab Airframe	4000	6	20	28	3756.0	1089.5	182.1	10600.0	129

TL Config	Tons	MaxG	Armor	Struct	Volume	Power	Cost	Surface	Length
12 Open Frame	4000	3	10	28	3810.2	693.5	185.9	5980.0	165
12 Needle	4000	3	10	28	3818.3	694.1	186.5	7870.0	141
12 Needle Streamlined	4000	3	10	28	3818.3	694.1	191.0	6960.0	141
12 Needle Airframe	4000	3	10	28	3814.2	693.8	193.0	9144.0	141
12 Wedge	4000	3	10	28	3816.0	694.0	186.2	9130.0	118
12 Wedge Streamlined	4000	3	10	28	3816.0	694.0	191.0	8080.0	118
12 Wedge Airframe	4000	3	10	28	3811.2	693.6	194.9	10600.0	118
12 Cylinder	4000	3	10	28	3820.6	694.3	186.0	6610.0	94
12 Cylinder Streamlined	4000	3	10	28	3820.6	694.3	190.6	5840.0	94
12 Cylinder Airframe	4000	3	10	28	3817.1	694.0	194.7	7688.0	94
12 Box	4000	3	10	28	3819.4	694.2	185.6	7240.0	59
12 Box Streamlined	4000	3	10	28	3819.4	694.2	190.3	6400.0	59
12 Sphere	4000	3	10	28	3821.7	694.4	186.2	5980.0	47
12 Sphere Streamlined	4000	3	10	28	3821.7	694.4	190.9	5280.0	47
12 Disk	4000	3	10	28	3819.4	694.2	188.1	7240.0	71
12 Disk Streamlined	4000	3	10	28	3819.4	694.2	192.8	6400.0	71
12 Disk Airframe	4000	3	10	28	3815.6	693.9	192.7	8416.0	71
12 Close Structure	4000	3	10	28	3817.1	694.0	185.5	8500.0	82
12 Slab	4000	3	10	28	3816.0	694.0	186.2	9130.0	129
12 Slab Streamlined	4000	3	10	28	3816.0	694.0	191.0	8080.0	129
12 Slab Airframe	4000	3	10	28	3811.2	693.6	194.9	10600.0	129
12 Open Frame	4000	6	20	28	3787.0	691.8	187.2	5980.0	165
12 Needle	4000	6	20	28	3803.2	693.0	188.5	7870.0	141
12 Needle Streamlined	4000	6	20	28	3803.2	693.0	193.2	6960.0	141
12 Needle Airframe	4000	6	20	28	3795.0	692.4	197.2	9144.0	141
12 Wedge	4000	6	20	28	3798.6	692.7	187.8	9130.0	118
12 Wedge Streamlined	4000	6	20	28	3798.6	692.7	193.3	8080.0	118
12 Wedge Airframe	4000	6	20	28	3789.1	692.0	201.0	10600.0	118
12 Cylinder	4000	6	20	28	3807.9	693.4	187.4	6610.0	94
12 Cylinder Streamlined	4000	6	20	28	3807.9	693.4	192.5	5840.0	94
12 Cylinder Airframe	4000	6	20	28	3800.9	692.8	200.7	7688.0	94
12 Box	4000	6	20	28	3805.5	693.2	186.6	7240.0	59
12 Box Streamlined	4000	6	20	28	3805.5	693.2	191.9	6400.0	59
12 Sphere	4000	6	20	28	3810.2	693.5	188.0	5980.0	47
12 Sphere Streamlined	4000	6	20	28	3810.2	693.5	193.0	5280.0	47
12 Disk	4000	6	20	28	3805.5	693.2	191.7	7240.0	71
12 Disk Streamlined	4000	6	20	28	3805.5	693.2	196.9	6400.0	71
12 Disk Airframe	4000	6	20	28	3798.0	692.6	196.6	8416.0	71
12 Close Structure	4000	6	20	28	3800.9	692.8	186.4	8500.0	82
12 Slab	4000	6	20	28	3798.6	692.7	187.8	9130.0	129
12 Slab Streamlined	4000	6	20	28	3798.6	692.7	193.3	8080.0	129
12 Slab Airframe	4000	6	20	28	3789.1	692.0	201.0	10600.0	129

TL Config	Tons	MaxG	Armor	Struct	Volume	Power	Cost	Surface	Length
14 Open Frame	4000	3	10	28	3821.7	694.4	186.0	5980.0	165
14 Needle	4000	3	10	28	3825.8	694.7	186.6	7870.0	141
14 Needle Streamlined	4000	3	10	28	3825.8	694.7	191.1	6960.0	141
14 Needle Airframe	4000	3	10	28	3823.7	694.5	193.1	9144.0	141
14 Wedge	4000	3	10	28	3824.6	694.6	186.3	9130.0	118
14 Wedge Streamlined	4000	3	10	28	3824.6	694.6	191.1	8080.0	118
14 Wedge Airframe	4000	3	10	28	3822.3	694.4	195.0	10600.0	118
14 Cylinder	4000	3	10	28	3826.9	694.8	186.0	6610.0	94
14 Cylinder Streamlined	4000	3	10	28	3826.9	694.8	190.7	5840.0	94
14 Cylinder Airframe	4000	3	10	28	3825.2	694.6	194.8	7688.0	94
14 Box	4000	3	10	28	3826.4	694.7	185.7	7240.0	59
14 Box Streamlined	4000	3	10	28	3826.4	694.7	190.4	6400.0	59
14 Sphere	4000	3	10	28	3827.5	694.8	186.3	5980.0	47
14 Sphere Streamlined	4000	3	10	28	3827.5	694.8	190.9	5280.0	47
14 Disk	4000	3	10	28	3826.4	694.7	188.2	7240.0	71
14 Disk Streamlined	4000	3	10	28	3826.4	694.7	192.9	6400.0	71
14 Disk Airframe	4000	3	10	28	3824.5	694.6	192.8	8416.0	71
14 Close Structure	4000	3	10	28	3825.2	694.6	185.6	8500.0	82
14 Slab	4000	3	10	28	3824.6	694.6	186.3	9130.0	129
14 Slab Streamlined	4000	3	10	28	3824.6	694.6	191.1	8080.0	129
14 Slab Airframe	4000	3	10	28	3822.3	694.4	195.0	10600.0	129
14 Open Frame	4000	6	20	28	3810.2	693.5	187.6	5980.0	165
14 Needle	4000	6	20	28	3818.3	694.1	188.7	7870.0	141
14 Needle Streamlined	4000	6	20	28	3818.3	694.1	193.4	6960.0	141
14 Needle Airframe	4000	6	20	28	3814.2	693.8	197.5	9144.0	141
14 Wedge	4000	6	20	28	3816.0	694.0	188.1	9130.0	118
14 Wedge Streamlined	4000	6	20	28	3816.0	694.0	193.5	8080.0	118
14 Wedge Airframe	4000	6	20	28	3811.2	693.6	201.3	10600.0	118
14 Cylinder	4000	6	20	28	3820.6	694.3	187.6	6610.0	94
14 Cylinder Streamlined	4000	6	20	28	3820.6	694.3	192.7	5840.0	94
14 Cylinder Airframe	4000	6	20	28	3817.1	694.0	201.0	7688.0	94
14 Box	4000	6	20	28	3819.4	694.2	186.8	7240.0	59
14 Box Streamlined	4000	6	20	28	3819.4	694.2	192.1	6400.0	59
14 Sphere	4000	6	20	28	3821.7	694.4	188.1	5980.0	47
14 Sphere Streamlined	4000	6	20	28	3821.7	694.4	193.2	5280.0	47
14 Disk	4000	6	20	28	3819.4	694.2	191.9	7240.0	71
14 Disk Streamlined	4000	6	20	28	3819.4	694.2	197.1	6400.0	71
14 Disk Airframe	4000	6	20	28	3815.6	693.9	196.8	8416.0	71
14 Close Structure	4000	6	20	28	3817.1	694.0	186.6	8500.0	82
14 Slab	4000	6	20	28	3816.0	694.0	188.1	9130.0	129
14 Slab Streamlined	4000	6	20	28	3816.0	694.0	193.5	8080.0	129
14 Slab Airframe	4000	6	20	28	3811.2	693.6	201.3	10600.0	129

TL Config	Tons	MaxG	Armor	Struct	Volume	Power	Cost	Surface	Length
9 Open Frame	5000	3	10	28	4658.5	1864.5	182.3	6796.0	179
9 Needle	5000	3	10	28	4680.1	1866.1	183.4	8956.0	153
9 Needle Streamlined	5000	3	10	28	4680.1	1866.1	189.1	7916.0	153
9 Needle Airframe	5000	3	10	28	4669.2	1865.3	192.1	10412.0	153
9 Wedge	5000	3	10	28	4673.9	1865.6	182.9	10396.0	128
9 Wedge Streamlined	5000	3	10	28	4673.9	1865.6	189.1	9196.0	128
9 Wedge Airframe	5000	3	10	28	4661.3	1864.7	194.9	12076.0	128
9 Cylinder	5000	3	10	28	4686.3	1866.5	182.6	7516.0	102
9 Cylinder Streamlined	5000	3	10	28	4686.3	1866.5	188.6	6636.0	102
9 Cylinder Airframe	5000	3	10	28	4677.0	1865.8	194.8	8748.0	102
9 Box	5000	3	10	28	4683.2	1866.3	182.0	8236.0	64
9 Box Streamlined	5000	3	10	28	4683.2	1866.3	188.1	7276.0	64
9 Sphere	5000	3	10	28	4689.4	1866.8	183.1	6796.0	51
9 Sphere Streamlined	5000	3	10	28	4689.4	1866.8	189.0	5996.0	51
9 Disk	5000	3	10	28	4683.2	1866.3	185.9	8236.0	77
9 Disk Streamlined	5000	3	10	28	4683.2	1866.3	191.9	7276.0	77
9 Disk Airframe	5000	3	10	28	4673.1	1865.6	191.6	9580.0	77
9 Close Structure	5000	3	10	28	4677.0	1865.8	181.8	9676.0	89
9 Slab	5000	3	10	28	4673.9	1865.6	182.9	10396.0	140
9 Slab Streamlined	5000	3	10	28	4673.9	1865.6	189.1	9196.0	140
9 Slab Airframe	5000	3	10	28	4661.3	1864.7	194.9	12076.0	140
9 Open Frame	5000	6	20	28	4596.8	1859.9	184.0	6796.0	179
9 Needle	5000	6	20	28	4640.0	1863.1	186.2	8956.0	153
9 Needle Streamlined	5000	6	20	28	4640.0	1863.1	192.2	7916.0	153
9 Needle Airframe	5000	6	20	28	4618.1	1861.5	198.3	10412.0	153
9 Wedge	5000	6	20	28	4627.6	1862.2	185.1	10396.0	128
9 Wedge Streamlined	5000	6	20	28	4627.6	1862.2	192.3	9196.0	128
9 Wedge Airframe	5000	6	20	28	4602.4	1860.3	203.9	12076.0	128
9 Cylinder	5000	6	20	28	4652.3	1864.0	184.6	7516.0	102
9 Cylinder Streamlined	5000	6	20	28	4652.3	1864.0	191.3	6636.0	102
9 Cylinder Airframe	5000	6	20	28	4633.8	1862.6	203.7	8748.0	102
9 Box	5000	6	20	28	4646.1	1863.6	183.4	8236.0	64
9 Box Streamlined	5000	6	20	28	4646.1	1863.6	190.2	7276.0	64
9 Sphere	5000	6	20	28	4658.5	1864.5	185.5	6796.0	51
9 Sphere Streamlined	5000	6	20	28	4658.5	1864.5	192.1	5996.0	51
9 Disk	5000	6	20	28	4646.1	1863.6	191.1	8236.0	77
9 Disk Streamlined	5000	6	20	28	4646.1	1863.6	197.9	7276.0	77
9 Disk Airframe	5000	6	20	28	4625.9	1862.1	197.3	9580.0	77
9 Close Structure	5000	6	20	28	4633.8	1862.6	183.0	9676.0	89
9 Slab	5000	6	20	28	4627.6	1862.2	185.1	10396.0	140
9 Slab Streamlined	5000	6	20	28	4627.6	1862.2	192.3	9196.0	140
9 Slab Airframe	5000	6	20	28	4602.4	1860.3	203.9	12076.0	140

TL Config	Tons	MaxG	Armor	Struct	Volume	Power	Cost	Surface	Length
10 Open Frame	5000	3	10	28	4745.3	1365.6	207.2	6796.0	179
10 Needle	5000	3	10	28	4761.6	1366.8	208.0	8956.0	153
10 Needle Streamlined	5000	3	10	28	4761.6	1366.8	213.6	7916.0	153
10 Needle Airframe	5000	3	10	28	4753.3	1366.2	216.2	10412.0	153
10 Wedge	5000	3	10	28	4756.9	1366.5	207.6	10396.0	128
10 Wedge Streamlined	5000	3	10	28	4756.9	1366.5	213.6	9196.0	128
10 Wedge Airframe	5000	3	10	28	4747.5	1365.8	218.6	12076.0	128
10 Cylinder	5000	3	10	28	4766.2	1367.2	207.4	7516.0	102
10 Cylinder Streamlined	5000	3	10	28	4766.2	1367.2	213.2	6636.0	102
10 Cylinder Airframe	5000	3	10	28	4759.2	1366.6	218.5	8748.0	102
10 Box	5000	3	10	28	4763.9	1367.0	206.9	8236.0	64
10 Box Streamlined	5000	3	10	28	4763.9	1367.0	212.8	7276.0	64
10 Sphere	5000	3	10	28	4768.5	1367.3	207.8	6796.0	51
10 Sphere Streamlined	5000	3	10	28	4768.5	1367.3	213.5	5996.0	51
10 Disk	5000	3	10	28	4763.9	1367.0	210.1	8236.0	77
10 Disk Streamlined	5000	3	10	28	4763.9	1367.0	216.0	7276.0	77
10 Disk Airframe	5000	3	10	28	4756.3	1366.4	215.8	9580.0	77
10 Close Structure	5000	3	10	28	4759.2	1366.6	206.7	9676.0	89
10 Slab	5000	3	10	28	4756.9	1366.5	207.6	10396.0	140
10 Slab Streamlined	5000	3	10	28	4756.9	1366.5	213.6	9196.0	140
10 Slab Airframe	5000	3	10	28	4747.5	1365.8	218.6	12076.0	140
10 Open Frame	5000	6	20	28	4699.1	1362.2	208.7	6796.0	179
10 Needle	5000	6	20	28	4731.5	1364.6	210.4	8956.0	153
10 Needle Streamlined	5000	6	20	28	4731.5	1364.6	216.4	7916.0	153
10 Needle Airframe	5000	6	20	28	4715.0	1363.4	221.5	10412.0	153
10 Wedge	5000	6	20	28	4722.2	1363.9	209.5	10396.0	128
10 Wedge Streamlined	5000	6	20	28	4722.2	1363.9	216.4	9196.0	128
10 Wedge Airframe	5000	6	20	28	4703.3	1362.5	226.2	12076.0	128
10 Cylinder	5000	6	20	28	4740.7	1365.3	209.1	7516.0	102
10 Cylinder Streamlined	5000	6	20	28	4740.7	1365.3	215.5	6636.0	102
10 Cylinder Airframe	5000	6	20	28	4726.8	1364.2	226.0	8748.0	102
10 Box	5000	6	20	28	4736.1	1364.9	208.1	8236.0	64
10 Box Streamlined	5000	6	20	28	4736.1	1364.9	214.6	7276.0	64
10 Sphere	5000	6	20	28	4745.3	1365.6	209.9	6796.0	51
10 Sphere Streamlined	5000	6	20	28	4745.3	1365.6	216.2	5996.0	51
10 Disk	5000	6	20	28	4736.1	1364.9	214.6	8236.0	77
10 Disk Streamlined	5000	6	20	28	4736.1	1364.9	221.1	7276.0	77
10 Disk Airframe	5000	6	20	28	4720.9	1363.8	220.7	9580.0	77
10 Close Structure	5000	6	20	28	4726.8	1364.2	207.8	9676.0	89
10 Slab	5000	6	20	28	4722.2	1363.9	209.5	10396.0	140
10 Slab Streamlined	5000	6	20	28	4722.2	1363.9	216.4	9196.0	140
10 Slab Airframe	5000	6	20	28	4703.3	1362.5	226.2	12076.0	140

TL Config	Tons	MaxG	Armor	Struct	Volume	Power	Cost	Surface	Length
12 Open Frame	5000	3	10	28	4765.2	867.1	232.2	6796.0	179
12 Needle	5000	3	10	28	4774.4	867.8	232.9	8956.0	153
12 Needle Streamlined	5000	3	10	28	4774.4	867.8	238.5	7916.0	153
12 Needle Airframe	5000	3	10	28	4769.8	867.4	240.8	10412.0	153
12 Wedge	5000	3	10	28	4771.8	867.6	232.5	10396.0	128
12 Wedge Streamlined	5000	3	10	28	4771.8	867.6	238.5	9196.0	128
12 Wedge Airframe	5000	3	10	28	4766.4	867.2	242.9	12076.0	128
12 Cylinder	5000	3	10	28	4777.1	868.0	232.3	7516.0	102
12 Cylinder Streamlined	5000	3	10	28	4777.1	868.0	238.1	6636.0	102
12 Cylinder Airframe	5000	3	10	28	4773.1	867.7	242.8	8748.0	102
12 Box	5000	3	10	28	4775.8	867.9	231.9	8236.0	64
12 Box Streamlined	5000	3	10	28	4775.8	867.9	237.7	7276.0	64
12 Sphere	5000	3	10	28	4778.4	868.1	232.6	6796.0	51
12 Sphere Streamlined	5000	3	10	28	4778.4	868.1	238.4	5996.0	51
12 Disk	5000	3	10	28	4775.8	867.9	234.7	8236.0	77
12 Disk Streamlined	5000	3	10	28	4775.8	867.9	240.6	7276.0	77
12 Disk Airframe	5000	3	10	28	4771.4	867.6	240.4	9580.0	77
12 Close Structure	5000	3	10	28	4773.1	867.7	231.7	9676.0	89
12 Slab	5000	3	10	28	4771.8	867.6	232.5	10396.0	140
12 Slab Streamlined	5000	3	10	28	4771.8	867.6	238.5	9196.0	140
12 Slab Airframe	5000	3	10	28	4766.4	867.2	242.9	12076.0	140
12 Open Frame	5000	6	20	28	4738.7	865.1	233.7	6796.0	179
12 Needle	5000	6	20	28	4757.3	866.5	235.2	8956.0	153
12 Needle Streamlined	5000	6	20	28	4757.3	866.5	241.0	7916.0	153
12 Needle Airframe	5000	6	20	28	4747.9	865.8	245.6	10412.0	153
12 Wedge	5000	6	20	28	4752.0	866.1	234.4	10396.0	128
12 Wedge Streamlined	5000	6	20	28	4752.0	866.1	241.1	9196.0	128
12 Wedge Airframe	5000	6	20	28	4741.1	865.3	249.9	12076.0	128
12 Cylinder	5000	6	20	28	4762.5	866.9	233.9	7516.0	102
12 Cylinder Streamlined	5000	6	20	28	4762.5	866.9	240.2	6636.0	102
12 Cylinder Airframe	5000	6	20	28	4754.6	866.3	249.6	8748.0	102
12 Box	5000	6	20	28	4759.9	866.7	233.1	8236.0	64
12 Box Streamlined	5000	6	20	28	4759.9	866.7	239.5	7276.0	64
12 Sphere	5000	6	20	28	4765.2	867.1	234.6	6796.0	51
12 Sphere Streamlined	5000	6	20	28	4765.2	867.1	240.8	5996.0	51
12 Disk	5000	6	20	28	4759.9	866.7	238.8	8236.0	77
12 Disk Streamlined	5000	6	20	28	4759.9	866.7	245.2	7276.0	77
12 Disk Airframe	5000	6	20	28	4751.2	866.1	244.9	9580.0	77
12 Close Structure	5000	6	20	28	4754.6	866.3	232.8	9676.0	89
12 Slab	5000	6	20	28	4752.0	866.1	234.4	10396.0	140
12 Slab Streamlined	5000	6	20	28	4752.0	866.1	241.1	9196.0	140
12 Slab Airframe	5000	6	20	28	4741.1	865.3	249.9	12076.0	140

TL Config	Tons	MaxG	Armor	Struct	Volume	Power	Cost	Surface	Length
14 Open Frame	5000	3	10	28	4778.4	868.1	232.4	6796.0	179
14 Needle	5000	3	10	28	4783.0	868.4	233.0	8956.0	153
14 Needle Streamlined	5000	3	10	28	4783.0	868.4	238.6	7916.0	153
14 Needle Airframe	5000	3	10	28	4780.7	868.2	240.9	10412.0	153
14 Wedge	5000	3	10	28	4781.7	868.3	232.7	10396.0	128
14 Wedge Streamlined	5000	3	10	28	4781.7	868.3	238.6	9196.0	128
14 Wedge Airframe	5000	3	10	28	4779.0	868.1	243.1	12076.0	128
14 Cylinder	5000	3	10	28	4784.4	868.5	232.4	7516.0	102
14 Cylinder Streamlined	5000	3	10	28	4784.4	868.5	238.2	6636.0	102
14 Cylinder Airframe	5000	3	10	28	4782.4	868.4	242.9	8748.0	102
14 Box	5000	3	10	28	4783.7	868.5	232.0	8236.0	64
14 Box Streamlined	5000	3	10	28	4783.7	868.5	237.8	7276.0	64
14 Sphere	5000	3	10	28	4785.0	868.6	232.7	6796.0	51
14 Sphere Streamlined	5000	3	10	28	4785.0	868.6	238.4	5996.0	51
14 Disk	5000	3	10	28	4783.7	868.5	234.9	8236.0	77
14 Disk Streamlined	5000	3	10	28	4783.7	868.5	240.7	7276.0	77
14 Disk Airframe	5000	3	10	28	4781.5	868.3	240.5	9580.0	77
14 Close Structure	5000	3	10	28	4782.4	868.4	231.9	9676.0	89
14 Slab	5000	3	10	28	4781.7	868.3	232.7	10396.0	140
14 Slab Streamlined	5000	3	10	28	4781.7	868.3	238.6	9196.0	140
14 Slab Airframe	5000	3	10	28	4779.0	868.1	243.1	12076.0	140
14 Open Frame	5000	6	20	28	4765.2	867.1	234.1	6796.0	179
14 Needle	5000	6	20	28	4774.4	867.8	235.4	8956.0	153
14 Needle Streamlined	5000	6	20	28	4774.4	867.8	241.3	7916.0	153
14 Needle Airframe	5000	6	20	28	4769.8	867.4	246.0	10412.0	153
14 Wedge	5000	6	20	28	4771.8	867.6	234.7	10396.0	128
14 Wedge Streamlined	5000	6	20	28	4771.8	867.6	241.4	9196.0	128
14 Wedge Airframe	5000	6	20	28	4766.4	867.2	250.3	12076.0	128
14 Cylinder	5000	6	20	28	4777.1	868.0	234.1	7516.0	102
14 Cylinder Streamlined	5000	6	20	28	4777.1	868.0	240.4	6636.0	102
14 Cylinder Airframe	5000	6	20	28	4773.1	867.7	249.9	8748.0	102
14 Box	5000	6	20	28	4775.8	867.9	233.3	8236.0	64
14 Box Streamlined	5000	6	20	28	4775.8	867.9	239.7	7276.0	64
14 Sphere	5000	6	20	28	4778.4	868.1	234.8	6796.0	51
14 Sphere Streamlined	5000	6	20	28	4778.4	868.1	241.0	5996.0	51
14 Disk	5000	6	20	28	4775.8	867.9	239.1	8236.0	77
14 Disk Streamlined	5000	6	20	28	4775.8	867.9	245.5	7276.0	77
14 Disk Airframe	5000	6	20	28	4771.4	867.6	245.2	9580.0	77
14 Close Structure	5000	6	20	28	4773.1	867.7	233.1	9676.0	89
14 Slab	5000	6	20	28	4771.8	867.6	234.7	10396.0	140
14 Slab Streamlined	5000	6	20	28	4771.8	867.6	241.4	9196.0	140
14 Slab Airframe	5000	6	20	28	4766.4	867.2	250.3	12076.0	140