

MINES

Austrian Mines

Belgian Mines

British Mines

Bulgarian Mines

Canadian Mines

Chinese Mines

Czech Mines

Egyptian Mines

French Mines

Generic Mines

German Mines

Israeli Mines

Italian Mines

Polish Mines

Romanian Mines

Russian Mines

Swedish Mines

US Mines

DNG Giant Shotgun

Notes: This is a huge directional mine, which is primarily meant to kill personnel, but has some value against barbed wire and light armored vehicles. The mine is over 300mm in diameter, and fires 9mm steel balls at considerable force. The cone of steel balls is only 2 meters across at 50 meters, and so the blast is very concentrated. This mine is also used to clear dense foliage, and can clear concertina barbed wire coils 5 deep and two high. The Giant Shotgun can be detonated by tripwire or electrical command detonation. The Giant Shotgun can be easily defused, but is unaffected by overpressure (except to possibly knock it over). This mine is manufactured by Austria.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|-------------------|--------|--------|---------------------|--------------|-------------|-----|
| DNG Giant Shotgun | 8 kg | \$1250 | Directional AP-Demo | C20 B180D | 4C | 59 |

DNG Off-Route

Notes: This is an Austrian off-route antitank mine. A sensor is placed across the road up to 50 meters away, and the mine can be set to differentiate between light vehicles, light armored vehicles, and tanks. The mine can also be set to neutralize itself after a predetermined period of time. Hitting a vehicle with the DNG Off-Route is an Average: Grenade Launcher or Easy: Combat Engineer task. This mine can otherwise be neutralized only by destroying it, and is unaffected by overpressure. Note that its batteries burn out after 3 months of continuous operation.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|---------------|---------|--------|--------------------|---------|-------------|-----|
| DNG Off-Route | 13.5 kg | \$1650 | Off-Route Antitank | C16 B32 | 82C | Nil |

Hirtenberger APM-1

Notes: This is an Austrian directional antipersonnel mine that was produced until 1994. It is similar in appearance to the US Claymore, but it is smaller, the fuse wells are on the sides and it has tripod legs. The mine uses 0.5g steel shot and projects 290 balls with considerable force. Several mines may be connected in a series, and it may be command or tripwire detonated. It may be disarmed at normal chances and is unaffected by overpressure.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------------------|--------|-------|-------------------|--------|-------------|-----|
| Hirtenberger APM-1 | 1 kg | \$160 | Directional APERS | C2 B26 | 1C | 4 |

Hirtenberger APM-2

Notes: This is a larger Austrian directional antipersonnel mine that was also produced until 1994. The mine also has 0.5g steel shot, but 1450 fragments are produced. Several mines may be connected in a series, and it may be command or tripwire detonated. It may be disarmed at normal chances, and is unaffected by overpressure.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------------------|---------|-------|-------------------|--------|-------------|-----|
| Hirtenberger APM-2 | 2.95 kg | \$470 | Directional APERS | C7 B85 | 1C | 13 |

NR-409

Notes: This Belgian antipersonnel mine is employed by some NATO countries as well as Iraq and several African nations. It is a minimal metal mine (detecting tasks are one level more difficult), and has an unusually low profile, and is usually colored green or sand brown. The mine cannot be disarmed, since the detonator is sealed inside the body, but is susceptible to overpressure and may detonate if an explosive charge is detonated nearby (25% likely per concussion dice value of the blast at that range). 8 kg of pressure on the mine are enough to detonate it.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------|---------|-------|-------|--------|-------------|-----|
| NR-409 | 0.18 kg | \$3 | APERS | C1 B1 | Nil | 9 |

NR-413

Notes: This is a Belgian stake-type antipersonnel mine. It may only be detonated by a tripwire. The mine is usually detected by a visual inspection of the area. It is easily disarmed, but may be detonated by as little as 2 kilograms of pressure on the tripwire. It is unaffected by overpressure, and only a direct hit by an explosive or small arms fire will detonate it. This mine is used in small numbers by Belgium and in large numbers by Rwanda.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------|---------|-------|----------------|--------|-------------|-----|
| NR-413 | 0.64 kg | \$64 | Bounding APERS | C8 B16 | 13C | 3 |

PRB M-3

Notes: This Belgian antitank mine is large and made mostly of plastic (detection attempts are two levels harder). It has two extra fuze wells to allow for booby trapping. The M-3 is waterproof and may be used on shores or other shallow waters. If not booby trapped, the mine is easily disarmed, and it is susceptible to overpressure (25% chance per concussion dice of damage in the area of the mine to cause a sympathetic detonation). 250 kg of pressure is required to detonate the mine. This mine is in use by some NATO countries, as well as Iraq and several African nations.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|---------|--------|-------|------------------|---------|-------------|-----|
| PRB M-3 | 6.8 kg | \$180 | Plastic Antitank | C20 B25 | 79C | 38 |

PRB M-35

Notes: This is a Belgian plastic antipersonnel mine of the toepopper variety. It affects only the person triggering it, and affects only the legs. Detection attempts against this mine are two levels harder. The mine is easily disarmed, and is susceptible to overpressure (25% chance of detonating per concussion dice applied over it). It is used by NATO and by several African nations. 9 kg of pressure is required to detonate the mine.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|----------|---------|-------|---------------|--------|-------------|-----|
| PRB M-35 | 0.16 kg | \$3 | Plastic APERS | C1 B1 | Nil | 8 |

PRB M-966

Notes: This Belgian metallic mine is a bounding antipersonnel mine. When the mine detonates, a grenade ball is thrown into the air, detonating at head height, and double the normal fragments are directed into the victims' chest and head areas. The warhead is that of a 60mm mortar (HE shell). 4.5 kg of pressure is required to trip the mine; alternatively, a tripwire can be used, and 1 kg of pressure on the wire is required to detonate. The mine may be disarmed at normal chances, but is unaffected affected by overpressure. This mine is in use by NATO and Namibia.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|-----------|---------|-------|----------------|--------|-------------|-----|
| PRB M-966 | 2.95 kg | \$66 | Bounding APERS | C5 B20 | Nil | 3 |

Addermine

Notes: This British Mine uses a LAW-80 antitank rocket launcher to create an off-route mine. The Addermine couples the LAW-80 to an acoustic sensor that triggers when heavy vehicle noise passes between 20 and 200 meters of the weapon. This sensor is only 25% likely to be fooled by other loud noises, is blast-resistant, and can be defused normally. The tripod and sensor may be recovered after the rocket is fired and reloaded with a fresh LAW-80 launcher. (These items weigh 2.5 kg.) The Addermine may also be command detonated from up to 200 meters away.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|-----------|--------|-------|--------------------|--------|-------------|-----|
| Addermine | 12 kg | \$600 | Off-Route Antitank | C6 B4 | 120C | Nil |

Barmine

Notes: The Barmine is a British antitank mine, named for its shape. The Barmine is 1.2 meters long, designed to attack a large part of the vehicle at once. The mine may be easily neutralized by turning the arming lever, but cannot be fully disarmed. It is laid lengthwise in the path of a vehicle, and due to its length, can defeat even vehicles equipped with mine rollers. 140 kg of pressure is required to detonate the mine. The Barmine is susceptible to overpressure, being 20% likely to go off per concussion dice applied to it. The Barmine is used by some NATO countries, India, and Kuwait, and some were captured by Iraq during the 1991 Persian Gulf War. This mine is largely made of wood and plastic and is two levels more difficult to detect with mine detectors.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|---------|---------|-------|------------------|--------|-------------|-----|
| Barmine | 10.4 kg | \$75 | Plastic Antitank | C6 B16 | 126C | 44 |

Mk 7

Notes: This is a conventional British Antitank mine. It may be easily neutralized by unscrewing the fuze and replacing it upside down. It is also susceptible to overpressure, being 20% likely to go off per concussion dice applied to it. The Mk 7 requires 150 kg of pressure to set it off. It may be set off by direct pressure or a tilt rod; this rod requires only 30 kg of pressure to detonate the mine. This mine has been extensively used in Africa and was supplied to Mujahidin rebels in Afghanistan, and is also used by NATO.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------|--------|-------|------|--------|-------------|-----|
|--------|--------|-------|------|--------|-------------|-----|

| | | | | | | |
|-------------|---------|------|----------|--------|------|----|
| Mk 7 | 13.6 kg | \$97 | Antitank | C7 B16 | 142C | 50 |
|-------------|---------|------|----------|--------|------|----|

Ranger Barrier Mine

Notes: This British antipersonnel mine is normally laid in conjunction with the Barmine antitank mine, to keep combat engineers from disabling the Barmine fields. They are also used to rapidly lay defensive minefields, as the Ranger system (normally mounted on a Streaker load carrier vehicle or FV432 armored personnel carrier) can be lay mines at the rate of 1296 mines in 6 minutes. These mines are non-metallic and two levels harder to detect. They are one level harder to defuse without a special arming key. They are totally resistant to overpressure.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|---------------|---------------|--------------|---------------|---------------|--------------------|------------|
| Ranger | 0.19 kg | \$3 | Plastic APERS | C2 B2 | 1C | 0.5 |

PM-79

Notes: This is a Bulgarian antipersonnel mine, similar to the Russian PMN, but smaller. The PM-79 requires a full 50 kg of pressure to operate, so most animals are unlikely to trigger it. The PM-79 has some resistance to overpressure and is only 10% likely per concussion dice applied to it to detonate. It may be disarmed, but as it cannot be neutralized before disarming, attempts are one level harder. The mine is made largely of plastic, and detection attempts are two levels harder. This mine is in use by Bulgaria and has been encountered in the Far East.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------|---------|-------|-------|--------|-------------|-----|
| PM-79 | 0.26 kg | \$12 | APERS | C3 B6 | 3C | 21 |

PSM-1

Notes: This Bulgarian bounding antipersonnel mine may be detonated by pressure (8kg), a tripwire (1kg), or electrical command detonation. The warhead contains a grenade ball with 1200 6mm steel shot spheres; it detonates at 1.5 meters, and double the normal number of fragments is directed into the abdomen and chest areas. The PSM-1 may be disarmed at normal chances, and is unlikely to be affected by overpressure (5% chance of a sympathetic detonation per concussion dice directed at it). This mine is used by Bulgarian forces, and has been used in Cambodia since the Vietnam War.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------|--------|-------|----------------|--------|-------------|-----|
| PSM-1 | 2.5 kg | \$56 | Bounding APERS | C3 B8 | Nil | 4 |

PTM-80P

Notes: This is a Bulgarian antitank mine of conventional metallic design. It is used in place of similar mines in Bulgaria, and has been sold on the open market. 150 kg of pressure are required to detonate it. The mine may be defused normally, and it is 25% likely to go off per concussion dice applied to it. The PTM-80P is waterproof, and may be used in waterlogged places such as shores and swamps.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|---------|---------|-------|----------|---------|-------------|-----|
| PTM-80P | 8.93 kg | \$235 | Antitank | C27 B32 | 100C | 48 |

TM-62M PZ

Notes: This Bulgarian antitank mine is based on the Russian T-62M, but is significantly different in appearance. The mine may be fused normally, requiring 150 kg to detonate; or a combined magnetic/acoustic fuse may be used, in which case the mine will detonate when a sufficient mass of metal or amount of noise (at least equivalent to a motorcycle) passes over it. In this case, the mine will usually detonate when the engine compartment passes over it. If the magnetic/acoustic fuse is used, the mine may be detonated 50% of the time when a mine detector is used, or 10% of the time if a knife blade is used to probe for it. If a normal fuse is used, the mine is 25% likely to go off per concussion dice applied to it.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|-----------|--------|-------|----------|---------|-------------|-----|
| TM-62M PZ | 9 kg | \$270 | Antitank | C25 B30 | 94C | 45 |

C-3A2 Elsie

Notes: This is a Canadian shaped-charge antipersonnel mine. It directs its attack straight up, and affects only the person triggering it. It is used by Canada and Britain. The mine may be easily disarmed if one has the safety clip or a reasonable facsimile; otherwise, disarming attempts are normal. Normally, the mine is almost all plastic and two levels harder to detect with a mine detector; however, a metal ring may be fitted to allow it to be easily found. 7.25 kg of pressure is required to trigger the mine, and it is 15% likely to go off per concussion dice applied to it.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------------------|---------------|--------------|---------------------|---------------|--------------------|------------|
| C-3A2 Elsie | 0.11 kg | \$25 | Shaped Charge APERS | C1 B1 | 4C | 0.7 |

Model 1989

Notes: This is a Chinese antipersonnel mine, copied from the former East German PPM-2. There are two fuses available: a piezoelectric fuse that is sensitive to overpressure (25% chance of premature detonation per concussion dice applied to it), and an electronic fuse that is not affected by overpressure. The electronic fuse also has an antihandling feature that causes the mine to detonate if tilted more than 30 degrees. The mine may be easily disarmed when the normal fuse is used, but should be shot or blown in place if the electronic fuse is used. The Model 1989 requires 13 kg of pressure to trigger.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|-------------------|---------|-------|-------|--------|-------------|-----|
| Model 1989 | 0.38 kg | \$6 | APERS | C2 B4 | 2C | 11 |

Portable Bounding APERS Mine

Notes: The exact designation of this Chinese mine is unknown. It is meant to be an ambush weapon, easily emplaced and moved about. The tripwire takes 1.5 kg of pressure to trigger the mine, or the mine may be detonated by direct pressure of 7 kg. The mine's explosion kicks 4 minelets into the air in about a 15 meter radius, creating a shower of 6000 steel balls at a height of 0.2 to 0.5 meters. The mine causes double the normal number of fragments to be directed into the legs of the victims. The mine is unaffected by overpressure, but due to its "portable" feature, is easily disarmed once found.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------------------------------|--------|-------|----------------|--------|-------------|-----|
| Portable Bounding APERS | 2.8 kg | \$62 | Bounding APERS | C6 B24 | Nil | 10 |

SAPEM

Notes: This Chinese toepopper mine is designed to be scattered from FASCAM shells and aircraft. The mine affects only the person triggering it, and the concussion and fragments affect only that person's legs. A 122mm FASCAM round containing SAPEM mines weighs 11 kg and carries 45 mines. The mine uses an electronic fuse with an antihandling feature that makes it an Impossible: Combat Engineer roll to disarm. Normally, the SAPEM is equipped with a self-destruct feature, but this mechanism tends to malfunction. The SAPEM takes 2 kg of pressure to set off, and thus even a kick will trigger it.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------|--------|-------|------|--------|-------------|-----|
|--------|--------|-------|------|--------|-------------|-----|

| | | | | | | |
|--------------|---------|-----|-------|-------|-----|-----|
| SAPEM | 0.09 kg | \$1 | APERS | C1 B1 | Nil | 0.2 |
|--------------|---------|-----|-------|-------|-----|-----|

SAPM

Notes: This Chinese FASCAM mine is a larger antipersonnel mine. The 122mm round containing the SAPM mines weighs 16 kg and carries 15 SAPM mines. Upon deploying, the mine shoots out two tripwires 10 meters in opposite directions and anchors them to the ground. The mine may be defused at normal probabilities. The SAPM is 10% likely to explode per concussion dice applied to it.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|-------------|---------|-------|-------|--------|-------------|-----|
| SAPM | 0.58 kg | \$12 | APERS | C1 B2 | 1C | 6 |

Type 69

Notes: This Chinese mine is a bounding antipersonnel mine. The fragmentation ball detonates at 1.5m, and double the normal numbers of fragments are directed into the chest and abdomen areas of the victims. The mine may be detonated by direct pressure of 7 kg, or by a pull on a tripwire of 1.5 kg. The mine is easily disarmed, and is unlikely to be affected by overpressure (5% chance of a sympathetic detonation per concussion dice applied to it). The mine is used by the millions in China, and is also used in Afghanistan, Cambodia, Eritrea, and Ethiopia.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|----------------|---------|-------|----------------|--------|-------------|-----|
| Type 69 | 1.35 kg | \$30 | Bounding APERS | C3 B8 | Nil | 2 |

Type 72 APERS

Notes: This Chinese antipersonnel mine is of the toepopper variety; the mine affects only the person who steps on it, and the blast and fragment damage is directed only into the legs of the victim. It is made largely of plastic, and is two levels more difficult to detect. The mine may be easily disarmed by someone who is familiar with the mine by rotating the top until the arming marks line up; however, there is also a version known as the Type 72B, which cannot be disarmed and will detonate if this procedure is done. The Type 72B is one level easier to detect, due to more metallic content. The Type 72 is susceptible to overpressure, and there is a 25% chance of detonation per concussion dice applied to it. 5kg of pressure is required for detonation. This mine is also manufactured by South Africa, and is used in large numbers by China, South Africa, Angola, Cambodia, Iraq, Kuwait, Mozambique, and Somalia.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|----------------------|---------|-------|---------------|--------|-------------|-----|
| Type 72 APERS | 0.14 kg | \$2 | Plastic APERS | C1 B1 | Nil | 7 |

Type 72 Antitank

Notes: This Chinese mine is a minimal metal mine, and is one level more difficult to detect. This mine is very resistant to overpressure, and is only 1% likely to detonate per concussion dice applied to it. 300 kg of pressure is required to detonate it under normal circumstances. Disarming this mine requires a very tricky removal of the fuze; attempts to defuse this mine are one level more difficult than normal. This mine is also produced in South Africa, and used by those countries as well as Angola, Kuwait, and Somalia.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|-------------------|--------|-------|------------------|---------|-------------|-----|
| Type 72 AT | 6.5 kg | \$150 | Plastic Antitank | C18 B22 | 71C | 34 |

PD Mi-PK

Notes: This Czech off-route mine is actually 5 mines in one. The mine may be command-detonated, by a pressure plate up to 30 meters away, or by a tripwire suspended 700mm from the ground. The mine then fires 5 shaped charges into the target with a dispersion of 10-14 meters. The mine is issued with a camouflage net to cover the mine until it fires. Damage and Penetration for each charge are resolved separately, as is each hit number of the charges.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|----------|---------|--------|--------------------|-------------|-------------|-----|
| PD Mi-PK | 10.1 kg | \$1250 | Off-Route Antitank | C8 B12 (x5) | 10C (x5) | Nil |

PP Mi-Na

Notes: This is a Czech mine used in place of the PMN in the Czechoslovakian Army. It is a minimal-metal mine, two levels harder to detect with a mine detector. The mine can be scattered from helicopters and aircraft as well as emplaced manually. If one has the safety key, the mine may be easily neutralized; otherwise, the PP Mi-Na is one level harder to defuse than normal. The PP Mi-Na is 15% likely to be set off per die of concussion applied. 8 kg of pressure is required for detonation.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|----------|---------|-------|-------|--------|-------------|-----|
| PP Mi-Na | 0.18 kg | \$4 | APERS | C1 B2 | Nil | 10 |

PP Mi-Sr

Notes: This bounding antipersonnel mine is manufactured by Czechoslovakia and used by that country and Afghanistan, Cambodia, Nicaragua, and several African nations. The grenade ball is blown 1.5 meters into the air, and double the normal numbers of fragments are directed into the chest and abdomen areas of the victims. The mine may be detonated by 3 kg of pressure, or by electrical detonation. The mine may be disarmed by simply unscrewing the detonator that protrudes from the top. It is unaffected by overpressure.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|----------|--------|-------|----------------|--------|-------------|-----|
| PP Mi-Sr | 3.2 kg | \$70 | Bounding APERS | C5 B16 | Nil | 8 |

PT Mi-Ba

Notes: This is an ancient Czech antitank mine, used since the 1950s. It can be laid mechanically or by hand. The PT Mi-Ba contains enough metal to be detected normally, though the body is made of bakelite. 200 kg of pressure is required to detonate, and it is 30% likely to detonate per concussion dice applied to it. The mine is obsolete, but many were trotted out of storage as newer mines were used up.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|----------|---------|-------|----------|---------|-------------|-----|
| PT Mi-Ba | 7.83 kg | \$205 | Antitank | C21 B25 | 79C | 38 |

PT Mi-U

Notes: This is a newer Czech antitank mine, used by Czechoslovakia in place of the Russian TM-series. It may be detonated by 150 kg of pressure, or 12 kg on a tilt-rod fuse. The mine is minimal-metal and is two levels harder to detect with a mine detector. If one has the locking key, the mine may be easily defused; otherwise, the mine is one level harder than normal. Overpressure also has a small chance of detonating it; 10% chance per concussion dice.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|---------|---------|-------|------------------|---------|-------------|-----|
| PT Mi-U | 9.96 kg | \$260 | Plastic Antitank | C28 B32 | 102C | 49 |

Egyptian Bounding APERS Mine

Notes: This is a new antipersonnel mine, which had not yet been given an official designation before the start of the Twilight War. The fragmentation ball jumps to a height of one meter, inflicting twice the normal number of fragments into the legs and abdomens of the victims. The mine may be disarmed at normal chances, but is unaffected by overpressure. 12 kg of pressure is required for actuation, or a 2 kg pull on a tripwire.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------------------------------|--------|-------|----------------|--------|-------------|-----|
| Egyptian Bounding APERS | 3 kg | \$67 | Bounding APERS | C6 B20 | Nil | 10 |

Alsetex ACPR

Notes: This is a French minimal-metal antitank mine, which may be laid mechanically or manually. The mine may be easily disarmed; indeed, the ACPR is meant to be recovered and re-laid elsewhere if not used. It may be re-set up to 5 times before it's arming becomes permanent and it must be totally defused and the arming mechanism replaced. This mine has almost no metal and is two levels more difficult to detect with a mine detector. Its fuse is blast-resistant, and the ACPR is only 1% likely to detonate per die of concussion applied.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------------|--------|-------|------------------|--------|-------------|-----|
| Alsetex ACPR | 5.8 kg | \$42 | Plastic Antitank | C3 B8 | 64C | 22 |

Alsetex M-51 MACI

Notes: This is a largely conventional French antitank mine. Three fuses are available: a conventional pressure fuse, a tilt-rod, and a "tentacle" fuse, with wide arms to increase the surface area over which the mine will activate. The mine may be booby-trapped with the auxiliary fuse well at the bottom of the mine. The M-51 is a plastic mine and is two levels harder to detect. With both pressure fuses, the operating force required is 300 kg.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|-------------------|--------|-------|------------------|--------|-------------|-----|
| Alsetex M-51 MACI | 7 kg | \$50 | Plastic Antitank | C5 B12 | 101C | 35 |

Alsetex M-61

Notes: This is a French antipersonnel stake mine. The mine may be easily disarmed if the safety cap is present; otherwise, allow normal disarming chances. The mine is non-metallic and is two levels harder to detect. 15 kg of pressure on the detonator is required for detonation. Another version of this mine, the M-63, has an antihandling device and will detonate if lifted.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------------|---------|-------|---------------|--------|-------------|-----|
| Alsetex M-61 | 0.13 kg | \$13 | Plastic APERS | C5 B10 | 7C | 7 |

Alsetex MAPED F1

Notes: This French directional antipersonnel is that country's counterpart to the US Claymore. It can be command detonated or, as is usually the case, initiated by tripwire. A pressure plate, connected to the mine by wire, may also be used. It may be disarmed normally, but is unaffected by overpressure.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|-------------------------|--------|-------|-------------------|---------|-------------|-----|
| Alsetex MAPED F1 | 1 kg | \$160 | Directional APERS | C2 B30D | Nil | 5 |

Giat MIACAH F1

Notes: This is a large French off-route mine. It may be detonated by a tripwire, infrared sensor, acoustic sensor, or a time delay fuse. The mine is not affected by overpressure, and can distinguish between different-sized targets (as set when emplaced). The sensor must be disabled or the tripwire disconnected before the mine is neutralized, which is Difficult: Combat Engineer. The MIACAH is known to be in use by the French and British, and may be used by other NATO forces.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|-----------------------|--------|--------|--------------------|--------|-------------|-----|
| Giat MIACAH F1 | 12 kg | \$1460 | Off-Route Antitank | C7 B10 | 35C | Nil |

HPD-1

Notes: This French antitank mine is also in service with at least one NATO country (probably Belgium). It may be laid manually or mechanically. The mine has a magnetic fuse that detonates it when a mass of metal at least equivalent to a motorcycle passes over it. It may be accidentally detonated 50% of the time when a mine detector is passed over it, or 10% of the time if even a knife blade probes it. The mine is not affected by overpressure, and is one level more difficult to defuse.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------------|--------|-------|----------|--------|-------------|-----|
| HPD-1 | 7 kg | \$70 | Antitank | C5 B12 | 93C | 33 |

MI AP DV 59

Notes: This is a small French mine of the toepopper type. It affects only the person triggering it, and directs all blast and fragment damage into the legs of the victim. It is sometimes known as the M-59, or Inkstand (due to its resemblance to an inkwell). It may be easily disarmed by removing the fuze, but is only 10% likely to detonate per dice of concussion applied to it. It is a plastic mine, so it is two levels harder to detect unless a special metal ring is clipped to it to allow easy detection. 5 kg or pressure is

required to detonate the mine. This mine is used by the French and by Angola and Mozambique.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|----------------|---------|-------|------------------|--------|-------------|-----|
| MI AP DV 59 | 0.13 kg | \$2 | Plastic APERS | C1 B1 | Nil | 7 |

Improvised Antitank

Notes: This is a homemade antitank mine, consisting of a box filled with explosives and fitted with a pressure plate requiring 150kg to detonate (although this is highly variable). Similar mines are produced throughout the world. The mine has a 10% chance of misfiring.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|----------------------------|--------|-------|----------------------|---------|-------------|-----|
| Improvised Antitank | 10 kg | \$350 | Nonmetallic Antitank | C16 B16 | 80C | 26 |

Improvised APERS

Notes: This is a homemade Claymore mine, consisting of a metal backplate, a sheet of plastic explosive, and a layer of nails, scored wire, scrap metal, glass, and other such trash. It is normally detonated from a remote position, but a tripwire can be improvised. The mine has a 10% chance of misfiring. Similar mines are produced throughout the world.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|-------------------------|--------|-------|-------------------|---------|-------------|-----|
| Improvised APERS | 3 kg | \$75 | Directional APERS | C3 B50D | Nil | 9 |

AT-2

Notes: This German antitank mine is scattered from FASCAM rounds fired from the LARS artillery rocket launcher, MLRS, and Skorpion minelayer. It is a shaped charge with an acoustic/magnetic sensor that does not require that the vehicle run directly over the mine with its treads or wheels. When it hits the ground, legs pop out and right the mine. It may be set for self-destruct, and it has an antihandling feature that makes defusing the mine an Impossible roll.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------|---------|-------|------------------------|--------|-------------|-----|
| AT-2 | 2.25 kg | \$16 | Shaped Charge Antitank | C1 B2 | 70C | Nil |

DM-11 Antitank

Notes: This German mine is made almost entirely of molded explosive, strengthened with resin. The only non-explosive part of the mine is the fuse, in a well in the middle, and the handle, on the side. The DM-11 is two levels harder than normal to detect with a mine detector. 150 kg of pressure is required for detonation. The mine may be defused normally, and is only 5% likely per concussion die to be affected by overpressure.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|----------------|--------|-------|------------------|---------|-------------|-----|
| DM-11 Antitank | 7.4 kg | \$55 | Plastic Antitank | C13 B30 | 109C | 38 |

DM-11 APERS

Notes: This small German mine is a toepopper. It affects only the person triggering it, and directs all blast and fragment damage into the legs. It is a minimal-metal mine, one level harder to detect by mine detectors. If one has the safety sleeve or a reasonable facsimile, the mine can be disarmed. It is very resistant to overpressure, being only 1% likely to detonate per concussion dice applied to it. 5 kg of pressure is required to detonate the DM-11 APERS. The DM-11 APERS is in use by NATO and several African nations.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------|---------|-------|-------|--------|-------------|-----|
| DM-11 | 0.23 kg | \$3 | APERS | C1 B1 | 1C | 12 |

DM-31

Notes: This is a German bounding antipersonnel mine, which, unusually, does not have a facility for tripwire detonation. The main charge detonates at 1.2 meters height, directing twice the normal number of fragments into the chest and abdomen. The mine may be disarmed at normal chances. It is unaffected by overpressure. 8 kg of pressure is required for detonation. This mine is used by NATO and Angola.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------|--------|-------|----------------|--------|-------------|-----|
| DM-31 | 4 kg | \$90 | Bounding APERS | C8 B24 | Nil | 11 |

PARM-1

Notes: This is a German off-route mine. Over 50,000 copies were produced for the German Army by 1994. The projectile is fast and has high penetration. The PARM-1 may be fired by a tripwire, a pressure plate, or by command detonation. The batteries supply power for 40 days of continuous operation, after which the mine no longer functions. The range is 40 meters. Hitting a vehicle is an Average: Grenade Launcher or Easy: Combat Engineer task. The mine may be disarmed normally before this time, but is affected by overpressure.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------|--------|--------|--------------------|--------|-------------|-----|
| PARM-1 | 10 kg | \$1200 | Off-Route Antitank | C9 B8 | 120C | Nil |

PARM-2

Notes: This is essentially a PARM-1 fitted with an infrared sensor that increases accuracy and range, as well as an improved warhead with greater penetration. The sensor can function and accurately attack vehicles moving at up to 80 kmh (Combat Move 111), and has a range of 100 meters. The batteries last for 30 days of continuous operation. The PARM-2 may skip up to 9 vehicles in a line before firing; this is determined when the mine is set. The PARM-2 may also be fired by command detonation.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------|--------|--------|--------------------|---------|-------------|-----|
| PARM-2 | 20 kg | \$2500 | Off-Route Antitank | C11 B12 | 150C | Nil |

PM-60

Notes: This is one of the hundreds of thousands of antitank mines manufactured by the former East Germany before unification. It was used by the Germans when supplies of newer mines ran short. It is

a huge mine, plastic in construction, and one level harder to detect. The mine may be booby-trapped using an auxiliary fuse well. The mine must be turned upside down to disarm, so it is often found with antihandling booby traps. Many countries in the Bloc still use this mine.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------------|----------|-------|------------------|---------|-------------|-----|
| PM-60 | 11.35 kg | \$300 | Plastic Antitank | C25 B32 | 99C | 48 |

PPM-2

Notes: This plastic antipersonnel mine was produced by the former East Germany, and Germany inherited hundreds of thousands when that country unified. Although plastic-bodied, it contains a fair amount of metal, and may be detected at normal chances. Once armed, the mine cannot be disarmed. It is susceptible to overpressure, and is 25% likely to detonate per dice of concussion applied. 13 kg of weight is required for detonation. This mine was pulled out of storage when the Twilight War began, and is also used by Cambodia and some African nations.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------------|---------|-------|-------|--------|-------------|-----|
| PPM-2 | 0.38 kg | \$8 | APERS | C1 B2 | 2C | 12 |

No. 6

Notes: This Israeli antitank mine is an improved version of the Russian TM-46. It is used by the thousands on Israel's borders, and also used by the British in the Falkland Islands. The No. 6 may be detonated by pressure (260 kg), or a tilt rod (12 kg). It may be easily disarmed, and is susceptible to overpressure (20% chance of detonation per concussion point applied to it).

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|---------------|---------------|--------------|-------------|---------------|--------------------|------------|
| No. 6 | 8 kg | \$210 | Antitank | C21 B25 | 79C | 38 |

No. 12

Notes: This is an Israeli bounding antipersonnel mine, made of metal. It may be detonated by 12 kg of pressure, or by one of up to three tripwires that may be attached. It has been copied by Iran, and is used on Israel's borders and by her armed forces. It may be disarmed normally, but is unaffected by overpressure.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|---------------|---------------|--------------|----------------|---------------|--------------------|------------|
| No. 12 | 3.5 kg | \$80 | Bounding APERS | C7 B20 | Nil | 6 |

AUPS

Notes: The AUPS is an Italian antipersonnel mine. It is of simple construction, primarily of bakelite and with minimal metal. (Detection attempts are two levels harder.) The AUPS may only be disarmed by screwing a special cap onto the plunger; without that cap, disarming is impossible. The plunger is rather small, so the mine is rather resistant to overpressure (5% likely per concussion point applied of sympathetic detonation). 10kg of pressure on the plunger is required for detonation. This weapon is in use by Italy and Mozambique.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------|--------|-------|-------|--------|-------------|-----|
| AUPS | 0.3 kg | \$6 | APERS | C1 B1 | 1C | 11 |

BAT/7

Notes: This Italian antitank mine is normally used on shorelines and in swamps, since it does not float and is completely waterproof. It uses a magnetic fuse that can be set to detonate with the passing of vehicles as small as a motorcycle or as large as a landing craft. It may also be accidentally set off by a mine detector (50% chance) or a metal objects used for probing it such as a knife blade (10% chance when in direct contact). Optionally, an acoustic sensor may be used; this fuse detonates the mine when engine noise comes over the mine. If this fuse is used, the mine is 75% likely to detonate under the engine compartment of the vehicle. Loud noises have a 15% chance to prematurely set off the mine.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------|--------|-------|----------|--------|-------------|-----|
| BAT/7 | 5.6 kg | \$50 | Antitank | C7 B16 | 50C | 20 |

BM/85

Notes: This is an Italian plastic bounding antipersonnel mine. It may be detonated by 12 kg of pressure, a tripwire, or command electrical detonation. The main charge explodes at a height of 0.45 meters, spraying twice the normal number of fragments into the legs of the victims. The mine may be defused normally, but finding it with a mine detector is two levels harder than normal. It is very resistant to overpressure (1% chance of a sympathetic detonation per concussion die applied to it).

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------|--------|-------|----------------|--------|-------------|-----|
| BM/85 | 2 kg | \$45 | Bounding APERS | C6 B20 | Nil | 9 |

MAT/5

Notes: This Italian plastic antitank mine is virtually undetectable by mine detectors (Impossible task). It is also immune to overpressure, and will not detonate under devices such as mine rollers and flails. Even the direct application of an explosive charge is only 50% likely to detonate the mine prematurely. 180kg of pressure is otherwise required to cause detonation. If the safety pin is inserted, the mine will not go off, even if the fuse is detonated. Once set, the mine is one level harder to defuse without this pin, and there is an antihandling device that detonates the mine if lifted. Another version of this mine, the MATS/2, is designed to be scattered from aircraft and FASCAM rounds.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------|--------|-------|------------------|--------|-------------|-----|
| MAT/5 | 7 kg | \$70 | Plastic Antitank | C4 B10 | 84C | 29 |

MAT/6

Notes: This mine is a larger relative of the MAT/6 described above, and the handling, defusing, and detection rules applied to the MAT/5 also apply to the MAT/6. Other than the appearance and size, this mine is identical to the MAT/5.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------|--------|-------|------------------|--------|-------------|-----|
| MAT/6 | 7.1 kg | \$75 | Plastic Antitank | C5 B14 | 106C | 37 |

Maus-1

Notes: This is a small Italian antipersonnel mine designed to be scattered from aircraft and helicopters. There is a safety pin manufactured for use with this mine, but any similar piece of metal may be used to neutralize the mine. 8.9 kg of pressure is required to detonate the mine.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------|---------|-------|-------|--------|-------------|-----|
| Maus-1 | 0.27 kg | \$5 | APERS | C1 B1 | Nil | 1 |

P-25

Notes: This is an Italian antipersonnel mine of the stake type. It may be detonated by one of two

tripwires that extend 15 meters from the mine. The P-25 is waterproof and will not float. It can be deployed buried and detonated by 12 kg of pressure, but the mine is not as effective in this mode and concussion and burst should be cut in half if the P-25 is buried. If one has the safety clip, the mine may be easily disarmed; otherwise, it is a normal task. The P-25 is unaffected by overpressure.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------|--------|-------|-------|---------|-------------|-----|
| P-25 | 0.7 kg | \$70 | APERS | C14 B28 | 11C | 5 |

P-40

Notes: The P-40 is a bounding antipersonnel mine produced by Italy, and used by that country and Kuwait. It may be detonated by tripwire or direct pressure. The main charge is detonated 1 meter in the air, and twice the normal of fragments are directed against the victims' abdomens and legs. The mine is detonated by as little as 2kg of pressure on a tripwire, or 10kg of direct pressure. It can be easily disarmed, but is unaffected by overpressure.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------|--------|-------|----------------|--------|-------------|-----|
| P-40 | 1.5 kg | \$34 | Bounding APERS | C7 B20 | Nil | 10 |

SB-81

Notes: The SB-81 is an Italian plastic antitank mine that is designed to be scattered by FASCAM artillery rounds. It functions regardless of which way is up. Since it is minimal metal, detection attempts are one level harder if the mine is buried; however, this is usually not a problem, since the mine is usually found on top of the ground. The SB-81 cannot be disarmed once armed, and it is extremely resistant to overpressure (only a 1% chance of a sympathetic detonation per concussion dice applied to it). This mine is used in Italian FASCAM rounds, and is also employed by the British, Spanish, and Portuguese. It is has also been employed in helicopter-borne mine dispensers by those countries, and may be emplaced by hand.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------|--------|-------|------------------|--------|-------------|-----|
| SB-81 | 3.3 kg | \$86 | Plastic Antitank | C8 B10 | 29C | 14 |

SB-MV/1

Notes: The SB-MV/1 is a newer Italian antitank mine that is designed to be mechanically laid, but may also be manually laid. It is a magnetic mine, actuated by the passing of a mass of metal at least the size of a motorcycle. The amount of metal triggering it may be adjusted so that a larger size of vehicle must pass over before triggering it. The SB-MV/1 may also be accidentally triggered by magnetic mine detectors (50% chance), or by being probed by metal instruments such as a knife (10% chance). The mine cannot be disarmed once armed, and should be destroyed from a distance. The SB-MV/1 also has an antihandling feature that will detonate the mine if it is tilted more than 30 degrees. 150 kg of pressure is required to detonate.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|---------|--------|-------|----------|--------|-------------|-----|
| SB-MV/1 | 5 kg | \$37 | Antitank | C4 B10 | 37C | 13 |

SH-55

Notes: This is a type-standard antitank mine manufactured by Italy, and also used by Afghanistan. It is a minimal metal mine, one level harder to detect. Normally, it is easy to disarm by unscrewing the fuze assembly; however a special anti-handling fuze exists for this mine that will cause the mine to detonate if this attempted. This fuze also can be set for self-destruction after a certain amount of time. The SH-55 is extremely resistant to overpressure (1% chance of detonation per concussion dice applied to it). 180 kg of pressure is required to detonate the mine.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------|--------|-------|------------------|---------|-------------|-----|
| SH-55 | 7.3 kg | \$190 | Plastic Antitank | C19 B24 | 72C | 34 |

TC/2.4

Notes: This is a minimal metal Italian antitank mine that is designed to be used on shores and marshes. It is waterproof and salt-proof and does not float. The TC/2.4 is immune to overpressure, and finding it with a mine detector is two levels harder. Defusing is one level harder without the safety key. The TC/2.4 is used when larger mines are not needed.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------|--------|-------|------------------|--------|-------------|-----|
| TC/2.4 | 3.3 kg | \$85 | Plastic Antitank | C8 B10 | 31C | 15 |

TC/3.6

Notes: The TC/3.6 is a minimal metal Italian antitank mine. It is newer and lighter than the SH-55, and is also used by Portugal and Afghanistan. It cannot be disarmed by unscrewing the fuze assembly and the detonator assembly, but is extremely resistant to overpressure (1% chance of sympathetic detonation per concussion dice applied to it. It is very difficult to detect, being two levels harder. The TC/3.6 requires 180 kg of pressure to detonate.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------|--------|-------|------------------|---------|-------------|-----|
| TC/3.6 | 6.8 kg | \$175 | Plastic Antitank | C12 B16 | 47C | 22 |

TC/6

Notes: This is a much larger version of the TC/3.6 plastic antitank mine described above. It is disarmed in the same manner, and has the same lack of vulnerability to overpressure. It requires 180kg to trigger. In addition to Italy, Portugal, and Afghanistan, the TC/6 is also used by Egypt.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------|--------|-------|------------------|---------|-------------|-----|
| TC/6 | 9.6 kg | \$250 | Plastic Antitank | C20 B26 | 78C | 37 |

TS-50

Notes: This Italian antipersonnel mine is also used by Egypt, Singapore, Kuwait, and Rwanda. It is a toepopper mine; it affects only the person triggering it, and directs all concussion and fragments into the legs. This mine requires the plastic safety cap to disarm, as well as removing the fuze assembly. 12.5 kg of pressure is required to detonate the mine. It is easily detected due to its metallic content, and is extremely resistant to overpressure (1% chance per concussion dice applied of a sympathetic detonation). The TS-50 was designed to be scattered from FASCAM rounds and helicopter dispensers.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------|---------|-------|-------|--------|-------------|-----|
| TS-50 | 0.19 kg | \$4 | APERS | C1 B1 | 1C | 3 |

V-69

Notes: This Italian bounding antipersonnel mine is copied by South Africa and Singapore, and used by those countries as well as by Angola, Iraq, Kuwait, and Mozambique. The grenade ball explodes at 1 meter, and double the normal numbers of fragments are directed into the legs and abdomens of the victims. The mine may be easily defused, but is unaffected by overpressure. The V-69 is sensitive to stabbing, and a knife or other sharp instrument should not be used to probe for it. (You really shouldn't use knives to probe for mines anyway.) 10 kg of pressure is required to detonate, or a pulling force of 6 kg on a tripwire.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------|--------|-------|----------------|--------|-------------|-----|
| V-69 | 3.2 kg | \$90 | Bounding APERS | C6 B18 | Nil | 9 |

VAR/40

Notes: The VAR/40 is an Italian toepopper mine made of resin plastic. It is fully waterproof and nonbuoyant, and hundreds of thousands were seeded to protect Italian seashores during the Twilight War. The mine may be made safe by removing the detonator and screwing in a safety cap, otherwise, normal chances of disarming are allowed. All damage from this mine is applied only to the legs of the victim, and the VAR/40 only affects the individual stepping on it. 12 kg of pressure is required for detonation.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------|---------|-------|-------|--------|-------------|-----|
| VAR/40 | 0.11 kg | \$2 | APERS | C1 B1 | Nil | 1 |

VAR/100

Notes: This is a larger version of the VAR/40. It is also a toepopper, and the same damage rules apply, but in addition, it is capable of damaging light vehicles.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|---------|---------|-------|-------|--------|-------------|-----|
| VAR/100 | 0.17 kg | \$4 | APERS | C1 B1 | 1C | 2 |

VAR/100/SP

Notes: Though it has a similar name, this mine is not related to the VAR/100, being much larger and having a fragmentation casing. It is waterproof and does not float, and is primarily used on shorelines and in marshes. It may be buried or used as a stake mine, and detonated by pressure (12 kg) or a tripwire (6 kg). The mine is easily disarmed with the safety pin or similar piece of metal. It may be

prematurely detonated with an explosion; there is a 15% chance per concussion die applied.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|------------|---------|-------|-------|--------|-------------|-----|
| VAR/100/SP | 1.77 kg | \$25 | APERS | C2 B8 | Nil | 3 |

VS-1.6

Notes: This small Italian antitank mine is primarily used for disabling, rather than destroying, armored vehicles. It is designed to be scattered from helicopter dispensers. It can be disarmed, but cannot be neutralized before disarming, so those attempts can be tricky. The mine is detonated by 180 kg. It is extremely resistant to overpressure, being only 1% likely per concussion dice applied to detonate. It is a plastic mine, and two levels harder to detect. The VS-1.6 is built by Italy, and used by her and Iraq and Kuwait. Hundreds of thousands were emplaced in the 1991 Gulf War, and haven't all been found.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------|--------|-------|------------------|--------|-------------|-----|
| VS-1.6 | 3 kg | \$78 | Plastic Antitank | C6 B8 | 24C | 11 |

VS-2.2

Notes: This is a larger Italian scatterable antitank mine. It is also a plastic mine, and two levels more difficult to detect using mine detectors. Like the VS-1.6, disarming this mine is tricky, since it cannot be neutralized prior to removing the fuze assembly. It is extremely resistant to overpressure; the mine is only 1% likely to detonate per concussion dice applied to it. This mine is copied by Singapore, and used by Iraq and Kuwait alongside the VS-1.6. 180kg of pressure is required to detonate.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------|--------|-------|------------------|--------|-------------|-----|
| VS-2.2 | 3.5 kg | \$90 | Plastic Antitank | C7 B10 | 29C | 13 |

VS-3.6

Notes: This is larger version of the VS-2.2 plastic antitank mine described above. Unlike that mine, the VS-3.6 is normally emplaced manually. Otherwise, the same rules apply as those of the above mine.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|---------------|--------|-------|------------------|---------|-------------|-----|
| VS-3.6 | 5 kg | \$129 | Plastic Antitank | C11 B16 | 47C | 21 |

VS-50

Notes: This Italian antipersonnel mine is also manufactured by Egypt and Singapore. It is also used by Iraq, Kuwait, and several African nations. It is a toepopper mine, affecting only the person triggering it, and directing all concussion and fragments into the legs. It can be emplaced manually, but is normally scattered from ground vehicles or helicopters. It can be easily defused, but is extremely resistant to overpressure, being only 1% likely to be detonated per concussion dice applied. 10 kg of pressure is required to detonate it.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------------|---------|-------|-------|--------|-------------|-----|
| VS-50 | 0.19 kg | \$4 | APERS | C1 B1 | 1C | 2 |

VS-APFM1

Notes: This is an Italian bounding antipersonnel mine with an advanced electronic fuse. 10 minutes after arming, three 7-meter tripwires are ejected from the mine, anchoring themselves automatically. After that point, pressure on any tripwire of 0.5 kg or greater will trigger the mine. The main charge is fired to waist height, inflicting twice the normal number of fragments on the abdomens and chests of the victims. It may be programmed to self-destruct up to 365 days after arming. The mine may be disarmed with a simple switch. It is not subject to overpressure.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|-----------------|--------|-------|----------------|--------|-------------|-----|
| VS-APFM1 | 3.5 kg | \$78 | Bounding APERS | C7 B20 | Nil | 11 |

VS-AT4

Notes: This is an Italian antitank mine with a considerable degree of overpressure resistance (only 1% likely to detonate per die of concussion applied). The mine self-destructs anywhere up to 365 days after arming, and also has an antihandling feature that causes it to detonate when lifted if the mine is not disarmed first. The fuse can distinguish between a vehicle and a mine plow, mine roller, or mine flail.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------|--------|-------|----------|---------|-------------|-----|
| VS-AT4 | 6 kg | \$155 | Antitank | C12 B18 | 53C | 24 |

VS-DAFM 1

Notes: This mine is basically an Italian version of the US Claymore mine. It may be detonated by tripwire or by electrical detonation, and has some value against light armored vehicles. It may be disarmed at normal chances, but is unaffected by overpressure.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|-----------|--------|-------|-------------------|---------|-------------|-----|
| VS-DAFM 1 | 3.6 kg | \$570 | Directional APERS | C7 B80D | 1C | 18 |

VS-DAFM7

Notes: This is a larger Italian directional antipersonnel mine, used to saturate a larger area with ball bearings or deal with heavier vehicles. It may be disarmed at normal chances. It may be detonated by tripwire or by electrical command detonation.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|----------|---------|--------|-------------------|-----------|-------------|-----|
| VS-DAFM7 | 10.7 kg | \$1700 | Directional APERS | C10 B150D | 3C | 54 |

MN-111

Notes: This Polish antitank mine is designed to be scattered from aircraft and helicopters. Upon impact with the ground, six petals unfold and put the mine in the right orientation. The mine must be dropped from at least 100 meters for proper arming and to sink the proper depth into the ground. The mine is detonated by pressure, by the magnetic field of a passing vehicle at least 500 kg in size, or by an attempt to move or disturb the mine. Disarming attempts are tricky (one level harder), and the mine is 50% likely to be set off by a mine detector, or 10% likely to be set off by probing with a metal instrument such as a knife blade. The MN-111 is unaffected by overpressure.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------|--------|-------|----------|--------|-------------|-----|
| MN-111 | 3.5 kg | \$92 | Antitank | C9 B10 | 35C | 17 |

MN-121

Notes: This is a Polish scatterable antitank mine dispensed from aerial pods and FASCAM artillery rocket rounds. The mine descends on a parachute to ensure proper orientation upon landing. The mine requires a minimum drop of 100 meters to arm properly. The fuse is magnetic, triggered by the passing of a vehicle of at least 500 kg; this fuse can also be triggered by a mine detector (50% chance) or a knife blade-sized metal object probing it (10% chance upon direct contact). As this mine rests on top of the ground, it is normally easy to detect. The MN-121 is unaffected by overpressure.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------|--------|-------|----------|--------|-------------|-----|
| MN-121 | 2.8 kg | \$74 | Antitank | C9 B10 | 35C | 17 |

MPP-B Wierzba

Notes: This Polish antitank mine is of conventional construction. It is very similar to the Russian TM-62 and can be laid mechanically or manually. The MPP-B has a provision for booby-trapping in the base of the mine. The normal fuse requires 200 kg of pressure to detonate, but an alternate magnetic fuse is available. The magnetic fuse requires the passing of a vehicle of 500 kg or larger; but it is 50% likely to be set off by a mine detector, or 10% likely by direct probing by a knife or similar-sized metal object. The magnetic fuse can also be set off by pressure.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------|---------|-------|----------|---------|-------------|-----|
| MPP-B | 10.5 kg | \$315 | Antitank | C28 B34 | 106C | 51 |

Directional Antipersonnel Mine

Notes: This Romanian mine's proper designation was not known as the Twilight War commenced. It is a simple box with fuse wells, containing cast TNT embedded with 1450 3-gram fragments. It is a huge mine, with an explosive charge of 12 kilograms. The mine may be command-detonated or by a tripwire, and several mine may be chained together for series detonation. It is unaffected by overpressure, and may be disarmed at normal chances.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|-------------------------------|--------|--------|-------------------|-------------|-------------|-----|
| Directional APERS Mine | 19 kg | \$2970 | Directional APERS | C48 B200 | 5C | 142 |

Lightweight Antipersonnel Mine

Notes: This mine was new issue to Romanian forces at the outset of the Twilight War, and its true designation was never known to Western forces. It is a toepopper mine; the mine affects only the individual triggering it, and all the concussion and fragment damage is directed into the legs. This mine was often carried by Romanian patrols to drop in the path of pursuing enemies, as it is quickly and easily set. It is a plastic mine, two levels harder to detect with a mine detector. It may be disarmed normally, but was normally blown in place, and NATO forces in Romanian territory usually carried concussion grenades to deal with these mines. It is susceptible to overpressure, being 25% likely to go off per concussion die applied.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------------------------|---------|-------|-------|--------|-------------|-----|
| Lightweight APERS | 0.11 kg | \$2 | APERS | C1 B1 | Nil | 5 |

MAI-75

Notes: This Romanian-made plastic antipersonnel mine is used by Bloc forces and by Angola. It is very difficult to detect with mine detectors; two levels harder. This mine is usually paired with an antitank mine, often with the MAI-75 on top of the antitank mine to set it off at its greater sensitivity, since the MAI-75 requires only 5 kg of pressure to detonate. The mine is easily neutralized and disarmed, and is susceptible to overpressure (25% chance per concussion dice applied to it of a sympathetic detonation).

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------|--------|-------|------|--------|-------------|-----|
|--------|--------|-------|------|--------|-------------|-----|

| | | | | | | |
|---------------|--------|-----|---------------|-------|----|----|
| MAI-75 | 0.3 kg | \$5 | Plastic APERS | C2 B4 | 2C | 12 |
|---------------|--------|-----|---------------|-------|----|----|

MAT-62B

Notes: This minimal-metal Romanian mine started replacing the MAT-76 in Romanian service just before the Twilight War. It is two levels harder to detect with a mine detector. The MAT-62B is detonated by a pressure fuse requiring 200 kg to actuate. It generally causes a considerable amount of damage to vehicles triggering it. It cannot be neutralized once armed, making disarming attempts one level harder. It is somewhat susceptible to overpressure, 15% likely to go off per concussion dice applied.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|----------------|--------|-------|------------------|---------|-------------|-----|
| MAT-62B | 9.8 kg | \$255 | Plastic Antitank | C25 B30 | 105C | 45 |

MAT-76

Notes: The MAT-76 is a very large minimal-metal antitank mine made by Romania and used by Bloc forces, Kuwait, and several African nations. It is a large block of TNT with a detonator, encased in glass-fiber resin. The MAT-76 is two levels harder to detect. This mine cannot be neutralized once armed, making disarming attempts very tricky (one level harder.) The MAT-76 is triggered by 200 kg pressure. It is also susceptible to overpressure, and is 25% likely to go off per concussion point applied to it.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|---------------|--------|-------|------------------|---------|-------------|-----|
| MAT-76 | 10 kg | \$260 | Plastic Antitank | C33 B40 | 125C | 60 |

KhF-2

Notes: This Russian mine releases a cloud of gas throughout the burst radius. It can be detonated by tripwire or a remote position outside the burst radius:

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------|--------|--------|----------|----------|-------------|-----|
| KhF-2 | 10 kg | \$1400 | Chemical | C6 (B50) | Nil | 3 |

MON-50

Notes: This Russian directional antipersonnel mine is a close copy of the US M-18A1 Claymore. It is normally employed spiked to a tree, but may be set on the ground. It may be electrically detonated, or by a tripwire (10 kg to detonate). The mine may be disarmed normally (similar to the MON-100 below). It is unaffected by overpressure. This mine was copied by Chile, China, North Korea, and Vietnam; it is also used by Afghanistan, Cambodia, Nicaragua, and several African nations.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------|--------|-------|-------------------|---------|-------------|-----|
| MON-50 | 2 kg | \$280 | Directional APERS | C3 B50D | Nil | 8 |

MON-100

Notes: This is a large Russian directional antipersonnel mine, identical in concept (if not design) to the US Claymore. It is normally mounted on trees, though its spike may be stabbed into the ground. The mine may be command detonated (electrically) or by a tripwire; if a tripwire is used, 10kg or pressure is required for detonation. The mine may be disarmed by cutting the electric circuit or carefully releasing the tripwire, then unscrewing the fuze. It is unaffected by overpressure. This mine was copied by the Vietnamese and used during its war with the US; it is also used by Afghanistan, Cambodia, and several African nations.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|---------|--------|-------|-------------------|----------|-------------|-----|
| MON-100 | 5 kg | \$790 | Directional APERS | C9 B100D | Nil | 23 |

MPM

Notes: This Russian weapon is a limpet mine; it has a magnetic base to allow it to be attached to metal targets such as tanks (and then the user runs away fast). The mine cannot be neutralized once armed,

but the fuze may be removed to disarm it. It is unaffected by overpressure, or even by stepping on it or running over it.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|------------|---------|-------|--------|--------|-------------|-----|
| MPM | 0.73 kg | \$16 | Limpet | C3 B6 | 5C | 34 |

MS-3

Notes: This is a Russian antipersonnel mine similar to the PMN, but somewhat larger. It is normally used in booby traps, and requires 6kg of pressure to detonate. It is often placed on top of or underneath antitank mines to increase their sensitivity or create a trap for those removing the antitank mine. This mine is also manufactured in Romania, and used in Afghanistan.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|-------------|---------|-------|-------|--------|-------------|-----|
| MS-3 | 0.63 kg | \$26 | APERS | C5 B10 | 5C | 13 |

OZM-3

Notes: This is a more normal Russian bounding antipersonnel mine, similar to the US M-16A1. It may be electrically or tripwire detonated. The OZM-3 may be disarmed with normal chances, but is unaffected by overpressure. It is used by Russia, Afghanistan, Cambodia, and several African nations, and copied by China and North Korea. The main charge detonates at 1.5 meters, and twice the normal numbers of fragments are directed into the chests and abdomens of the victims.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------------|--------|-------|----------------|--------|-------------|-----|
| OZM-3 | 3 kg | \$65 | Bounding APERS | C1 B4 | Nil | 2 |

OZM-4

Notes: This is a more modern Russian bounding antipersonnel mine than the OZM-3. It has a cast-iron body, and may be detonated by an electrical line or by a tripwire. The main charge explodes at 0.8 meters, and twice the normal numbers of fragments are directed into the victims' legs and abdomens. This weapon is used by Bloc forces and by Afghanistan, Cambodia, Cuba, Nicaragua, Vietnam, and several African nations.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------------|--------|-------|----------------|--------|-------------|-----|
| OZM-4 | 5 kg | \$110 | Bounding APERS | C3 B8 | Nil | 4 |

OZM-72

Notes: This modern Russian bounding antipersonnel mine is similar in size to the US M-16A1, including the size of the main charge (deficient in earlier Russian bounding antipersonnel mines). It explodes at a height of 1 meter, directing twice the normal numbers of fragments into the legs and abdomens of the victims. It may be command detonated or tripwire detonated, or by 10kg of direct pressure. It may be defused normally, but is unaffected by overpressure.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|---------------|--------|-------|----------------|--------|-------------|-----|
| OZM-72 | 5 kg | \$110 | Bounding APERS | C7 B20 | Nil | 10 |

OZM-160

Notes: This is a very large Russian bounding antipersonnel mine. It is command-detonated or by tripwire, and is very difficult to disarm (two levels harder). It fires a modified artillery shell that explodes at a height of 1.5 meters, and twice the normal numbers of fragments are directed into the chest, abdomens, and heads of the victims. The OZM-150 is very unlikely to be affected by overpressure (1% chance per concussion dice applied to it).

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|----------------|--------|--------|----------------|---------|-------------|-----|
| OZM-160 | 85 kg | \$2400 | Bounding APERS | C39 B90 | Nil | 45 |

PFM-1

Notes: This is a Russian toepopper mine, commonly known as a "butterfly" mine due to its shape. It is designed to be scattered from helicopters, fixed-wing aircraft, and FASCAM rounds. Normally finding them is easy by visual inspection, as they are found on the surface of the ground. This mine can be found littering the countrysides of Afghanistan, as they were used by the millions in that country's war with Russia, and they generally have a long lifespan (they do have a self-destruct mechanism, but it is prone to malfunction). The PFM-1 cannot be disarmed or neutralized except by a blast; they are 30% likely per concussion dice applied to detonate.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------|--------|-------|------|--------|-------------|-----|
|--------|--------|-------|------|--------|-------------|-----|

| | | | | | | |
|--------------|---------|-----|-------|-------|-----|---|
| PFM-1 | 0.08 kg | \$1 | APERS | C1 B1 | Nil | 1 |
|--------------|---------|-----|-------|-------|-----|---|

PMN

Notes: This is a medium-sized mine. It is a small, plastic-cased, easily-concealed mine, usually contact-detonated but capable of using a tripwire. It is in common use by Russian forces, Afghanistan, Iraq, and in Southeast Asia and Africa. It cannot be neutralized before disarming, making defusing tricky (one level harder). 8 kg or pressure is required to detonate it. It has virtually no blast resistance, being 40% likely per concussion dice applied to detonate.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|------------|---------|-------|-------|--------|-------------|-----|
| PMN | 0.55 kg | \$25 | APERS | C4 B8 | 4C | 27 |

PMN-2

Notes: This mine is an improved version of the PMN, and is used by Bloc forces, Afghanistan, Cambodia, Lebanon, Mozambique, and Nicaragua. The main improvement is blast resistance; it is only 15% likely per concussion dice to detonate, though a long pulse blast, such as that of fuel-air explosive, will have a 50% chance per concussion dice to detonate it prematurely. Disarming it requires a specially-shaped tool (common in Russian-designed engineer demolitions kits, but very rare otherwise), but other than that, disarming the PMN-2 is basically simple.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------------|---------|-------|-------|--------|-------------|-----|
| PMN-2 | 0.42 kg | \$25 | APERS | C4 B8 | 4C | 25 |

PMD-1

Notes: This is the antipersonnel counterpart of the wooden YaM-5 antitank mine, in that it is also a simple wooden "shoebox" type mine. Similar mines are often assembled in the field by combat engineers and factories such as the Wojo factory in Krakow. The design has been copied by many countries worldwide, and can be found almost anywhere. The mine varies considerably in activation pressure, but 1-10 kg is normal. The PMD-1 may be easily disarmed, but is often booby-trapped.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------------|--------|-------|-------|--------|-------------|-----|
| PMD-1 | 0.4 kg | \$15 | APERS | C3 B6 | 2C | 23 |

POM-2S

Notes: This is a Russian scatterable antipersonnel mine, dropped by aircraft and FASCAM rocket rounds. It cannot be neutralized or disarmed once armed, except by the very lucky or skilled (Impossible: Combat Engineer roll). It normally sits on top of the ground; when it hits the ground, six legs open and place the mine upright, and two 9.5-meter tripwires shoot out from the mine in opposite directions and anchor themselves in the ground. The mine is designed to self-destruct after 23 hours, but this mechanism often fails. The mine is unlikely to be affected by overpressure (5% chance of a sympathetic detonation per concussion dice applied).

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------|--------|-------|-------|--------|-------------|-----|
| POM-2S | 1.7 kg | \$65 | APERS | C2 B4 | Nil | 12 |

POMZ-2

Notes: This is a stake mine that can be emplaced quickly but still protrudes from the ground (it is not buried like most mines, although the mine can still be camouflaged). It is detonated by tripwire. The Russians and her allies commonly use the POMZ-2, and it has been copied by China, Cuba, Czechoslovakia, Yugoslavia, North Korean, and Vietnam. The mine is unaffected by overpressure. The normal fuse can be neutralized by inserting a piece of stiff wire through it, but two other fuses often used cannot be neutralized and make defusing one level more difficult. The tripwire requires only 1 kg of pressure to trigger.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------|--------|-------|-------|--------|-------------|-----|
| POMZ-2 | 2.3 kg | \$200 | APERS | C6 B12 | 10C | 2 |

PTM-1S

Notes: This scatterable antitank mine is used alongside the PFM-1 in Russian service, often dropped in the same batch by helicopters, fixed wing aircraft, and rocket artillery. It cannot be disarmed or neutralized once armed. It usually has a self-destruct mechanism with a delay of up to 20 hours, but this mechanism is prone to malfunction. Like the PFM-1, these mine are all over the countryside of Afghanistan.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------|--------|-------|----------|--------|-------------|-----|
| PTM-1S | 2 kg | \$50 | Antitank | C5 B6 | 20C | 9 |

SPM

Notes: This is a Russian limpet mine, which can be set for a time delay of 5 minutes to 823 hours. It is normally used for demolition and sabotage. The mine may be disarmed by unscrewing the fuze, but it is still active during this time and may go off. This mine can be used as a detonator for larger explosives. One side of the SPM is a magnet for attachment to steel targets.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------|---------|-------|--------|--------|-------------|-----|
| SPM | 2.58 kg | \$56 | Limpet | C9 B18 | 7C | 104 |

TM-46

Notes: The TM-46 is another steel-cased antitank mine needing at least 120kg of pressure for detonation, or 21 kg if using a tilt-rod. The normal fuze may be easily disarmed, but two other fuses cannot be neutralized once armed, and disarming is two levels more difficult. The TM-46 is very susceptible to overpressure, 30% likely to detonate per concussion dice applied to it. This mine can be booby-trapped with an auxiliary fuse well. The TM-46 is Russian-made, and is copied by China, Egypt, Israel, and North Korea. It is also used by Afghanistan, Cambodia, Iraq, Kuwait (left over by Iraqi forces after the 1991 war), and several African nations.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------|--------|-------|----------|---------|-------------|-----|
| TM-46 | 8.6 kg | \$225 | Antitank | C20 B24 | 75C | 36 |

TM-57

Notes: The TM-57 is a large, steel-cased antitank mine needing at least 120kg of pressure for detonation. It is a larger version of the TM-46 mine described above. The fuses used in this mine cannot be neutralized once armed, and disarming the mine is two levels more difficult. The mine may be booby-trapped. The TM-57 is very susceptible to overpressure, being 30% chance of being detonated per concussion dice applied to it. This mine is used in the same places as the TM-46.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------|---------|-------|----------|---------|-------------|-----|
| TM-57 | 8.47 kg | \$225 | Antitank | C22 B26 | 83C | 40 |

TM-62M

Notes: This Russian antitank mine is one of the highest-yield mines around, containing 7.2 kg of

explosive. The normal fuse requires 200 kg to detonate the mine, but there is also a magnetic fuse that will go off 50% of the time when mine detectors are passed over it, or 10% of the time if a knife blade is used to probe for it. If one has a special key, the mine may be neutralized by even untrained personnel; otherwise, it may be disarmed at one level more difficult than normal. It is susceptible to overpressure if the normal fuse is used; if so, the mine is 25% likely to explode per concussion dice applied to it. This mine has been used throughout the world by Russian and former Russian allies.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------|--------|-------|----------|---------|-------------|-----|
| TM-62M | 8.5 kg | \$225 | Antitank | C25 B30 | 94C | 45 |

TM-72

Notes: This is a newer Russian antitank mine. It is easily detected, but as it has a magnetic fuse, a mine detector is 50% likely to set it off when passed over it, and even a knife blade is 10% likely to set it off if used to probe for it. Neutralizing the mine is an Impossible: Combat Engineer task, and only then can it be disarmed (at normal chances). It is not affected by overpressure. It was used by the Russians in Afghanistan, on the Chinese front, and in Europe. Passing of metal over the mine is required for detonation.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------|--------|-------|----------|--------|-------------|-----|
| TM-72 | 6 kg | \$160 | Antitank | C9 B10 | 33C | 16 |

TM-89

Notes: This is one of the newest Russian antitank mines, introduced in 1993. It has a magnetic fuse that detonates the mine when any vehicle 400 kg or greater passes over it. The mine is 50% likely to go off when a mine detector passes over it, and 10% likely when in direct contact with a mass of metal the size of a knife blade or greater. The TM-89 was exported to several Middle Eastern countries, and was encountered in Iraq and Iran during the war, as well as on the Chinese front. Neutralizing and disarming the TM-89 are both Impossible: Combat Engineer tasks.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------|---------|-------|----------|---------|-------------|-----|
| TM-89 | 11.5 kg | \$305 | Antitank | C23 B26 | 86C | 42 |

TMK-2

Notes: The TMK-2 is a Russian antitank mine based on a shaped charge. It is triggered by a tilt rod

with 8 kg of pressure. The mine may be easily neutralized, and disarmed at normal chances. It is unaffected by overpressure. This mine is used by Bloc forces and by Angola, Mozambique, and Namibia.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------------|---------|-------|----------|---------|-------------|-----|
| TMK-2 | 12.5 kg | \$335 | Antitank | C11 B12 | 55C | 38 |

YaM-5

Notes: This is a simple box packed with explosives and fitted with a pressure detonator (150kg to detonate). It is detonated by contact or from a remote position 50 meters away. This mine is no longer used in great numbers by the Pact, but can still be found in the Mideast and Third World. Millions were used by the Soviets in World War II, and they are not much more sophisticated than the Improvised Antitank Mine.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------------|--------|-------|----------------------|---------|-------------|-----|
| YaM-5 | 8 kg | \$200 | Nonmetallic Antitank | C16 B20 | 80C | 30 |

Bofors 016

Notes: This is a Swedish off-route mine that was employed in considerable numbers to protect Sweden's borders. It creates an explosively formed projectile, similar to that created by a SADARM mine. Range of the projectile is 100 meters. Hitting a vehicle is an Average: Grenade Launcher or Easy: Combat Engineer task. The projectile is light, but very fast (10,000 meters per combat phase). The weapon may be command detonated or initiated by a tripwire or pressure bag across the path of the target vehicle. Defusing is difficult (one level harder).

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|-------------------|--------|-------|--------------------|--------|-------------|-----|
| Bofors 016 | 2.6 kg | \$320 | Off-Route Antitank | 9 | 45C | Nil |

Bofors 028

Notes: This Swedish antitank mine is designed to kill, rather than disable, armored vehicles. It is a magnetic mine, detonated by the passing of a metal mass of at least 750 kg. As a magnetic mine, it may (50% chance) be detonated by the passing of a mine detector over it, or even the probing of a knife blade or similar-sized metal mass (10%) in direct contact. The casing is non-metallic, and the mine is two levels harder to detect by a mine detector. This mine is unaffected by overpressure, or countermeasures such as mine rollers, plows, and flails. It can also distinguish between a genuine vehicle and a magnetic signature duplicator. Disarming this mine is an Impossible: Combat Engineer task unless the proper key is employed (common in engineer demolitions chests of the countries using the mine). This mine is used by Sweden, Germany, Netherlands, and Canada.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|-------------------|--------|-------|------------------|--------|-------------|-----|
| Bofors 028 | 8.4 kg | \$75 | Plastic Antitank | C8 B20 | 84C | 23 |

FFV-013

Notes: This is a Swedish directional antipersonnel mine of the Claymore variety, though much larger. The mine may be command-detonated or by tripwire. This mine is used by Sweden, and also produced by Japan and used by Denmark, Norway, and Switzerland. The mine may be easily disarmed once the tripwire is released or the electrical leads are removed. It is unaffected by overpressure. The notched steel front plate disintegrates into about 1200 hexagonal fragments upon detonation.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------|--------|-------|------|--------|-------------|-----|
|--------|--------|-------|------|--------|-------------|-----|

| | | | | | | |
|----------------|-------|--------|-------------------|-----------|----|-----|
| FFV-013 | 20 kg | \$1600 | Directional APERS | C21 B360D | 4C | 117 |
|----------------|-------|--------|-------------------|-----------|----|-----|

Minimore

Notes: This is a smaller version of the Claymore directional antipersonnel mine. A little over one-third the size of a Claymore, it has half the efficiency of a normal-sized Claymore. The Minimore is in use by most NATO armies.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|-----------------|---------------|--------------|-------------------|---------------|--------------------|------------|
| Minimore | 0.6 kg | \$100 | Directional APERS | C2 B24D | Nil | 2 |

Anti-Helicopter Munition (AHM)

Notes: This mine consists of a sensor to detect a passing helicopter, and a warhead firing an explosively formed projectile, similar to the SADARM. When a helicopter is detected within 1 km, the mine's top portion rotates to engage the helicopter; when the helicopter passes within 200 meters, it fires. Accuracy level is Average. The mine is difficult to defuse (two levels harder), but will not detonate against personnel or ground vehicles. Normal method of disposal is to blow it in place or shoot it from a distance (preferably beyond 200 meters if you are a helicopter; this task is one level more difficult due to the small size of the mine). The AHM is also effective against RPVs and low-flying cruise missiles.

Twilight 2000 Notes: This unusual mine was in advanced development by the US at the time of the Twilight War, and was rushed into production as the war picked up.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------|----------|--------|--------------------------|--------|-------------|-----|
| AHM | 15.88 kg | \$4000 | Off-Route Antihelicopter | 25 | 60 | Nil |

Area Denial Artillery Munition (ADAM)

Notes: These weapons are US-designed antipersonnel mines seeded from FASCAM artillery rounds and aircraft dispensers. Each 155mm round contains 36 of these mines. They are usually used on airfields and roads to prevent their use by aircraft and vehicles; a barrage of these rounds can seed hundreds of mines, and defusing each mine is a Difficult: Combat Engineer task. They are normally used in combination with BLU-91 Gator antitank mines to make a mess of a target area. They are not affected by overpressure.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------|---------|-------|-------|--------|-------------|-----|
| ADAM | 0.54 kg | \$10 | APERS | C2 B2 | 1C | 2 |

BLU-91/B Gator A-T

Notes: This US antitank mine is normally scattered from a cluster bomb, though it may be emplaced from the US truck-mounted Volcano minelayer. As a scattered mine, it normally lays on top of the ground, easily seen. It is magnetically-fused, so only the passing of a vehicle on top of it is required for detonation. A mine detector is 50% likely to set it off, and a knife blade is 10% likely to set it off is used to probe it. This mine was used extensively by the US in Kuwait and Iraq to mine troop concentrations and airfields. It cannot be neutralized, and only the very lucky or skilled may disarm it (Impossible: Combat Engineer roll). The most practical way to destroy a Gator Antitank Mine is to shoot it from a distance, as once armed, they should not be moved. Most are designed to self-destruct after 1-7 days, but these mechanisms sometimes fail. It is unaffected by overpressure.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|---------------------------|---------|-------|----------|--------|-------------|-----|
| BLU-91/B Gator A-T | 1.95 kg | \$14 | Antitank | C1 B4 | 22C | 8 |

BLU-92/B Gator A-P

Notes: This is the antipersonnel counterpart to the BLU-91/B Gator antitank mine listed above. It is normally scattered in the same bomb or dispenser as the antitank version, in a mix of 72 antitank mine and 22 antipersonnel mines, or in a smaller bomb in a mix of 45 antitank mines and 15 antipersonnel mines. It is set off by the metal in the weapons and gear carried by ground personnel, and will be set off by any mass of metal more than 0.2 kg passing within 1 meter of it. It cannot be neutralized, and only the very lucky or skilled may disarm it (Impossible: Combat Engineer roll, and remember not to wear any metal when doing so!). The most practical way to destroy this mine is to shoot it from a distance. Most self-destruct after 1-7 days, but these mechanisms are known to fail. It is unaffected by overpressure.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|---------------------------|---------|-------|-------|--------|-------------|-----|
| BLU-92/B Gator A-P | 1.68 kg | \$14 | APERS | C6 B10 | Nil | 8 |

M-1

Notes: The M-1 is simply a one-gallon can of chemicals with an explosive charge taped to it. Like the M-23, the M-1 releases a cloud of gas throughout its burst radius and can be detonated by a tripwire or a remote position.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|------------|--------|--------|----------|----------|-------------|-----|
| M-1 | 10 kg | \$1400 | Chemical | C6 (B50) | Nil | 3 |

M-14

Notes: The M-14 is a small antipersonnel mine, designed to affect only one person. It detonates with 9kg of pressure. It is a plastic mine, two levels harder to detect. The mine may be easily neutralized and defused, and is susceptible to overpressure, being 25% likely to detonate per concussion dice applied to it. This mine is US-manufactured, and is also copied by Turkey and Vietnam. It is also used by El Salvador, Iraq, Iran, and several African nations.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------|--------|-------|-------|--------|-------------|-----|
| M-14 | 0.1 kg | \$2 | APERS | C1 B1 | 2C | 12 |

M-15

Notes: This heavy antitank mine explodes when the pressure plate is subjected to more than 160kg of pressure or the tilt rod is tilted more than 15 degrees. Therefore, an individual is unlikely to set it off. The mine can also be detonated from a remote position up to 50 meters away. The arming lever may be easily rotated from "Armed" to "Safe", disarming the mine. It is very susceptible to overpressure, 30% likely to detonate per concussion dice applied to it. This mine is US made, and is also used by Cambodia and several African nations. Tilt rods for this mine have never been reported in Africa. This mine was replaced in US service by the M-19 and M-21 antitank mines.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------|---------|-------|----------|--------|-------------|-----|
| M-15 | 14.3 kg | \$100 | Antitank | C8 B20 | 160C | 56 |

M-16A1

Notes: The M-16A1 is a bounding antipersonnel mine. When triggered, the secondary charge throws a large grenade into the air to a height of about a meter, directing most of its fragments horizontally. Because of this, double the normal of wound points into the abdomen and chest areas. This is the sort of mine is the infamous "Bouncing Betty" feared by soldiers since World War II. It detonates on 3.6 kg or pressure, or by means of a tripwire. It is unaffected by overpressure. The M-16A1 is old, but still used by the US and her allies.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------|---------|-------|----------------|--------|-------------|-----|
| M-16A1 | 3.57 kg | \$80 | Bounding APERS | C8 B24 | Nil | 12 |

M-16A2

Notes: This is a newer version of the M-16A2 bounding antipersonnel mine, and the rules applied to that mine also apply to the M-16A2. This mine is also produced in Greece and South Korea, and has been encountered in Somalia.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------|--------|-------|------|--------|-------------|-----|
|--------|--------|-------|------|--------|-------------|-----|

| | | | | | | |
|---------------|---------|------|----------------|--------|-----|----|
| M-16A2 | 2.83 kg | \$65 | Bounding APERS | C9 B25 | Nil | 13 |
|---------------|---------|------|----------------|--------|-----|----|

M-18A1 Claymore

Notes: This is a directional antipersonnel mine, spraying 750 balls of 12-Gauge steel shot. The Claymore can be detonated by tripwire or from a remote site, as well as by other more-creative methods, and several mines can be readily linked for series detonation. It is common issue by the US, and variants are in common use by most US allies. It has been copied by dozens of countries, both east and west. The Claymore may be easily disarmed by removing the fuse from the fuse well, but this must be done carefully if the mine is set for tripwire operation. It is unaffected by overpressure.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|------------------------|---------|-------|-------------------|---------|-------------|-----|
| M-18A1 Claymore | 1.58 kg | \$250 | Directional APERS | C3 B50D | Nil | 8 |

M-19

Notes: This mine requires 160kg of pressure to explode. The mine can also be detonated from a remote position up to 50 meters away. This mine is two levels harder to detect magnetically than the M-15 or M-21. The US and her allies use it, and it has been copied by Chile, South Korea, and Turkey. It is also used by Iran, Iraq, Angola, and Zambia. This mine is susceptible to overpressure (25% likely to be set off per concussion dice applied), and may be easily disarmed by turning the arming lever.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|-------------|----------|-------|------------------|--------|-------------|-----|
| M-19 | 12.56 kg | \$120 | Plastic Antitank | C8 B20 | 160C | 56 |

M-21 Metallic

Notes: This mine requires 132 kg to explode, or 1.7 kg of pressure on a tilt rod fuse. The M-21 may also use a magnetic fuse or pneumatic tube fuse; if the magnetic fuse is used, the mine will detonate when a vehicle more than 400 kg passes over it. A mine detector is 50% likely to detonate the magnetic fuse, and a knife blade is 10% likely to detonate it if in direct contact with it. The M-21 is easily disabled once found, but is totally resistant to overpressure. The mine can be detonated by pressure or a tilt rod, also be detonated from a remote position up to 50 meters away, or by a pneumatic tube up to three meters in length. The US and her allies use it.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------|--------|-------|------|--------|-------------|-----|
|--------|--------|-------|------|--------|-------------|-----|

| | | | | | | |
|----------------------|------|-------|-------------------|--------|-----|----|
| M-21 Metallic | 8 kg | \$100 | Metallic Antitank | C4 B16 | 80C | 37 |
|----------------------|------|-------|-------------------|--------|-----|----|

M-23

Notes: This mine releases a cloud of gas. It requires 150kg of pressure to detonate.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|-------------|--------|--------|----------|----------|-------------|-----|
| M-23 | 12 kg | \$1600 | Chemical | C4 (B30) | Nil | 2 |

M-24 Off-Route

Notes: This mine fires a shaped charge against the side of the vehicle which rolls over a 3-meter-wide pneumatic detonator, or it can be set off from a remote position up to 30 meters away. There is a 70% chance that the charge will hit the vehicle's suspension, otherwise the charge hits the hull side. Hitting the vehicle is an Average: Grenade Launcher or an Easy: Combat Engineer task. The rocket used in this mine is a modified round from a Bazooka.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|-------------|--------|--------|----------------|--------|-------------|-----|
| M-24 | 8.2 kg | \$1000 | Off-Route Mine | C4 B4 | 55C | Nil |

M-25

Notes: This is a shaped charge designed to direct the bulk of its energy straight up when stepped on, and it affects only the individual who triggers it. The US and her allies use it.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|-------------|--------|-------|---------------------|--------|-------------|-----|
| M-25 | 0.1 kg | \$20 | Shaped Charge APERS | C1 B1 | 4C | 0.6 |

M-26

Notes: This is another bounding antipersonnel mine. It is a newer mine than the M-16A1, but is not yet in common use, even in the US. It detonates on contact (12.7 kg pressure) or by one of 4 tripwires (6.4 kg pressure). The main charge detonates at 2 meters, spraying twice the normal number of fragments into the heads and chests of the victims. This mine may be detected normally, but is one level harder than normal to defuse.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------|--------|-------|----------------|--------|-------------|-----|
| M-26 | 1 kg | \$80 | Bounding APERS | C4 B12 | Nil | 3 |

M-66

Notes: This mine is similar to the M-24 mine, but is detonated when the vehicle interrupts a beam of light directed between two sensors (like a supermarket door opener), or is remotely detonated. Naturally, anything breaking the beam (such as a person) will detonate the mine.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------|--------|--------|--------------------|--------|-------------|-----|
| M-66 | 10 kg | \$1500 | Off-Route Antitank | C4 B6 | 55C | Nil |

M-88 Pursuit Denial Munition (PDM)

Notes: This mine, related to the Area Denial Artillery Munition, is designed to be used by Special Operations forces and patrols to foil pursuit by enemy forces. They are easily set and can be simply dropped in the enemy's path. They are small (57x85mm) and easily missed by a rapidly moving group of soldiers. Disarming a PDM is a base Difficult: Combat Engineer task, and they are immune to overpressure. Once the safety pin is pulled, the mine becomes active 5 combat phases later.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|----------|---------|-------|-------|--------|-------------|-----|
| M-88 PDM | 0.54 kg | \$10 | APERS | C2 B2 | 1C | 2 |

Mk 1 Limpet Mine

Notes: This is a small limpet mine using the Mk 36 Mod 1 demolitions charge (see Explosives page) as a base. There are three types of this mine used today: the Mod 2, which uses the Mk 39 Safety and Arming device with the Mk 23 Mod 1 firing device; the Mod 2 also incorporates a Mk 24 Mod 2 antidisturbance device which will cause the mine to explode if tampered with once it is set (unless disabled). This antidisturbance device cannot be seen from outside the mine. The Mod 2 firing device has a mechanical clockwork time delay device which may be set to cause the mine to go off 15-180 minutes later. The Mk 1 Mod 3 version is similar to the Mod 2, but it uses a Mk 48 Mod 0 firing device which incorporates an electronic timer with a delay of 15 minutes to 72 hours. The Mk 1 Mod 4 version is a simple, "economy" version of this mine, with the Mk 23 Mod 1 firing device, the Mk 39 Mod 0 Safety and Arming device, and no antidisturbance device or measures.

All of these versions of the Mk 1 Limpet Mine are fitted with a black foam plastic float which fits snugly over the mine, covering the entire mine except the base of the mine and fuze well. This gives the mine neutral buoyancy in salt water, or slightly positive buoyancy in fresh water. The base of the mine has a powerful ring-shaped magnet around it for application to the target ship. In addition to the delay set on the timer, the mines have an arming delay of 10-15 minutes, though this may be bypassed.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|---------------------------------|---------|-------|-------------|---------|-------------|-----|
| Mk 1 Mod 2 (Above Water) | 5.87 kg | \$207 | Limpet Mine | C18 B46 | 35C | 13 |
| Mk 1 Mod 2 (Below Water) | 5.87 kg | \$207 | Limpet Mine | C18 B46 | 40C | 13 |
| Mk 1 Mod 3 (Above Water) | 6.15 kg | \$228 | Limpet Mine | C18 B46 | 35C | 13 |
| Mk 1 Mod 3 (Below Water) | 6.15 kg | \$228 | Limpet Mine | C18 B46 | 40C | 13 |
| Mk 1 Mod 4 (Above Water) | 5.51 kg | \$194 | Limpet Mine | C18 B46 | 35C | 13 |
| Mk 1 Mod 4 (Below Water) | 5.51 kg | \$194 | Limpet Mine | C18 B46 | 40C | 13 |

SADARM (Sense And Destroy ARMor)

Notes: This FASCAM mine is a nasty little surprise. When deployed, it senses vehicles when they come within 50 meters and launches a submunition into the air. The munition wobbles; searching for the vehicle, then fires an explosively formed projectile at the thin top armor. There is an 80% chance of hitting the overhead aspect only. The SADARM is available as a 155mm round (6 submunitions), a 203mm round (9 submunitions), or an MLRS round (12 submunitions).

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|---------------|--------|--------|----------------------|--------|-------------|-----|
| SADARM | 7.5 kg | \$1125 | Antitank Submunition | C3 B4 | 25C (TA) | 2 |

Selectable Lightweight Attack Munition (SLAM)

Notes: This is another small mine developed for US and her allies for use by Special Operations forces. It may be used as a conventional antipersonnel or antivehicle mine, an off-route mine, or as a small demolitions charge. In the first mode, the SLAM is triggered by a magnetic fuse that detonates the mine when more than 10 kg of metal passes over the mine. In off-route mode, the mine is triggered by an infrared sensor, and has a range of 7.5 meters. As a demolitions charge, the mine may be triggered by a timer. A simple switch changes modes. Once armed, the mine is one level harder than normal to defuse. It is unaffected by overpressure. The SLAM is small enough to be carried in a

uniform pocket.

Twilight 2000 Notes: Though these mines were much in demand, they were produced only as an experiment before the Twilight War, and are rarely seen outside the Special Operations communities of the US and her allies.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------|--------|-------|------------------|--------|-------------|-----|
| SLAM | 1 kg | \$120 | Combination Mine | C3 B4 | 10C | 5 |

Trip Flare

Notes: The flare is activated by a tripwire and shoots a magnesium flare straight up. It is most commonly used to signal the presence of an enemy, alerting sentries and illuminating the area. It works best at night. The flare burns for 90 seconds.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|------------|--------|-------|------------|--------|-------------|-----|
| Trip Flare | 1 kg | \$15 | Trip Flare | (B300) | Nil | Nil |

Trip Whistle

Notes: This is similar to the trip flare, but is smaller and produces a high-pitched whistle for 30 seconds (6 phases). The burst radius is the area in which the whistle can be heard.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------------|--------|-------|--------------|---------|-------------|-----|
| Trip Whistle | 0.5 kg | \$15 | Trip Whistle | (B1200) | Nil | Nil |

Trip Flare/Whistle

Notes: This device simply produces the effects of both of the above.

| Weapon | Weight | Price | Type | Damage | Penetration | DPV |
|--------------------|--------|-------|--------------------|-------------|-------------|-----|
| Trip Flare/Whistle | 1 kg | \$40 | Trip Flare/Whistle | (B300/1200) | Nil | Nil |